

QUANTUM IDENTIFICATION SOLUTIONS



SINGLE SOURCE FOR IDENTIFICATION PRODUCTS

Our product offering makes us a true one-stop shop for all things to help identify people.

These products can be used in a variety of industries, including healthcare, education, government, marketing, manufacturing, and more.

We offer unrivaled custom capabilities and the most on-hand inventory in the industry, meaning we get our quality goods out to our customers quickly.



TABLE OF CONTENTS

PAGE **37**

B•Reels


A twist-free reel featuring a clear vinyl strap for easy attachment to any ID badge.



PAGES **86-95**

TEMPbadge®

We offer the widest assortment of Visitor Management solutions in the industry.



Lanyards	4-24
Wristwear	25
Components	26-30
Neckwear	31
Strap Clips	32-33
Badge Reels	34-42
Badge Holders	43-67
Event Badges	68-70
Badge Buddies	71
Event Wallets	72-73
Luggage Tags	74-75
Cards & Credentials	76-79
Laminating	80-81
Slot Punches & Backdrops	82
Printers	83
Software	84-85
Visitor Management	86-95
PMS Colors	96-97
Specs & Ordering Information	98

YOUR EASY ORDERING GUIDE

1. Select Your Material

Standard Material Types



Flat Tubular: Sturdy polyester for a simple, professional look and feel.



Optiweave: Made of polyester, this lanyard is great for silk screen imprinting.



Microweave: Excellent print quality at a great price.



Ultraweave: This satin-like material offers a superior base for imprinting.



Econoweave: Thin, ribbon-like polyester material. Most economical choice.




Woven: A polyester material in which the design is woven into the fabric.

Specialty Material Types



Bamboo: Comprised of rayon fibers that are made from bamboo. Very soft to the touch.



Organic Cotton: Made with 100% organic cotton which is grown without the use of harmful chemicals or pesticides.



Anti-Microbial: Polyester material which contains nanoparticles that prevent the growth of germs. Perfect for healthcare and food service.



Recycled P.E.T: Made from 100% post-consumer waste.

2. Select Your Imprint Method

Standard Imprinting Methods



Silk Screen: The most economical imprinting method. You can silk screen on almost every material with the exception of Woven. Allows up to a 3 color imprint.



Dye-Sublimation: Color is dyed into the white fabric. Ideal for intricate designs due to endless color options and fine detail. For best results, choose Smooth Polyester fabric.



Woven: The classic lanyard look! Each design is woven into the fabric, while the tight weave allows for a crisp, clean imprint. Choose up to 12 thread colors shown on page 8.

Note: products are not shown to scale.



3. Select Your Width

Width Options

There are several different width options, depending on which material you chose. The most popular width is 5/8".



Materials & Available Widths:

Flat Tubular: 5/8" Optiweave: 5/8"

Microweave: 3/8", 1/2", 5/8", 3/4" & 1" Ultraweave: 3/8", 1/2", 5/8", 3/4" & 1" Econoweave: 3/8", 5/8", 3/4" & 1"

Woven: 5/8", 3/4" & 1"

Flat Woven: 3/8" Round Woven: 1/4" Bamboo: 3/8", 5/8", 3/4" & 1" Organic Cotton: 5/8", 3/4" & 1" Anti-Microbial: 3/8" & 5/8" Recycled: 3/8", 5/8", 3/4" & 1"

4. Select Your Attachment



Attachment Options: An attachment is the component at the end of a lanyard that holds an ID card, keys or other items. Examples of our attachments can be seen to the left.



Breakaway: A breakaway is meant to release under certain pressure.* See other styles shown on page 9.

*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

CUSTOM LANYARDS • ECONOWEAVE / ADJUSTABLE LANYARD RACK



ECONOWEAVE LANYARDS

MATERIAL COLORS







MS 200







WHITE YELLOW PMS 115

PURPLE TEA PMS 268 PMS 3

AROON FOREST PMS 195 PMS 553:

PMS Color Match

ATTACHMENT OPTIONS



Split Ring



NPS Swivel Hook



NPS Swivel Bulldog Clip



1-color, 1- or 2-sided imprint. Continuous printing only. Note: White material can only be 1-sided.

*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

Adjustable Lanyard Rack

Sturdy metal rack is ideal for smaller meetings and trade shows. Holds over 100 lanyards. Has an area on top to add a custom sign or message. **MOQ: 1.**

Adjustable Lanyard Rack Specifications				
Item#	Dimensions			
9000-1000	Total Height: 26.77" (680mm) Round Base: 9.84" (250mm) edge-to-edge, 0.12" (3mm) thick Round Tube Pole: 5/8" (15mm) width x 24" (610mm) height Spindle: 0.16" (4mm) diameter wire hooks, 14" (350mm) wide Sign: 0.034" (1mm) thick channel, 0.31" (8mm) inside dimension, 5.91" (150mm) long x 3" (75mm) high			
Shipping Weig	ght: 0.50 lb. per 1 stand			



Note: products are not shown to scale.

CUSTOM LANYARDS • SILK SCREEN



3/8" Lanyard with Narrow Plastic Hook 5/8" Glitter Ink Lanyard with NPS Swivel Hook 5/8" Lanyard with SlimReel System 3/4" Reflective Lanyard with DTACH Buckle and Bulldog Clip 5/8" 2Tone Lanyard with NPS Split Ring 5/8" Lanyard with RBLU/WHT Material Color and NPS Swivel Hook Limited material colors available. 3/4" Lanyard with Badge Reel Combo 3/4" Glitter Tape Lanyard with NPS Split Ring and Clear Vinyl Strap Clip 5/8" Event Lanyard with Two NPS Swivel Hooks 1" Lanyard with DTACH Buckle and Lanyard Extension

Custom Silk Screen Lanyards

Silk screen lanyards offer quality, no-frills customization. Print a line of text, a name or a basic logo for a professional result. Lanyards have a total length of 36". **MOQ: 100.**

Silk Sc	Silk Screen Printing Specifications					
Flat Tub	Flat Tubular, Optiweave, Microweave, Ultraweave					
Width	Maximum CONTINUOUS Print Area					
3/8"	18 1/2" x 1/4" (470 x 6mm)					
5/8"	18 1/2" x 1/2" (470 x 13mm)					
3/4"	18 1/2" x 1/4" (470 x 6mm)					
1"	18 1/2" x 11/16" (470 x 17mm)					
Width	Maximum POSITIONAL Print Area					
3/8"	13" x 1/4" (330 x 6mm)					
5/8"	13" x 1/2" (330 x 13mm)					
3/4"	13" x 5/8" (330 x 16mm)					
1"	13" x 11/16" (330 x 17mm)					
	ion time is 10 business days after proof approval. or match is not exact. Colors may vary.					
	WARNING This product can expose you to chemicals,					

WARNING This product can expose you to chemicals including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

 ${\it Note: products \ are \ not \ shown \ to \ scale.}$

Silk Screen Lanyard Specifications					
Width	Imprint Area	Shipping Weight			
3/8"	1/4" x continuous	2 lb. per 100 pieces			
5/8"	1/2" x continuous	3 lb. per 100 pieces			
3/4"	5/8" x continuous	4 lb. per 100 pieces			
1"	7/8" x continuous	5 lb. per 100 pieces			

Available Material	3/8"	5/8"	3/4"	1"
2Tone Lanyard	Х	Х	Х	Х
Anti-Microbial Breakaway Lanyard	Х	х	х	Х
Bamboo Lanyard	Х	Х	Х	
Event Open-Ended Lanyard	Х	Х	Х	Х
Flat Microweave Lanyard with Badge Reel Combo	х	х	Х	Х
Glitter Ink Lanyard	Х	Х	Х	Х
Glitter Tape Lanyard			Х	
Lanyard with NPS Swivel Hook and Clear Plastic Bead	Х			
Lanyard with DTACH Option	Х	Х	Х	Х
Organic Cotton Lanyard		Х	Х	
Recycled P.E.T. Lanyard	Х	Х	Х	
Reflective Lanyard		Х	Х	
White Border Lanyard	Х	Х	Х	Х

MATERIAL & IMPRINT COLORS					
BLACK C	WHITE	COOL GRAY 7C	REFLEX BLUE C		
115C	151C	186C	187C		
195C	200C	211C	268C		
282C	289C	292C	294C		
316C	321C	348C	375C		
801C	802C	814C	1235C		
5535C	SILVER GLITTER	PMS BLACK C AND WHITE	PMS 186 AND WHITE		
PMS Color Match	PMS REFLEX BLUE& WHITE	PMS115 AND WHITE	PMS268 AND WHITE		

SEE PAGE 9 FOR ATTACHMENT AND FINISHING OPTIONS.

GREAT FOR

with

Printable

Attachment

with Bulldog

Clip



Custom Dye-Sublimated Lanyards

Dye-Sublimated lanyards are printed using PANTONE® color match. This process ensures that the artwork provided will match the printed lanyard, meet branding guidelines and keep color consistency with repeat orders. Please provide PMS colors for artwork when placing an order. A full-color, digital proof will be provided. MOQ: 100.

Dye-S	Dye-Sub Printing Specifications				
Ultrawe	Ultraweave lanyards garner the best results.				
Width	Maximum CONTINUOUS Print Area (CMYK printing. Pantone color match available.)				
3/8"	17" x 1/4" (432 x 6mm)				
5/8"	17" x 1/2" (432 x 13mm)				
3/4"	17" x 5/8" (432 x 16mm)				
1"	17" x 11/16" (432 x 17mm)				
Width	Maximum POSITIONAL Print Area (CMYK printing. Pantone color match available.)				
3/8"	13" x 1/4" (330 x 6mm)				
5/8"	13" x 1/2" (330 x 13mm)				
3/4"	13" x 5/8" (330 x 16mm)				
1"	13" x 11/16" (330 x 17mm)				
Production time is 10 business days after proof approval. PMS color match is not exact. Colors may vary.					
	WARNING This product can expose you to chemicals, including				

nickel, which are known in the State of California to cause

 $cancer. \, For \, more \, information \, go \, to \, www.P65Warnings.ca. gov$

Note: products are not shown to scale.

Neon and metallic colors are not available on dye-sublimated lanyards.

Dye-Su	Dye-Sub Lanyard Specifications					
			Shipping Weight	Available Widths		
Width	Imprint Area	Dimensions (W x L)		Flat Ultraweave Lanyard	Event Lanyard	
3/8"	Continuous Edge-to-Edge	3/8" x 36" (total length)	2 lb. per 100 pieces	x	Х	
5/8"	Continuous Edge-to-Edge	5/8" x 36" (total length)	3 lb. per 100 pieces	х	х	
3/4"	Continuous Edge-to-Edge	3/4" x 36" (total length)	4 lb. per 100 pieces	х	х	
1"	Continuous Edge-to-Edge	1" x 36" (total length)	5 lb. per 100 pieces	Х	Х	

MATERIAL & IMPRINT COLORS



*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

SEE PAGE 9 FOR ATTACHMENT AND FINISHING OPTIONS.

CUSTOM LANYARDS • WOVEN



1/4" Round Lanyard with NPS Swivel Clip

Note: products are not shown to scale.

3/8" Lanyard with NPS Swivel Bulldog Clip

5/8" Lanyard with NPS Lobster Claw Swivel Hook

5/8" SlimReel System Shown with Label on Reel

Hook

3/4" Lanyard with NPS Trigger Snap

3/4" Lanyard with NPS Split Ring



1" Lanyard with Narrow Plastic Hook

CLOSE-UP OF A ROUND WOVEN



1" Lanyard with NPS Swivel Hook



5/8" 2Tone Lanyard with **NPS** Lobster Claw Swivel Hook

Custom Woven Lanyards

Great quality with that classic lanyard look! Imprints are woven into the fabric rather than embroidered to prevent wearing or fading. Long-lasting and perfect for text-only imprints. MOQ: 100.

Woven Lanyard Specifications					
Lanyard Width	Imprint Area	Dimensions (W x L)	Shipping Weight		
1/4"	1/4" x continuous	1/4" x 36" (total length)	2 lb. per 100 pieces		
3/8"	1/4" x continuous	3/8" x 36" (total length)	2 lb. per 100 pieces		
5/8"	1/2" x continuous	5/8" x 36" (total length)	3 lb. per 100 pieces		
3/4"	5/8" x continuous	3/4" x 36" (total length)	4 lb. per 100 pieces		
1"	7/8" x continuous	1" x 36" (total length)	5 lb. per 100 pieces		

Production time is 10 business days after proof approval.

PMS color match is not exact. Colors may vary. 3/8" width is text only.

WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

MATERIAL & IMPRINT COLORS



PURPLE

268C

WHITE

NAVY

289C

YELLOW 115C

ROYAL

294C

ORANGE 151C

TEAL

316C



GREEN

348C











SEE PAGE 9 FOR ATTACHMENT AND FINISHING OPTIONS.

CUSTOM LANYARDS • ATTACHMENT & FINISHING OPTIONS



Sewn-On

Breakaway*

Hook

and Loop

Breakaway*

to cause cancer. For more information go to www.P65Warnings.ca.gov

(3/8" flat or 1/4" round

Dye-Sub Lanyards only)

NPS Split Ring with Swivel

Bulldog Clip †

NPS Split

Ring with Swivel Hook †

NPS Split Ring with Clear

Vinyl Strap Clip †

NPS Split Ring

with J-Hook †



PLASTIC

SILVER BEAD**

 \dagger WARNING This product can expose you to chemicals, including nickel, which are known in the State of California

*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

SFWN

Note: products are not shown to scale.

Printable

Badge Reel

with Strap †

WHITE

Lanyard

Badge Reel †

(Customization on badge reel

SlimReel™ System (3/8" & 5/8" lanyards

only, customization on

badge reel is available)

§5/8" & 3/4"

lanyards only

**3/8"

lanyards only

PLASTIC

CLEAR BEAD*

is available)

VIW

(3/8" lanvards only)

Attachment

with Swivel Hook †

SEE PAGES 6-8 FOR LANYARD MATERIAL & IMPRINT OPTIONS.

SlimReel[™] System

The SlimReel System is a unique combination of a lanyard and a badge reel with an added bonus- the two components can be separated for individual use.

Think of it as a three-in-one solution: use it as a lanyard, as a badge reel, or as both at once! The SlimReel's innovative plastic clip makes it easy to attach an ID card or badge holder, while the clip's design helps ensure that the attachment faces front at all times. MOQ: 100.









SlimReel - STOCK MATERIAL COLORS











REEL CAN BE REMOVED AND USED WITHOUT A LANYARD.

Note: products are not shown to scale.

Stock lanyard	s with color-matched clip-	on SlimReel &	breakaway.*				
Item#	Color	Reel Cord Length	Reel Size (W x H)	Label on Reel	Label Size (W x H)	Lanyard Dimensions	Shipping Weight
3/8" Lanyard	ls						
2138-8001	Black						
2138-8002	Royal Blue (PMS 294)	28"	1 1/4" x 1 11/16"	Multi-color flat or dome label	13/16" x 1"	3/8"W x 36"L	4.4 lb. per 100 pieces
2138-8006	Red (PMS 200C)	28"					
2138-8008	White						
5/8" Lanyards							
2138-8101	Black		" 1 1/4" × 1 11/16"	Multi-color flat or dome label	13/16" x 1"	5/8"W x 36"L	
2138-8102	Royal Blue (PMS 294)	2011					6 lb. per 100 pieces
2138-8106	Red (PMS 200C)	28"					
2138-8108	White						F.0000

cancer. For more information go to www.P65Warnings.ca.gov

*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

SEE PAGE 11 FOR LANYARD CUSTOMIZATION

CUSTOM LANYARDS • SlimReel™ SYSTEM

BOTH THE LANYARD AND **BADGE REEL CAN BE CUSTOMIZED!**

5/8" custom dye-sub lanyard shown with label on reel. Reel cord is shown extended and attached to an ID badge and event holder.

G:S

EVENT HOLDERS SEE **PAGE 58**

SPORTS Custom CONFERENCE SlimReel[™] System

G:S

Add a logo or text to a silkscreen, dye-sub, or woven lanyard, and add graphics to the reel with either a dome or flat label. MOQ: 100.



3/8" custom woven lanyard shown with lahel on reel Shown without reel cord extended.

CORE LABORATORI



3/8" custom silk screen lanyard shown with label and dome on reel Shown without reel cord extended.

SlimReel System - Custom Lanyard Specifications Custom lanyards with color-matched clip-on SlimReel & breakaway.* Reel Cord Reel Size Lanvard Lanvard Shipping Label on Reel Color Length $(W \times H)$ **Dimensions** Imprint Area Weight 3/8" Lanyards Black Royal Blue (PMS 294) Silk Screen: 1/4" x continuous Red (PMS 200C) Multi-color flat White or dome label Dye-Sub: 4.4 lb. Yellow (PMS 115) 28' 1 1/4" x 1 11/16" 3/8"W x 36"L Continuous per 100 Label size: Edge-to-Edge pieces Orange (PMS 151) 13/16" x 1" Maroon (PMS 195) Woven: Navy Blue (PMS 289 1/4" x continuous Green (PMS 348) 5/8" Lanyards Black Royal Blue (PMS 294) Silk Screen: 1/2" x continuous Red (PMS 200C) Multi-color flat White or dome label Dve-Sub: 6 lb. Yellow (PMS 115) 28' 1 1/4" x 1 11/16" 5/8"W x 36"L per 100 Continuous Label size: Edge-to-Edge pieces Orange (PMS 151) 13/16" x 1" Maroon (PMS 195) Woven: Navy Blue (PMS 289 1/2" x continuous Green (PMS 348) WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

ALEX

DAYTON

*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

SlimReel - SILK SCREEN

IMPRINT COLORS

PMS Color Match



MATERIAL COLORS

BLACK WHITE MAROON ORANGE

YELLOW PMS 115

NAVY PMS 289

ROYAL PMS 294

RED PMS 200 GREEN PMS 348

SlimReel - WOVEN **MATERIAL & THREAD COLORS**

YELLOW

BLACK ORANGE PMS 151

WHITE MAROON PMS 195

RED PMS 200

GREEN PMS 348

SlimReel Lanyard - DYE-SUB **MATERIAL & IMPRINT COLORS**





Note: products are not shown to scale.

CUSTOM LANYARDS • RUSH LANYARD SERVICE





Camera-ready artwork must be provided—true vector files .ai and .eps accepted.

If artwork doesn't meet these requirements a delay in processing will incur.



Orders must be in by 2:30pm EST and final proof approval received from customer by 5pm EST.



Existing customers' credit must be in good standing.



Production time is 4 business days.



Shipping time is 2-3 days based on clearing customs.

RUSH LANYARD SERVICE

STANDARD ATTACHMENT OPTIONS



NPS Swivel Hook



NPS Swivel Bulldog Clip



NPS Split Ring



NPS Bulldog Clip with Small Ring



NPS Bulldog Clip with Large Opening



Black Narrow Plastic Hook



Black Wide Plastic Hook



NPS Trigger Snap Swivel Hook

ADDITIONAL ATTACHMENT OPTIONS



NPS Split Ring with Clear Vinyl Strap Clip



Black Standard Safety Breakaway

FINISHING OPTIONS





Note: products are not shown to scale.





Item#	3/8" Lanyards		
SS-38-EX	Silk Screen Flat Ribbed Polyester		
SSEVNT-38-EX	Silk Screen Event		
DS-38-EX	Dye-Sub Flat Smooth Polyester		
DSEVNT-38-EX	Dye-Sub Event		
Item#	5/8" Lanyards		
SS-58-EX	Silk Screen Flat Ribbed Polyester		
SSEVNT-58-EX	Silk Screen Event		
DS-58-EX	Dye-Sub Flat Smooth Polyester		
DSEVNT-58-EX	Dye-Sub Event		
Item#	3/4" Lanyards		
SS-34-EX	Silk Screen Flat Ribbed Polyester		
SSEVNT-34-EX	Silk Screen Event		
DS-34-EX	Dye-Sub Flat Smooth Polyester		
DSEVNT-34-EX	Dye-Sub Event		
Item#	1" Lanyards		
SS-1-EX	Silk Screen Flat Ribbed Polyester		
SSEVNT-1-EX	Silk Screen Event		
DS-1-EX	Dye-Sub Flat Smooth Polyester		
DSEVNT-1-EX	Dye-Sub Event		
Additional Information			
Imprint Area (Silk Screen):	3/8" - 1/4" x continuous; 5/8" - 1/2" x continuous; 3/4" - 5/8" x continuous; 1" - 7/8" x continuous		
Imprint Area (Dye-Sub):	Continuous edge-to-edge		
Dimensions:	3/8", 5/8", 3/4" or 1" wide x 36" long (total length)		
Shipping Weight per 100 Pieces:	3/8" - 2 lb.; 5/8" - 3 lb.; 3/4" - 4 lb.; 1" - 5 lb.		

*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

NF-9C-GRN

THREAD COUNT

PROVIDES A
TIGHTER WEAVE
AND SOFTER

TEXTURE!

BL-34S-RED

NFW-9S-BLK

3/8" Non-Breakaway Optiweave Lanyards

This 3/8" (10mm) Optiweave polyester lanyard is functional yet light and comfortable. *MOQ: 100.*

3/8" Non-Breakaway Optiweave Lanyard Specifications					
NPS Swivel Hook NPS Bulldog Clip NPS Split Ring					
End Attachment & Item #					
NF-9S NF-9C NF-9R					
3/8" wide x 36" long (total length)					
	NPS Bulldog Clip End Attachment & Ite NF-9C				

Shipping Weight: 2.2 lb. per 100 pieces.

WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

FOR ITEM NUMBERS ENDING IN ____, SUBSTITUTE THE COLOR ABBREVIATIONS SHOWN IN THE COLOR CHART.

3/8" Breakaway Optiweave Lanyards

3/8" (10mm) Optiweave lanyard made of polyester material. Designed for comfort. Only available with breakaway. **MOQ: 100.**

MATCHING BREAKAWAY INCLUDED



3/8" Breakaway Optiweave Lanyard Specifications						
"No-Flip" Wide NPS Swivel NPS NPS Split Plastic Hook Hook Bulldog Clip Ring Card Clamp Badge Reel with Card Clamp						
End Attachment & Item #						
BL-34H	BL-34H BL-34S BL-34C BL-34R* BL-34K6* BL-545* BL-545K6*					
Dimensions: 3/8" wide x 36" long (total length)						
*BL-34K6 is only	available in navv	blue and black	BI-545 and BI-	45K6 are only av	ailable in roval blu	ue and black. White

*BL-34K6 is only available in navy blue and black; BL-545 and BL-545K6 are only available in royal blue and black. White is not available for BL-34R, 34K6, 545, or 545K6. Shipping Weight: 2.2 lb. per 100 pieces.



WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

FOR ITEM NUMBERS ENDING IN ____, SUBSTITUTE THE COLOR ABBREVIATIONS SHOWN IN THE COLOR CHART.

3/4" Flat Lanyards with Swivel Hook

Flat polyester lanyard is light and comfortable. Non-breakaway style with swivel hook attachment. *MOQ: 100.*

3/4" Flat Lanyard with Swivel Hook Specifications						
Color Item# Dimensions						
Black	NFW-9S-BLK					
Navy Blue	NFW-9S-NBLU	3/4" wide x 36" long				
Royal Blue						
Red NFW-9S-RED						
Shipping Weight: 4 lb. per	100 pieces.					

 \bigwedge

WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

NON-BREAKAWAY OPTIWEAVE LANYARDS

MATERIAL COLOR OPTIONS



RBLU PMS 294





WHT RED PMS 20

ATTACHMENT OPTIONS

NPS Swivel



NPS Bulldog Clip with Small Ring







BREAKAWAY OPTIWEAVE LANYARDS

MATERIAL COLOR OPTIONS



RBLU PMS 294 GRN PMS 348

NBLU PMS 289

WHT

RED PMS 200

ATTACHMENT OPTIONS

NPS Swivel Hook



NPS Bulldog Clip with Small Ring



NPS Split Ring



Matching "No-Flip" Plastic Hook



Card Clamp™



Badge Reel with Card Clamp™



Badge Reel with Strap




FLAT LANYARDS WITH SWIVEL HOOK

MATERIAL COLOR OPTIONS









NPS Swivel Hook



DOMESTIC PRINTING AVAILABLE



Note: products are not shown to scale.

STOCK LANYARDS • 1/8" ROUND BRAIDED / TUB-O-LANYARDS

SOLID ROUND BRAIDED LANYARDS

MATERIAL COLOR OPTIONS

















METALLIC ROUND **BRAIDED LANYARDS**

MATERIAL COLOR OPTIONS

RBLU

















*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-OA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

1/8" Round **Braided Lanyards**

1/8" (3mm) round braided polypropylene material with crimp and choice of attachment. Solid colors are available in both breakaway and non-breakaway styles. MOQ: 100.



1/8" Round Braided Lanyard Specifications Swivel Hook **Bulldog Clip Split Ring** Color End Attachment & Item # 1/8" Non-Breakaway (Solid Material Color) 2135-3001 2135-3251 2135-3101 Black or NL-7S-BLK or NL-7C-BLK or NL-7R-BLK 2135-3002 2135-3252 2135-3102 Royal Blue or NL-7S-RBLU or NL-7C-RBLU or NL-7R-RBLU 2135-3003 2135-3253 2135-3103 Navy Blue or NL-7S-NBLU or NL-7C-NBLU or NL-7R-NBLU 2135-3104 2135-3004 2135-3254 Green or NL-7S-GRN or NL-7C-GRN or NL-7R-GRN Orange 2135-3005 2135-3255 2135-3105 2135-3006 2135-3256 2135-3106 Red or NL-7S-RED or NL-7C-RED or NL-7R-RED 2135-3008 2135-3258 2135-3108 White or NL-7S-WHT or NL-7C-WHT or NL-7R-WHT Yellow 2135-3009 2135-3259 2135-3109 Purple 2135-3013 2135-3263 2135-3113 Forest 2135-3014 2135-3264 2135-3114 Teal 2135-3016 2135-3266 2135-3116 2135-3017 2135-3267 Maroon 2135-3117 1/8" Non-Breakaway (Metallic Material Color) 2135-3021 N/A Black N/A Royal Blue 2135-3022 N/A N/A Navy Blue 2135-3023 N/A N/A 2135-3026 N/A Red N/A Purple 2135-3029 N/A N/A

1/8" Round Braided Lanyard Specifications Swivel Hook Bulldog Clip End Attachment & Item # Color 1/8" Breakaway (Solid Material Color) 2137-2001 2137-2011 2137-2021 Royal Blue 2137-2002 2137-2012 2137-2022 Navy Blue 2137-2003 2137-2013 2137-2023 Green 2137-2004 2137-2014 2137-2024 Orange 2137-2005 2137-2015 2137-2025 Red 2137-2006 2137-2016 2137-2026 Maroon 2137-2007 2137-2017 2137-2027 White 2137-2008 2137-2018 2137-2028 Yellow 2137-2009 2137-2019 2137-2029 Purple 2137-2010 2137-2020 2137-2030 Dimensions: 1/8" wide x 36" long (total length) Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 2 lb. per 100 pieces. WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Split Ring

Tub-O-Lanyards

Tub-O-Lanyards Specifications

Item#

LANS50

Tub-O-Lanyards offers 1/8" round non-breakaway lanyards with crimp and swivel hook or bulldog clip end fitting in a fun and convenient container. Receive multiple colors of the product, giving employees a wider variety of options when deciding how to wear and display their ID badge.

Bulldog Clip	
0	50
Swivel Hook	LANYARDS

COLORS

BI ACK

	EO	
	JU	
L	ANYARDS	

Orders placed before 1pm ET ship SAME DAY! WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Each Tub Contains 50 Lanyards in the following

25 Swivel Hooks: 10 Black, 5 Royal, 5 Navy, 5 Red

25 Bulldog Clips: 10 Black, 5 Royal, 5 Navy, 5 Red

End Fittings, Quantities and Colors:



Note: products are not shown to scale.

TUB-O-LANYARDS

ATTACHMENTS





3/8" Flat	Tubular Lanya	rd Specificatio	ns		
	4	1	Comment		
	Narrow Plastic No-Twist Hook	Wide Plastic No-Twist Hook	NPS Swivel Hook	NPS Split Ring	NPS Bulldog Clip
Color		End Atta	chment & Ite		
3/8" Non-E	Breakaway				
Black	N/A	N/A	2135-3501	2135-3651	2135-3551
Royal Blue	N/A	N/A	2135-3502	2135-3652	2135-3552
Navy	N/A	N/A	2135-3503	2135-3653	2135-3553
Red	N/A	N/A	2135-3506	2135-3656	2135-3556
White	N/A	N/A	2135-3508	2135-3658	2135-3558
Yellow	N/A	N/A	2135-3509	2135-3659	2135-3559
Green	N/A	N/A	2135-3504	2135-3654	2135-3554
Purple	N/A	N/A	2135-3513	2135-3663	2135-3563
Forest	N/A	N/A	2135-3514	2135-3664	2135-3564
Teal	N/A	N/A	2135-3516	2135-3666	2135-3566
Orange	N/A	N/A	2135-3505	2135-3655	2135-3555
Maroon	N/A	N/A	2135-3517	2135-3667	2135-3567
3/8" Break	away				
Black	2137-4035	2137-4744	2137-5001	2137-3651	2137-6001
Royal Blue	2137-4040	2137-4745	2137-5002	2137-3652	2137-6002
Navy	2137-4080	2137-4746	2137-5003	2137-3653	2137-6003
Red	2137-4110	2137-4747	2137-5006	2137-3656	2137-6006
White	2137-4125	2137-4741	2137-5008	2137-3658	2137-6008
Yellow	2137-4130	2137-4742	2137-5009	2137-3659	2137-6009
Green	2137-4060	2137-4748	2137-5004	2137-3654	2137-6004
Purple	2137-4095	2137-4749	2137-5013	2137-3663	2137-6013
Forest	2137-4014	2137-4750	2137-5014	2137-3664	2137-6014
Teal	2137-4120*	2137-4751	2137-5018	2137-3666	2137-6018
Orange	2137-4085*	2137-4743	2137-5005	2137-3655	2137-6005
Maroon	2137-4135	2137-4752	2137-5035	2137-3667	2137-6035
Dimension	s:	3/8" wide x 36"	long (cut lengt	:h)	

Orders placed before 1pm ET ship SAME DAY!

Shipping Weight: 2 lb. per 100 pieces (non-breakaway) / 2.2 lb. per 100 pieces (breakaway).

WARNING This product can expose you to nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

5/8" Microweave Lanyard Specifications					
	4	9	00		
	Narrow Plastic No-Twist Hook	Wide Plastic No-Twist Hook	NPS Swivel Hook	NPS Split Ring	NPS Bulldog Clip
Color	TTO TWIST TOOK		achment & Ite		Ciip
5/8" Non-E	Breakaway				
Black	N/A	N/A	2136-3501	2136-3651	2136-3551
Royal Blue	N/A	N/A	2136-3502	2136-3652	2136-3552
Navy	N/A	N/A	2136-3503	2136-3653	2136-3553
Red	N/A	N/A	2136-3506	2136-3656	2136-3556
White	N/A	N/A	2136-3508	2136-3658	2136-3558
Yellow	N/A	N/A	2136-3509	2136-3659	2136-3559
Green	N/A	N/A	2136-3504	2136-3654	2136-3554
Purple	N/A	N/A	2136-3513	2136-3663	2136-3563
Forest	N/A	N/A	2136-3514	2136-3664	2136-3564
Teal	N/A	N/A	2136-3516	2136-3666	2136-3566
Orange	N/A	N/A	2136-3505	2136-3655	2136-3555
Maroon	N/A	N/A	2136-3517	2136-3667	2136-3567
5/8" Break	away				
Black	2138-4035*	2138-4780	2138-5001	2138-3651	2138-6001
Royal Blue	2138-4040*	2138-4781	2138-5002	2138-3652	2138-6002
Navy	2138-4080*	2138-4782	2138-5003	2138-3653	2138-6003
Red	2138-4110*	2138-4783	2138-5006	2138-3656	2138-6006
White	2138-4125*	2138-4777	2138-5008	2138-3658	2138-6008
Yellow	2138-4130*	2138-4778	2138-5009	2138-3659	2138-6009
Green	2138-4060*	2138-4784	2138-5004	2138-3654	2138-6004
Purple	2138-4095*	2138-4785	2138-5013	2138-3663	2138-6013
Forest	2138-4014*	2138-4786	2138-5014	2138-3664	2138-6014
Teal	2138-4120*	2138-4787	2138-5018	2138-3666	2138-6018
Orange	2138-4085*	2138-4779	2138-5005	2138-3655	2138-6005
Maroon	2138-4135*	2138-4788	2138-5035	2138-3667	2138-6035

5/8" wide x 36" long (cut length) Orders placed before 1pm ET ship SAME DAY!

Shipping Weight: 2.7 lb. per 100 pieces (non-breakaway) / 2.9 lb. per 100 pieces (breakaway).



Dimensions:

WARNING This product can expose you to nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

White, yellow and orange lanyards come with white components; all others come with black. Breakaway lanyards come with both a Universal Slide Adapter and choice of end fitting (not including Narrow and Wide Plastic Hooks).

*Minimum order quantity: 1,000. Lead time applies.







*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

STOCK LANYARDS • ROUND NO-FLIP / BADGE REEL COMBO / ROUND DTACH



ROUND NO-FLIP LANYARDS

MATERIAL COLOR OPTIONS







ATTACHMENT OPTION



Matching "No-Flip" Plastic Hook

1/4" Round No-Flip Lanyards

High-quality, round neck cord with breakaway.* Guaranteed to keep ID facing forward. Includes 3/4" customizable slider and "No-Flip" color-matched plastic hook. MOQ: 100.

1/4" Round No-Flip Lanyard Specifications						
Color Item# Dimensions Slider Diameter						
FF-34H-BLK	4 /4 1 0 / 1	3/4"				
FF-34H-NBLU	1/4" Wide x 36" long					
Red FF-34H-RED (total length)						
	Item# FF-34H-BLK FF-34H-NBLU	Item# Dimensions FF-34H-BLK FF-34H-NBLU (total length)				

Orders placed before 1pm ET ship SAME DAY! Lanyards with customized sliders $ship \ 5-7 \ business \ days \ after \ proof \ approval. \ Shipping \ Weight: \ 3.4 \ lb. \ per \ 100 \ pieces.$



This product can expose you to Antimony Oxide, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov



FF-34H-RFD

LANYARD BADGE REEL COMBO

MATERIAL COLOR OPTIONS













WHT



ATTACHMENT OPTION



ROUND DTACH LANYARDS

MATERIAL COLOR OPTIONS

ATTACHMENT OPTIONS

Badge Reel with Clear Vinyl Strap

5/8" Lanyard Badge Reel Combo

Plastic round slotted reel with clear vinyl strap connected to a breakaway* lanyard. MOQ: 100.

5/8" Lanyard Badge Reel Combo Specifications					
Item#	Breakaway Color	Lanyard Dimensions	Reel Dimensions		
2138-7001	Black				
2138-7003	Black		1 1/4" (34" cord length)		
2138-7004	Black				
2138-7005	White	5 (0)			
2138-7006	Black	-,			
2138-7007	Black	long (total length)			
2138-7008	White				
2138-7009	White				
2138-7010	Black				
	ltem# 2138-7001 2138-7003 2138-7004 2138-7005 2138-7006 2138-7007 2138-7008 2138-7009	Item# Breakaway Color 2138-7001 Black 2138-7003 Black 2138-7004 Black 2138-7005 White 2138-7006 Black 2138-7007 Black 2138-7008 White 2138-7009 White	Item# Breakaway Color Lanyard Dimensions 2138-7001 Black 2138-7003 Black 2138-7004 Black 2138-7005 White 2138-7006 Black 2138-7007 Black 2138-7008 White 2138-7009 White		

Orders placed before 1pm ET ship SAME DAY! Lanyards with customized badge reels ship 5-7 business days after proof approval. Shipping Weight: 2.9 lb. per 100 pieces.



WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

DOMESTIC PRINTING AVAILABLE! CAN BE PRINTED POSITIONALLY. 2138-7010

1/4" Round DTACH Lanyards

Slider is perfect for imprinting your logo! 1/4" (6mm) OptiBraid polypropylene round material with DTACH attachments and your choice of round or diamond slider. Only available with breakaway.* MOO: 100.

1/4" Round DTACH Lanyard Specifications						
	Swivel Hook	Swivel Hook Plastic Swivel Bulldog Split Ri				
	DTACH	Snap Hook DTACH	Clip DTACH	DTACH		
Color		End Attachmer	ıt & Item #			
1/4" OptiBrai	d DTACH Lany	ards with Breakaway	& Round Slide	r		
Black	2135-4573	2135-4581	2135-4589	2135-4613		
Royal Blue	2135-4574	2135-4582	2135-4590	2135-4614		
Navy Blue	2135-4575	2135-4583	2135-4591	2135-4615		
Red	2135-4576	2135-4584	2135-4592	2135-4616		
1/4" OptiBrai	d DTACH Lany	ards with Breakaway	& Diamond Sli	der		
Black	2135-4501	2135-4509	2135-4517	2135-4541		
Royal Blue	2135-4502	2135-4510	2135-4518	2135-4542		
Navy Blue	2135-4503	2135-4511	2135-4519	2135-4543		
Red	2135-4504	2135-4512	2135-4520	2135-4544		
Dimensions: 1/4" wide x 36" long (total length)						
Orders placed before 1pm ET ship SAME DAY! Lanyards with customized sliders						



WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

ship 5-7 business days after proof approval. Shipping Weight: 5.7 lb. per 100 pieces.



2135-4583

SLIDER OPTIONS



*Special WARNING for Breakaway Lanyards—Breakaway performance will yary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female per upul force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

5/8" Polyester DTACH Breakaway Lanyards

Our flat, 5/8" wide, polyester lanyard features a trigger snap swivel hook attachment and black DTACH buckle. This sleek, detachable lanyard is only available with breakaway.* MOQ: 100.

5/8" Polyester DTACH Breakaway Lanyard Specifications					
Color	Dimensions				
Black	2138-3621				
Royal Blue	2138-3622				
Green	2138-3624	5/8" wide x 36" long			
Navy Blue	2138-3623	(total length)			
White	2138-3628	72			
Red	2138-3626				
0 1 1 11 (4 FT 1: CAME DAY	1 1			

Orders placed before 1pm ET ship SAME DAY!

Shipping Weight: 3 lb. per 100 pieces.



WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

3/8" Adjustable Breakaway Lanyards

Adjusts from 24" to 44" in length! 3/8" Microweave material with slide adjuster and breakaway.* Wide "no-twist" plastic hook keeps your ID from turning. MOQ: 100.

3/8" Adjustable Breakaway Lanyard Specifications						
Color	Item#	Dimensions				
Black	2137-2037					
Royal Blue	2137-2038					
Green	2137-2034					
Navy Blue	2137-2033					
White	2137-2036	3/8" wide x 24-44" long (adjustable)				
Red	2137-2039	(adjustable)				
Orange	2137-2035					
Pink	2137-2040					
Purple	2137-2041					

Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 2 lb. per 100 pieces.



This product can expose you to Antimony Oxide, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

5/8" Flat Tubular DTACH Breakaway Lanyards

Keep your ID or keys at your fingertips! 5/8" (16mm) tubular polyester with DTACH attachments. Only available with breakaway.* MOQ: 100.

5/8" FI	5/8" Flat Tubular DTACH Breakaway Lanyard Specifications					
	DTACH Swivel Hook	DTACH Plastic Snap Hook	DTACH Bulldog Clip	DTACH Split Ring		
Color	End Attachment & Item #					
Black	2135-4645	2135-4653	2135-4661	2135-4685		
Royal	2135-4646	2135-4654	2135-4662	2135-4686		
Navy	2135-4647	2135-4655	2135-4663	2135-4687		
Red	2135-4648	2135-4656	2135-4664	2135-4688		
Dimensions: 5/8" wide x 36" long (total length)						

Orders placed before 1pm ET ship SAME DAY!

Shipping Weight: 4 lb. per 100 pieces.

the State of California to cause cancer. For more information go to

This product can expose you to Antimony Oxide, which is known in www.P65Warnings.ca.gov



DOMESTIC 2138-3628 **PRINTING** AVAILABLE! CAN BE PRINTED **POSITIONALLY**

2127-2040

DOMESTIC



5/8" POLYESTER DTACH BREAKAWAY LANYARDS

MATERIAL COLOR OPTIONS



ATTACHMENT OPTION



DTACH Trigger Snap

3/8" ADJUSTABLE **BREAKAWAY LANYARDS**

MATERIAL COLOR OPTIONS





WHT

ATTACHMENT OPTION

Wide Plastic Hook



WHITE, ORANGE AND PINK I ANYARDS COME WITH WHITE **BREAKAWAYS AND ADJUSTERS.** ALL OTHERS ARE BLACK.

FLAT TUBULAR DTACH BREAKAWAY LANYARDS

MATERIAL COLOR OPTIONS







ATTACHMENT OPTIONS



DTACH Swivel Hook



Plastic Swivel Snap Hook



DTACH Bulldog Clip



DTACH Split Ring

Note: products are not shown to scale.

*Special WARNING for Breakaway Lanyards—Breakaway performance will yary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

STOCK LANYARDS • EVENT / SlimClips / 3-BREAKAWAY

3/8" OPEN-ENDED LANYARDS

ATTACHMENT OPTION MATERIAL COLOR OPTIONS







WHITE

Two Bulldog Clips

3/8" Open-Ended Event Lanyards

Our open-ended polyester lanyards are perfect for conventions and events. Called "open-ended" because there is no full loop, these lanyards feature metal bulldog clips to make attaching a credential easy. *MOQ: 100.*

3/8" Open-Ended Lanyard Specifications			
Item#	Color	Dimensions	
2140-5301	Black		
2140-5302	Royal Blue		1
2140-5303	Navy	3/8" wide x 36" long	
2140-5304	Green	(total length)	
2140-5306	Red		
2140-5308	White		
Orders placed	before 1pm ET shi	p SAME DAY! Shipping Weight: 2.2 lb.	per 100 pieces.

Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 2.2 lb. per 100 pieces

WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

2140-5302

2140-5403

2140-5801

2137-3006

3/8" OPEN-ENDED LANYARDS

ATTACHMENT OPTION MATERIAL COLOR OPTIONS











Two SlimClips

3/8" Open-Ended Lanyard with SlimClips

Designed for events and conventions, this open-ended lanyard features all plastic SlimClips as the end fittings. These end fittings make the lanyard perfect for carrying vinyl badge holders with slots on either side. The open-ended lanyard will keep a credential facing forward. *MOQ: 100.*

Open-Ended Lanyard with SlimClips Specifications			
Item#	Color	Dimensions	
2140-5401	Black		
2140-5402	Royal Blue		
2140-5403	Navy Blue	3/8" wide x 36" long (total length)	
2140-5406	Red		
2140-5408	White		-
			-

Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 1.8 lb. (per 100 pieces)



WARNING This product can expose you to Antimony Oxide, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

1/8" OPEN-ENDED LANYARDS

ATTACHMENT OPTIONS

MATERIAL COLOR OPTIONS







Two NPS Hooks



Two NPS Bulldog Clips

1/8" Open-Ended Event Lanyards

Our 1/8" round polypropylene lanyards with two NPS hooks are perfect for conventions and other events. *MOQ: 100.*

1/8" Open-Ended Event Lanyard Specifications				
Item#	Color	Attachment	Dimensions	
2140-5801	Black	NPS Hooks		
2140-5802	Royal Blue	NPS Hooks	1/8" wide x 36" long	
2140-6001	Black	NPS Bulldog Clips	(total length)	
2140-6002	Royal Blue	NPS Bulldog Clips		
Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 2 lb. per 100 pieces.				


This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

3/8" 3-Breakaway Lanyards

The 3-Breakaway Lanyard is meant to release in 3 areas under certain pressure.* It contains no metal and is ideal for high-risk atmospheres such as mental health and correctional facilities. *MOQ: 100.*

3/8" 3-Breakaway Lanyard Specifications			
Item#	Color	Dimensions	
2137-3001	Black	2/01/	
2137-3002	Royal Blue	3/8" wide x 36" long (total length)	
2137-3006	Red	(total leligiti)	

Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 2.5 lb. per 100 pieces.



"Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

3-BREAKAWAY LANYARDS

ATTACHMENT OPTION MATERIAL COLOR OPTIONS







Wide Plastic Hook





Bamboo Lanyards

Fast-growing bamboo is one of Earth's most sustainable resources. These are comprised of rayon fibers made from bamboo. Only available with breakaway.* *MOQ: 100, unless otherwise noted.*



Bamboo Lanyard Specifications		
Color	Item#	Dimensions
Black	2137-2045	
Navy Blue	2137-2046	
Forest Green	2137-2047	3/8" wide x 36" long
Red	2137-2048	(total length)
Purple	2137-2049	
Off White	2137-2050	
Black	2137-2051	
Navy Blue	2137-2052	
Forest Green	2137-2053	5/8" wide x 36" long
Red	2137-2054*	(total length)
Purple	2137-2055*	
Off White	2137-2056*	

Orders placed before 1pm ET ship SAME DAY!

Shipping Weight: 2 lb. (3/8") / 3 lb. (5/8") per 100 pieces.



WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

 * Minimum order quantity: 1,000, lead time applies.

100% Recycled P.E.T. Lanyards

These lanyards are made from 100% recycled post-consumer waste. Recycled plastic means less petroleum – a finite commodity – is consumed. Only available with breakaway.* **MOQ: 100, unless otherwise noted.**



Recycled P.E.T. Lanyard Specifications			
Color	Item# Dimensions		
Black	2137-2057		
Navy Blue	2137-2058		
Forest Green	2137-2059	3/8" wide x 36" long	
Red	2137-2060	(total length)	
Purple	2137-2061		
Off White	2137-2062		
Black	2137-2063		
Navy Blue	2137-2064		
Forest Green	2137-2065	5/8" wide x 36" long	
Red	2137-2066*	(total length)	
Purple	2137-2067*		
Off White	2137-2068*		

Orders placed before 1pm ET ship SAME DAY!

Shipping Weight: 2 lb. (3/8") / 3 lb. (5/8") per 100 pieces.



WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

*Minimum order quantity: 1,000, lead time applies.

BAMBOO LANYARDS

MATERIAL COLOR OPTIONS













ATTACHMENT OPTION

Wide Plastic Hook



100% P.E.T. RECYCLED PLASTIC LANYARDS

MATERIAL COLOR OPTIONS













ATTACHMENT OPTION

Wide Plastic Hook



MADE FROM 100% RECYCLED POST-CONSUMER WASTE!



ALL LANYARDS ON THIS PAGE CAN BE CUSTOMIZED SEE PAGES 4-9

5/8" ANTI-MICROBIAL

BREAKAWAY LANYARDS

MATERIAL COLOR OPTIONS

5/8" Anti-Microbial Lanyards Material contains nanoparticle-coated fibers that inhibit the

growth of germs and kill odor-causing bacteria. Ideal for food service, healthcare and other industries that need to have clean environments. Only available with breakaway.* **MOQ: 100.**

5/8" Anti-Microbial Lanyard Specifications		
Color	Item#	Dimensions
Black	2136-3405	
Royal Blue	2136-3406	
Red	2136-3407	5/8" wide x 36" long
Green	2136-3404	(total length)
Navy Blue	2136-3403	
White	2136-3408	

Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 3 lb. per 100 pieces.



This product can expose you to Antimony Oxide, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

DOMESTIC PRINTING AVAILABLE!
CAN BE PRINTED POSITIONALLY.

2136-3407

BLACK

RBLU

PMS 294

RED

PMS 200

GRN

PMS 348

WHT

NBLU

PMS 289

ATTACHMENT OPTION

Wide Plastic Hook

IDEAL FOR FOOD SERVICE

AND HEALTHCARE!

*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under test conditions Pm -3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

Note: products are not shown to scale.

STOCK LANYARDS • POLKA DOT / FASHION / RHINESTONE

POLKA DOT LANYARDS MATERIAL COLOR OPTIONS









PINK

PURPLE

ATTACHMENT OPTION



NPS Trigger Hook & Split Ring

Polka Dot Lanyards

Add a fun splash of color to your card-carrying solution with our new polka dot lanyards. The two end fittings allow you to easily carry more than one item. Only available with breakaway.* MOQ: 10.

Polka Dot Lanyard Specifications		
Color	Dimensions	
Blue		
Green	5/8" wide x 36" long	
Pink	(total length)	
Purple		
	Color Blue Green Pink	

Orders placed before 1pm ET ship SAME DAY!

Shipping Weight: 4 lb. per 100 pieces.



WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov



2138-72XX

FASHION LANYARDS

MATERIAL COLOR OPTIONS







GRFFN

NECTARINE

ATTACHMENT OPTION



RHINESTONE LANYARDS

MATERIAL COLOR OPTIONS

RHN-BLK

RHN-RED

RFD

ATTACHMENT OPTION

Oval Shaped Metal Hook

NPS Trigger Hook & Split Ring

RHN-CLR

RHN-BLU

BLUE

Fashion Lanyards

Zigzag pattern fashion lanyards with NPS trigger hook and split ring. The two end fittings allow you to easily carry more than one item. Only available with breakaway.* MOQ: 10.

Fashion Lanyard Specifications			
Item#	Color	Dimensions	
2138-6281	Black		
2138-6283	Monaco Blue	5/8" wide x 36" long	
2138-6284	Emerald Green	(total length)	
2138-6285	Nectarine		

Orders placed before 1pm ET ship SAME DAY!

Shipping Weight: 4 lb. per 100 pieces.



WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov





2138-6285

RHN-RED

Rhinestone Lanyards

Add some bling to your lanyard! Our new stock rhinestone lanyards are available in multiple colors and come with an oval shaped metal hook. MOQ: 10.

Rhinestone Lanyard Specifications			
Item#	Color	Dimensions	
RHN-CLR	Clear		
RHN-BLU	Royal Blue	3/8" wide x 36" long	
RHN-RED	Red	(total length)	
RHN-BLK	Black		
Orders placed before 1pm ET ship SAME DAY!			

Shipping Weight: 0.5 lb. per 10 pieces.



This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.



Paint Splatter Lanyards

These polyester lanyards feature a "paint splatter" pattern dye-sublimated into the fabric. The splotches and colors help make this lanyard stand out, drawing attention to the attached credential. A nickel-plated steel swivel hook end fitting makes it easy to attach a slotted ID card or badge holder. Only available with breakaway.* MOQ: 100.

Paint Splatter Lanyard Specifications			
Item#	Color	Dimensions	
	•	3/4" wide x 36" long (total length)	

Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 2 lb. per 100 pieces.



WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

2138-5270

PAINT SPLATTER LANYARDS MATERIAL COLOR OPTION Paint Splatter ATTACHMENT OPTION NPS Swivel Hook **BLACK BREAKAWAY*** INCLUDED!

Rainbow Lanyards

This pre-printed lanyard is perfect for those seeking a fun, colorful solution without the desire to purchase custom lanyards. Made of our soft, silky material, this 3/4" lanyard features a dye-sublimated rainbow pattern guaranteed to stand out. Each lanyard features a white breakaway and a sewn-on swivel hook end fitting for easy card carrying. MOQ: 100.

Rainbow Lanyard Specifications			
Item#	Description	Dimensions	
2138-5260		3/4" wide x 36" long (total length)	

Orders placed before 1pm ET ship SAME DAY!

Shipping Weight: 2 lb. per 100 pieces.



WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov



RAINBOW LANYARDS MATERIAL COLOR OPTION Rainbow ATTACHMENT OPTION NPS Swivel Hook WHITE BREAKAWAY* **INCLUDED!**

Neon Lanyards

These neon lanyards are a fun, eye-catching, card-carrying accessory perfect for use in office buildings, schools or at conventions. Our neon lanyards are made of Microweave and feature a white breakaway tab. A swivel hook end fitting makes it easy to attach your ID badge or badge holder. MOO: 100.

Neon Lanyard Specifications			
Item#	Color	Dimensions	
2138-5043	Neon Blue		
2138-5044	Neon Green		
2138-5045	Neon Purple	5/8" wide x 36" long	
2138-5048	Neon Yellow	(total length)	
2138-5049	Neon Orange		
2138-5050	Neon Pink		

Orders placed before 1pm ET ship SAME DAY!

Shipping Weight: 2.2 lb. per 100 pieces.



WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov



2138-50__

BLUE **GREEN** ORANGE (43)(44)(49)814C 806C NEON NEON YELLOW PURPLE (50)(48)(45)ATTACHMENT OPTION NPS Swivel Hook

801C


NEON LANYARDS MATERIAL COLOR OPTIONS

NEON

WHITE BREAKAWAY* INCLUDED!

Note: products are not shown to scale.

*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.



MATERIAL COLOR OPTIONS

VISITOR

Red VISITOR

CONTRAC

Blue CONTRACTOR



Black STAFF

EVENT STA

Orange EVENT STAFF

Purple VOLUNTEER

ATTACHMENT OPTION



NPS Swivel Hook

5/8" Pre-Printed Lanyards

When you need to identify staff quickly, our dye-sublimated, breakaway style lanyards do the job with swivel hooks to hold slotted ID cards in place. These Ultraweave lanyards come pre-printed with various identifying titles. MOQ: 100.

5/8" Pre-P	5/8" Pre-Printed Lanyard Specifications					
Item#	Dimensions					
2138-5220	White "VISITOR" Letters	Red				
2138-5215	White "CONTRACTOR" Letters	Blue	F (OII : 1 O (II			
2138-5210	White "STAFF" Letters	Black	5/8" wide x 36" long (total length)			
2138-5200	Blue "EVENT STAFF" Letters	Orange	long (total length)			
2138-5230	2138-5230 White "VOLUNTEER" Letters					
O	2					

Orders placed before 1pm ET ship SAME DAY!

Shipping Weight: 2.2 lb. per 100 pieces.

WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer For more information go to www.P65Warnings.ca.gov





IDENTIFY STAFF

QUICKLY!

2138-5215

2138-5220

REFLECTIVE LANYARDS

MATERIAL **COLOR OPTIONS**













ATTACHMENT OPTION



NPS Swivel Hook



2135-2526 - Reflects



2135-2511 - Reflects & Glows

5/8" Reflective Lanyards

These reflective lanyards feature Ultraweave material and a reflective strip overlay with standard white or luminescent silk screen printed "SAFETY FIRST." Swivel hook end attachment and breakaway.* MOQ: 100.

Item#	Description	Color	Dimensions		
Reflective La	nyard with Standard Pri	nting			
2135-2525		Black			
2135-2526	White Letters on	Red	5/8" wide x 36" long		
2135-2527	5-2527 Reflective Material	Royal Blue	(total length)		
2135-2529		Orange			
Reflective La	nyard with Luminescent	Printing			
2135-2510	Luminescent Letters	Black	5/8" wide x 36" long		
2135-2511	on Reflective Material	Red	(total length)		
Orders placed before 1pm ET ship SAME DAY!					
Shipping Weight: 4.2 lb. per 100 pieces.					

For more information go to www.P65Warnings.ca.gov



*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

3/8" Pre-Printed Awareness Ribbon Lanyards

Microweave material with awareness ribbon imprint and swivel hook. Available in non-breakaway only. MOQ: 100.

3/8" Pre-Printed Awareness Ribbon Lanyards					
Item# Color Dimensions					
Pink Ribbon on Pink Lanyard	3/8" wide x 36" long				
Purple Ribbon on Purple Lanyard	(total length)				
	Color Pink Ribbon on Pink Lanyard Purple Ribbon on				

Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 2 lb. per 100 pieces.



WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

5/8" Satin-Like Pre-Printed Pink Awareness Ribbon Lanyards

This lanyard features smooth, satin-like fabric and a dye-sublimated awareness ribbon imprint. It comes with a swivel hook attachment and a white breakaway.* MOQ: 100.

5/8" Satin-Like Pre-Printed Pink Awareness Ribbon Lanyards					
Item#	Color Dimensions				
2138-5286	Pink Ribbon on Pink Lanyard	5/8" wide x 36" long (total length)			
Orders placed	Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 3 lb. per 100 pieces.				



WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Anti-Bullying Lanyards

Our polyester, anti-bullying lanyard is perfect for students, faculty and other education personnel. This breakaway* lanyard is pre-printed with a positive message that reads, "Prevent Bullying -Take a Stand - Lend a Hand." MOQ: 100.

Anti-Bullying Lanyard Specifications			
Item#	Color	Dimensions	
2138-5240	Orange with White Imprint	5/8" wide x 36" long (total length)	

Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 3 lb. per 100 pieces. This product can expose you to Antimony Oxide, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

3/4" Autism Puzzle Lanyards

Support finding the missing piece in the search to cure autism! This soft lanyard features a dye-sublimated awareness imprint, swivel hook and black breakaway.* MOQ: 100.

3/4" Autism Puzzle Lanyard Specifications			
Item#	Dimensions		
2138-5281	Pink, Blue & Navy	3/4" wide x 36" long	
2138-5282	Red, Yellow, Blue & Navy	(total length)	

Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 2 lb. per 100 pieces.



WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways $is\,4-10\,lb.\,under\,test\,conditions\,per\,M-3-QA-0167.\,A\,full\,description\,of\,the\,M-3-QA-0167\,test\,procedure\,can\,be$ provided upon request. Not recommended for use around moving objects or playgrounds.



2138-5286 WHITE 2138-5240 **BREAKAWAY INCLUDED**

2138-5282

PRE-PRINTED AWARENESS RIBBON LANYARDS

MATERIAL COLOR OPTIONS

Pink Ribbon on Pink Lanyard



Purple Ribbon on Purple Lanvard



ATTACHMENT OPTION

NPS Swivel Hook



SATIN-LIKE PRE-PRINTED **PINK AWARENESS RIBBON LANYARDS**

MATERIAL COLOR OPTIONS

Pink Ribbon on Pink Lanyard



ATTACHMENT OPTION

NPS Swivel



White breakaway included.

ANTI-BULLYING LANYARDS

MATERIAL COLOR OPTIONS

Orange with White Imprint



ATTACHMENT OPTION

White Plastic Hook



White breakaway included.

AUTISM PUZZLE LANYARDS

MATERIAL COLOR OPTIONS

Pink / Blue / Navy



Red / Yellow / Blue / Navy



ATTACHMENT OPTION

NPS Swivel



Black breakaway included

Note: products are not shown to scale.



MATERIAL COLOR OPTIONS




























CONVERTS FROM A LANYARD TO AN **EYEWEAR HOLDER!**

Custom Optiweave Lanyard / Eyewear Holders

Transform your neck lanyard into an eyewear holder. Made of 5/8" Optiweave material with "O" ring attachment.

Minimum order quantity: 500 lanyards.





Glasses sold separately.

Custom Optiwe	Custom Optiweave Lanyard / Eyewear Holder Specifications				
Item# Dimensions					
EWL-RING 5/8" (16mm) x 36" (914mm) Total Length					
	Production time is 15 business days after proof approval. PMS color match is not exact. Colors may vary. Shipping Weight: 15 lb. per 500 pieces.				



CUSTOM OPTIWEAVE EYEWEAR HOLDERS

MATERIAL COLOR OPTIONS







WHT



IMPRINT COLOR OPTIONS







WHT



Custom **Optiweave Eyewear Holders**

Made of 5/8" Optiweave material with surgical tube ends that fit the majority of frame sizes. Wooden bead adjusts for secure fit.

500 eyewear holders.



Custom C	Optiweave	Eyewear	Holder	Specif	ications

Item # Dimensions		Dimensions
	EWL-BEAD	5/8" (16mm) x 36" (914mm) Total Length
Production time is 15 husiness days after proof approx		15 husiness days after proof approval

PMS color match is not exact. Colors may vary. Shipping Weight: 15 lb. per 500 pieces.

Secure Closure Dye-Sub Wristbands

A fully-customizable secure wristband for any event

Secure – Once the locking slider is adjusted to the wrist size it cannot be removed unless the material is cut. This prevents transferring the wristband from one attendee to another, keeping event-goers in their designated places.

Customizable – The wristband's dye-sublimated material allows for full customization with four-color graphics, text and logos. Showcase your brand with vibrant color and clarity.

Comfortable – Lightweight and soft, the secure closure wristband is comfortable to wear all day and won't get in the way.

Secure Closure Dye-Sub Wristband Specifications					
Width	Length	Finishing Option	Print Position	MOQ	
5/8"	High Security Closur (white or black)	Lije b. Ce annita a Cleanna	Continuous		
		(white or black)	Front and back must be the same	100	
Shipping Weight: 0.7 lb. per 100 pieces.					

WRISTBAND CANNOT BE REMOVED UNLESS THE MATERIAL IS CUT SFD WRISTBAND CONFIDENCE CONFIDE

IMPRINT AND MATERIAL COLORS:





Choose either a Wrist Lanyard Keychain, an Adjustable Wrist Lanyard Keychain or a Wristband. These lanyards are perfect for camps, concerts and events.

Custom Printed Wrist Lanyard Specifications					
Item#	Width	Length(s)	Description	MOQ	
Adjustable Wrist Lanyard Keyo	hain				
WW-38	3/8"	16"	Adjustable Wrist Lanyard Keychain	100	
Wrist Lanyard Keychain					
WK-38	3/8"	15"		100	
WK-58	5/8"	15"	Wrist Lanyard Keychain		
WK-34	3/4"	15"			
Wristband with Breakaway*					
WB-38	3/8"	7 1/4", 7 7/8" or 8 7/8"		100	
WB-58	5/8"	7 1/4", 7 7/8" or 8 7/8"	Wristband		
WB-34	3/4"	7 1/4", 7 7/8" or 8 7/8"			
Ships 10 business days after proof approval. Shipping Weight: 3/8" - 2 lb.; 5/8" - 3 lb.; 3/4" - 4 lb. per 100 pieces.					

WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

WRIST LANYARDS

MATERIAL COLOR OPTIONS*

BLACK	ROYAL PMS 294	NA PMS







IMPRINT COLOR OPTIONS

BLACK	ROYAL PMS 294	NAVY PMS 289
GREEN	ORANGE	RED
PMS 348	PMS 151	PMS 200

PMS 348	PMS 151	PMS 200
WHITE	YELLOW PMS 115	PURPLE PMS 268

				_	
1+ colors	, 1	-sided	impi	int	

*Wrist lanyards are available in the following materials (each material has different

color options, inquire within).

- Bamboo Ribbed
- Recycled PET Ribbed
- Antimicrobial Ribbed
- Organic Cotton Ribbed
- Reflective Tape

Note: products are not shown to scale.

Bulldog Clips

MOQ/Inner Pack: See chart below.



Bulldog Clip Specifications					
Item#	Description	Shank Dimension	MOQ		
5705-3500	NPS embossed 'U' thumb-grip clip with overlapping jaw	13/16" (30mm)	100		
5705-3505	NPS embossed 'U' bulldog clip	13/8" (35mm)	5,000		
5705-3540	NPS embossed 'U' clip with steel shank and overlapping jaw	1 1/16" (27mm)	100		
5705-3541	Black oxide steel embossed 'U' clip with steel shank and overlapping jaw	1 1/16" (27mm)	5,000		
5705-3542	NPS oval hole embossed 'U'	1 1/16" (27mm)	5,000		
5705-3543	Black oxide oval hole embossed 'U'	1 1/16" (27mm)	5,000		
5705-3545	NPS Brady Clothing-Friendly clip	Patented 1 1/16" (27mm)	100		
5705-3560	NPS shank clip with an overlapping jaw	1 3/16" (30mm)	5,000		
5705-3575	Nickel-plated steel 'U' thumb-grip clip with overlapping jaws	1/8" (3mm) diameter with 11mm small ring	500		
5705-3576	NPS 2-hole clip featuring large circular opening with an outside diameter of 11/16" (18mm) and an inner opening of 7/16" (11mm)	3/8" (10mm) 5/8" (16mm) 3/4" (19mm)	100		

Shipping Weight: 0.30 lb. per 100 pieces (5705-3500, 5705-3540, 5705-3542 and 5705-3545); 30 lb. per 5,000 pieces (5705-3505, 5705-3541, 5705-3543); 35 lb. per 5,000 pieces (5705-3560)



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Swivel Bulldog Clips



Swivel Bulldog Clip Specifications			
Item#	Description	Lanyard Width / Diameter	
5705-3580	Nickel-Plated Steel 'U' Thumb-Grip Clip with Small Swivel	1/8" (3mm) dia. 1/4" (6mm) dia. 3/8" (10mm)	
5705-3585	Nickel-Plated Steel 'U' Thumb-Grip Clip with Large Swivel	5/8" (16mm) 3/4" (19mm) 1" (25mm)	
Shipping Weight: 3.5 lb. per 100 pieces (5705-3575) 0.6 lb. per 100 pieces (5705-3576) 1.4 lb. per 100 pieces (5705-3580 & 3585)			
WARNING This product can expose you to Nickel, which is known in the State of			

WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Note: products are not shown to scale.



Lanyard Hooks



Item#	Description	Dimensions	Lanyard Width / Diameter	
Hook Only (Non-	-Swivel)			
6920-2350	Nickel Plated Steel & Textured Thumb Grip	1 1/4" (32mm)	-	
6920-2400	Nickel Plated Steel	1 3/4" (44mm)	5/8" (16mm) 3/4" (19mm) 1" (25mm)	
Swivel Hooks wi	th Swivel Attachment an	d Textured Thum	ıb Grip	
6920-2300 or SW-1	Nickel Plated Steel	1 1/4" (32mm)	1/8" (3mm) dia. 1/4" (6mm) dia. 3/8" (10mm)	
6920-2305	Nickel Plated Steel	1 7/16" (36.5mm)	5/8" (16mm)	
6905-M-289	Nickel Plated Steel	1 7/16" (36.5mm)	3/4" (19mm) 1" (25mm)	
6920-2301	Black Oxide	1 1/4" (32mm)	1/8" (3mm) dia. 1/4" (6mm) dia. 3/8" (10mm)	
Shipping Weight: 10 lb. per 1,000 pieces (6920-2350) 15 lb. per 1,000 pieces (6920-2305) 16 lb. per 1,000 pieces (6905-M-289)				
1 lb. per 100 pieces (6920-2301) 1.1 lb. per 100 pieces (6920-2300 or SW-1) 1.7 lb. per 100 pieces (6920-2400)				

WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Lobster Claw Swivel Hook

MOQ/Inner Pack: 2,500.



Lobster Claw Swivel Hook Specifications			
Item#	Description	Dimensions	
6905-M-520	Nickel Plated Steel	3/4" (19mm)	
Shinning Weight 40 lb 2 500			

Shipping Weight: 40 lb. per 2,500 pieces



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

No-Twist Plastic Lanyard Hooks

MOQ/Inner Pack: See chart below.



No-Twist Plastic Lanyard Hook Specifications			
Item#	Color	Lanyard Width / Diameter	MOQ
Narrow Hooks			
6920-2470	White	3/8" (10mm)	F 000
6920-2474	Black	3/8" (10mm)	5,000
6920-2471	White	5/8" (16mm)	
6920-2472	White	3/4" (19mm)	
6920-2473	White	1" (25mm)	2.500
6920-2478	Black	5/8" (16mm)	2,500
6920-2479	Black	3/4" (19mm)	
6920-2481	Black	1" (25mm)	
Wide Hooks			
5710-1160	White	3/8" (10mm)	
5710-1161	White	5/8" (16mm)	
5710-1162	White	3/4" (19mm)	
5710-1163	White	1" (25mm)	
5710-1164	Black	3/8" (10mm)	5,000
5710-1165	Black	5/8" (16mm)	-,-50
5710-1166	Black	3/4" (19mm)	
5710-1167	Black	1" (25mm)	
6905-P-125	Black	1/8" (3mm) round 1/4" (6mm) round	

15 lb. per 5,000 pieces (6920-2474, -2470)

20 lb. per 5,000 pieces (All Wide Hooks)

Trigger Snap Swivel Hooks

MOQ/Inner Pack: 500 (1,000 for 6920-2360 only).







Nickel-Plated Trigger Snap Swivel Hook Specifications				
Item#	Description	Dimensions	Lanyard Width / Diameter	
6920-2370	Nickel Plated Steel	1/8" (3mm)	1/8" (3mm) 1/4" (6mm) 3/8" (10mm)	
6905-M-415	Nickel Plated Steel	19/32" (15mm)	5/8" (16mm)	
6920-2360	Nickel Plated Steel	3/4" (19mm)	3/4" (19mm)	

Shipping Weight: 6.5 lb. per 500 pieces (6920-2370 only) 7.5 lb. per 500 pieces (6905-M-415) 17 lb. per 1,000 pieces (6920-2360)



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Non Heat-Treated Steel **Split Rings with Round Edge**

MOQ/Inner Pack: 100 (SKR-1)

1,000 (6920-1000 & 6920-1025).



Non Heat-Treated Steel Split Ring Specifications				
Item#	Description	Dimensions		
6920-1000 or SKR-1	Nickel-Plated Steel	1" (25mm)		
6920-1025 Nickel-Plated Steel 1 1/16" (28mm)				

Shipping Weight: 0.5 lb. per 100 pieces (SKR-1) 5 lb. per 1,000 pieces (6920-1000) 9 lb. per 10,000 pieces (6920-1025)



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Heat-Treated Steel Split Rings

MOQ/Inner Pack: 1,000.







Heat-Treated Steel Split Ring Specifications				
Item#	Description	Dimensions		
6920-0095	Nickel-Plated Steel	15/16" (24mm)		
6920-1050	Nickel-Plated Steel	1 1/4" (32mm)		
6920-1010	Black-Oxidized Steel	1 1/8" (28mm)		
Chinaina Wainta Olh and 1000 airean (1000 1000 and 1000 1000)				


Shipping Weight: 8 lb. per 1,000 pieces (6920-1050 and 6920-1010) 5 lb. per 1,000 pieces (6920-0095)



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Frosted Plastic Key Tag Tab Connector

Plastic key tag tab connector allows you to quickly and easily attach a key ring. **MOQ: 100.**5735-6000



Non-Magnetic Badge Reel with Plastic Clip

Made without ferrous metals, this reel is unaffected by magnets, making them perfect for use around MRI machines or other powerful magnets. Both the plastic clip end-fitting and plastic clamp closure are color-matched to the badge reel for a sleek look.

Reel Size: 1 1/4" (32mm) **Cord Length:** 24" (588mm)

Label Size: 4/5" (20mm)



2120-9001 Swivel Clip Shown Open

Non-Magnetic Badge Reel with Plastic Clip Specifications				
Item# Color				
2120-900_	Plastic Swivel Clip Black (1), Royal Blue (2), Red (6), White (8)			
Custom-printed reels available 5-8 days after proof approval. MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.75 lb. per 25 pieces.				

LANYARD BADGE REELS

REEL COLOR OPTIONS



MOQ: 25

ADDITIONAL COLOR OPTIONS



NBLU PMS 289

ORG







Lanyard Badge Reels MOQ: See sidebar below.



2120-7501



Lanyard Badge Reel with Clear Vinyl Strap Specifications			
Item#	Color	Dimensions	
2120-7501 Black 11/4" (32mm)			
Shinning Weight: 0.58 lb. ner 25 reels			



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Note: products are not shown to scale.

DTACH™ Black Female Attachments

MOQ/Inner Pack: See chart below.

6920-1702

6920-1705

6920-1723

6920-1743

6920-1763











6920-1783

6920-1823

6920-2022

6920-2026

9500-0014*











DTACH™ Black Female Attachment Specifications			
Item#	Description	Dimensions	MOQ
6920-1702	Combo Loop	5/8" (16mm)	
6920-1703	Combo Loop	3/4" (19mm)	1,000
6920-1704	Combo Loop	1" (25mm)	
6920-1783	NPS Swivel Hook	5/8" (16mm)	100
6920-1784	NPS Swivel Hook	3/4" (19mm)	
6920-1785	NPS Swivel Hook	1" (25mm)	1,000
6920-1763	Split Ring	5/8" (16mm)	
6920-1764	Split Ring	3/4" (19mm)	2,000
6920-1723	Plastic Swivel Hook	5/8" (16mm)	
6920-1724	Plastic Swivel Hook	3/4" (19mm)	
6920-1725	Plastic Swivel Hook	1" (25mm)	1 000
6920-1743	Bull Dog Clip	5/8" (16mm)	1,000
6920-1744	Bull Dog Clip	3/4" (19mm)	
6920-1745	Bull Dog Clip	1" (25mm)	
6920-1705	Black Gripper 30®	5/8" (16mm)	
6920-1706	Black Gripper 30®	3/4" (19mm)	
6920-1707	Black Gripper 30®	1" (25mm)	
6920-1823	Trigger Hook	5/8" (16mm)	
6920-1824	Trigger Hook	3/4" (19mm)	
6920-1825	Trigger Hook	1" (25mm)	
6920-2022	Black Pen Holder	5/8" (16mm)	
6920-2023	Black Pen Holder	3/4" (19mm)	10,000
6920-2024	Black Pen Holder	1" (25mm)	10,000
6920-2026	Cell Phone Holder	5/8" (16mm)	
6920-2027	Cell Phone Holder	3/4" (19mm)	
6920-2028	Cell Phone Holder	1" (25mm)	
9500-0014*	Lanyard Extension	3/8" (10mm)	
9500-0010	Lanyard Extension	5/8" (16mm)	
9500-0012	Lanyard Extension	3/4" (19mm)	
9500-0016	Lanyard Extension	1" (25mm)	

Shipping Weight: 20 lb. per 1,000 pieces / 1.6 lb. per 100 pieces (6920-1783 only)



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

 $Note: Black\ available\ only.\ All\ are\ swivel\ except\ for\ cell\ phone\ cord.$

* 3/8" (10mm) lanyard requires lanyard extension.

Breakaway* for Flat Lanyards

MOQ/Inner Pack: See chart below.





6920-2191

6920-2192

Breakaway for Flat Lanyard Specifications			
Item # Lanyard Width/Diameter		MOQ	
Black Breakaway*			
6920-2191	3/8" (10mm)		
6920-2193 5/8" (16mm) 1,000		1,000	
6920-2207	3/4" (19mm)		
6920-2209 1" (25mm)		3,000	
White Breakaway*			
6920-2192	3/8" (10mm)	20,000	
6920-2194	5/8" (16mm)	15,000	
6920-2206	3/4" (19mm)	5,000	
6920-2208	1" (25mm)	3,000	
01: 1 14/11/01/01/01	0.00 (/000 0404) 0.0	00 : ((000 0400)	

Shipping Weight: 2 lb. per 1,000 Pieces (6920-2191); 3 lb. per 1,000 pieces (6920-2193) 5 lb. per 1,000 pieces (6920-2207); 6 lb. per 3,000 pieces (6920-2209) 40 lb. per 20,000 pieces (6920-2191); 45 lb. per 15,000 (6920-2194) 25 lb. per 5,000 (6920-2206); 24 lb. per 3,000 (6920-2208)

Note: Every 200 pieces will make 100 lanyards. Sold individually, not as a pair.

Breakaway* for Round Lanyards

MOQ/Inner Pack: 5,000.





6920-2215

6920-2216

Breakaway For Round Lanyard Specifications		
Item#	Color	Lanyard Width/Diameter
6920-2215	Black	1/4" (16mm)
6920-2216	White	1/4" (16mm)
Orders placed before:	1pm ET ship SAME DAY!	!

Note: Every 200 pieces will make 200 lanyards. Sold in pairs.

*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

Round "O" Ring

MOQ/Inner Pack: 10,000.



6920-2150

Round "O" Ring Specifications		
Item#	Color	Dimensions
6920-2150	Black	3/4" (19mm)
Shipping Weight: 50 lb. per 10,000 pieces.		

Diamond or Round Sliders

MOQ/Inner Pack: 5,000.





2135-4011N

6920-2476

Diamond or Round Slider Specifications		
Item#	Description	Imprint Area
2135-4011N	Diamond	7/8" x 3/4" (22mm x 19mm)
6920-2476	Round	3/4" (19mm)
Shipping Weight: 45 lb. per 5,000 pieces; 1 lb. per 100 pieces (6920-2477 or LS-3 only).		

Note: Sliders available for OptiBraid only.

Cord Lock

MOQ/Inner Pack: 100.



2135-4001

Adjustable Neck Cord Lock Specifications			
Item#	Description	Color	Dimensions
2135-4001	Spring-Loaded Sliding Adjuster for Round / Flat Lanyard (3/8" material only)	Black	7/10" (17.5mm)
Shipping Weight: 0.6 lb. per 100 pieces.			

Crimp and Bead Finishing Options

MOQ/Inner Pack: See chart below.







6920-6002

6920-6021

2135-4000

Crimp and Bead Finishing Option Specifications			
Item#	Diameter		
Nickel-Plated Steel Cr	imp		
6920-6002	1/8" (3mm) and 3/8" (10mm)	3,000	
6920-6020	1/4" (6mm), 5/8" (16mm), 3/4" (19mm)	10,000	
6920-6004	1" (25mm)	10,000	
Black Oxide Crimp			
6920-6003	1/8" (3mm) and 3/8" (10mm)	25,000	
6920-6021	1/4" (6mm), 5/8" (16mm), 3/4" (19mm)	10,000	
Silver Plastic Bead			
2135-4000	3/16" (5mm)	2,000	
6905-M-588	5/6" (8mm)	10,000	
Shipping Waight: 6 lb par	2 000 pieces (6020-6002)		

Shipping Weight: 6 lb. per 3,000 pieces (6920-6002)

50 lb. per 25,000 pieces (6920-6003)

30 lb. per 10,000 pieces (6920-6020, -6004, -6021)

2 lb. per 2,000 pieces (2135-4000) 20 lb. per 10,000 pieces (6905-M-588).



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Pressure-Sensitive Clips

Clip with ribbed thumb-grip and pressure-sensitive pad. MOQ: 100.









5735-2000

5735-2100

5735-2050

5735-3008

Pressure-Sensitive Clip Specifications		
Item#	Description	
Nickel-Plated - Clip Size	:: 1" (25.5mm) Pad Size: 3/4 x 3/4" (19mm x 19mm)	
5735-2000 or 505-AD	1-Hole Ribbed-Face, 3/16" (5mm) Hole Diameter	
5735-2100	Embossed "U" Bulldog Clip	
5735-2050	1-Hole with Ribbed-Face, 3/16" (5mm) Hole Diameter, 1 1/2" (38mm) Safety Pin Length	
Plastic - Clip Size: 1 1/16" (27mm) Pad Size: 15/16 x 1/2" (24mm x 12.5mm)		
5735-3008 White Plastic, Ribbed-Face		
Orders placed before 1pm ET ship SAME DAY!		


Shipping Weight: 1 lb. per 100 pieces / 2.5 lb. per 500 pieces (5735-3008 only).



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Pressure-Sensitive Nickel-Plated Steel Pins

Bar pins with pressure-sensitive plastic ABS base, locking safety catch, tabbed release paper and high-bond adhesive pads.









Pressure-Sensitive Nickel-Plated Steel Pin Specifications			
Item#	Pin Size	Pad Dimensions	
5730-2620	1" (25mm)	1 1/8 x 1/4" (28.5mm x 6.5mm)	
5735-1100	1 1/2" (38mm)	1 5/8 x 1/4" (41mm x 6.5mm)	
5735-2155	1" (25mm)	3/4 x 3/4" (19mm x 19mm)	

Orders placed before 1pm ET ship SAME DAY!

Shipping Weight: 2.5 lb. per 500 pieces (5730-2620 & 5735-1100) 0.6 lb. per 100 pieces (5735-2150).



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Pressure-Sensitive Plastic Pins

White, all-plastic safety pins with rectangular, pressure-sensitive, polystyrene base, tabbed release paper and high-bond adhesive pads. MOQ: 100 (1000 for 6920-3655 only).



Pressure-Sensitive Plastic Pin Specifications		
Item#	Pin Size	Pad Dimensions
6920-3605	1 1/4" (32mm)	1 1/4 x 1/4" (32mm x 6.5mm)
6920-3655	1 1/2" (38mm)	1 1/2 x 1/4" (38mm x 6.5mm)
6920-3657	1 1/2" (38mm)	1 1/2 x 1/4" (38mm x 6.5mm)

Orders placed before 1pm ET ship SAME DAY!

Shipping Weight: 0.2 lb. per 100 pieces (6920-3605 & 6920-3657) 3 lb. per 1000 pieces (6920-3655).



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Note: products are not shown to scale

Sheet of 50 Adhesive-Backed Pins

An easy way to display your ID even if you don't have a pocket or lapel. Adhesive-backed pins adhere securely to the back of any badge. Allows for quick assembly. Saves money on labor costs! Each sheet contains 50 pins.

MOQ: 20 Sheets.





Sheet of 50 Adhesive-Backed Pin Specifications			
Item # Pad Dimensions Pin Size			
6920-3860	1 1/2 x 1/4" (38mm x 6.5mm)	1 1/2" (38mm)	

Orders placed before 1pm ET ship SAME DAY!

Shipping Weight: 2 lb. per 20 sheets.



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

MAGNAPOWER™ Magnetic Badge Findings

With pressure-sensitive foam pad and peel-away liner. Min Qty/Inner Pack: 50.



Magnetic E	Magnetic Badge Finding Specifications			
Item#	Description	Mounting Plate Dimensions	Weight	
5730-3015	MAGNAMINI™ - 2 round, rare-earth magnets encased in plastic with 1 zinc-plated steel plate	1 1/4 x 3/8" (32mm x 10mm)	0.3 oz	
5730-3030	MAGNADISC™ - 1 zinc-plated, steel-encased disc with 1 round, rare- earth magnet and 1 steel disc	11/16" (18mm)	0.4 oz	
5730-3000 or MG-5	MAGNABADGE™ - 1 nickel-plated steel plate with 2 round, rare-earth magnets and 1 zinc-plated steel plate	1 3/4 x 1/2" (45mm x 13mm)	0.5 oz	
5730-3010 or MG-7	MAGNALITE™ - 2 round, rare-earth magnets encased in plastic with 1 zinc-plated steel plate	1 3/4 x 1/2" (45mm x 13mm)	0.4 oz	
5730-3040	MAGNATRIO™ - 3 round, rare-earth magnets encased in plastic with 1 zinc-plated steel plate	1 3/4 x 1/2" (45mm x 13mm)	0.5 oz	
5730-3060	MAGNAUNI™ - 2 rare-earth magnets in plastic housing with 1 zinc-plated steel plate	1 3/4 x 1/2" (45mm x 13mm)	0.4 oz	

Orders placed before 1pm ET ship SAME DAY!

Shipping Weight: 1.3 lb. per 50 pieces.



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Nickel-Free Steel Ball Chain with Connector



Nickel-Free Steel Ball Chain with Connector Specifications						
Item# Length Bead Size Min Qty/Inner Pack						
2125-2010	36" (762mm) No.3 (2.3mm) 100					
	ore 1pm ET ship SAME [1.8 lb. per 100 pieces.	DAY!				

Nickel-Plated Steel Ball Chain with Connector



Nickel-Plated Steel Ball Chain with Connector Specifications				
Item# Length Bead Size Min Qty/Inner Pack				
2125-1000	24" (610mm)	No.3 (2.3mm)		
2125-1500 or NC-30	30" (762mm)	No. 3 (2.3mm)	100	
2125-2000 or NC-36	36" (914mm)	No. 3 (2.3mm)		

Orders placed before 1pm ET ship SAME DAY!

Shipping Weight: 2 lb. per 100 pieces.



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P66Warnings.ca.gov

Brass-Plated Steel Ball Chain with Connector



Brass-Plated Steel Ball Chain with Connector Specifications			
Item#	Length	Bead Size	Min Qty/ Inner Pack
2125-1550	30" (762mm)	No.3 (2.3mm)	100
Orders placed before 1pm ET ship SAME DAY!			

Orders placed before 1pm E1 ship SAME DAY!

Shipping Weight: 1.8 lb. per 100 pieces



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P66Warnings.ca.gov

Colored Elastic Neck Cords With Nickel-Plated Barbed Ends



Colored Elastic Neck Cords w/ Nickel-Plated Barbed Ends Specifications				
Item#	Color	Length	Min Qty/Inner Pack	
2140-1500 or EB-1W-WHT	White	30" (762mm)		
2140-1520	Gray	30" (762mm)	100	
2140-1530 or EB-1S-SVR	Silver	30" (762mm)	100	
2140-1540 or EB-1X-BLK	Black	30" (762mm)		
2140-1525	Blue	30" (762mm)	1,000	

Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 0.3 lb. per 100 pieces.

Neck Chain Strap ID Adapter



Neck Chain Strap ID Adapter Specifications			
Item#	Description	Strap Size	Min Qty/ Inner Pack
2140-1000 or 505-NC	Clear Flexible Vinyl Strap Neck Chain Adapter	3 3/8" (86mm)	100

Orders placed before 1pm ET ship SAME DAY!

Shipping Weight: 0.6 lb. per 100 pieces.

Plastic Ball Chain with Nickel-Plated Connector





Plastic Ball Chain with Nickel-Plated Connector Specifications					
Item#	Color	Length	Bead Size	Min Qty/ Inner Pack	
2130-1008 or NCP-30	White	30" (762mm)	2.5mm		
2130-1508 or NCP-36	White	36" (914mm)	2.5mm		
2130-4000 or NMPL-36-CLR	Clear	38" (965mm)	4mm	100	
2130-4001 or NMPL-36-BLK	Black	38" (965mm)	4mm	100	
2130-4002 or NMPL-36-RBLU	R. Blue	38" (965mm)	4mm		
2130-4008 or NMPL-36-WHT	White	38" (965mm)	4mm		

Orders placed before 1pm ET ship SAME DAY!

Shipping Weight: 0.4 lb. per 100 pieces (2130-1008 or NCP-30) 0.5 lb. per 100 pieces (2130-1508 or NCP-36)

1.3 lb. per 500 pieces (2130-400_ or NMPL-36-___).



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P66Warnings.ca.gov

Vinyl Neck Straps





Vinyl Neck Straps Specifications				
Item#	Description	Length	Min Qty/Inner Pack	
Frosted Vinyl				
2135-0050 or BS-4	Snap Closure	27" (686mm)	400	
2135-0100 or BS-5	Snap Closure	37" (940mm)	100	
Tubular Clear Vinyl				
2135-2000 or NT-36	Plastic Rod Connector	36" (914mm)	100	
NT-30	Plastic Rod Connector	30" (762mm)	100	

Orders placed before 1pm ET ship SAME DAY!

Shipping Weight: 1.2 lb. per 100 pieces (2135-0050 & 2135-0100) 1.3 lb. per 100 pieces (2135-2000 & NT-30).



WARNING This product can expose you to chemicals, including Diisononly Phathate, is known in the State of California to cause cancer as well as Bi (2-ethylhexyl) phthalate, which is known in the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

STRAP CLIPS NPS Clips with Reinforced Vinyl Straps 2120-1000

NPS Clips with Reinforced Vinyl Strap Specifications			
Item#	Strap Size	MOQ	
Suspender Clip	with Reinforced Opaque White Vinyl Strap		
2120-1000	2 3/4" (70mm)	100	
2-Hole Clip wit	h Reinforced Opaque White Vinyl Strap		
2120-1010	2 3/4" (70mm)	500	
Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 1.4 lb. per 100 pieces.			
WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov			

2-Hole Clips with Clear Vinyl Straps



2-Hole Strap Clips with Clear Vinyl Strap Specifications				
Item#	Description	Strap Size	MOQ	
2105-1991	Two-Hole Clip	2 3/4" (70mm)	25	
2105-1993 or 505-A	Two-Hole Clip	2 3/4" (70mm)	100	
2105-2000	Two-Hole Clip	2 3/4" (70mm)	500	
2105-2011 or 505-SDN	Clip w/ "Narrow Middle" for Swipe Cards	2 3/4" (70mm)	100	
2105-3100 or 505-SDL	NPS Smooth-Face Clip	3 1/2" (89mm)	100	
2105-3250 or 505-SDL5	NPS Smooth-Face Clip w/ Long Strap	5 3/4" (146mm)	100	
2105-1310	Stainless Steel Clip with Nickel-Plated Brass Snaps	2 3/4" (70mm)	500	
2105-1985 or 505-SD	NPS Clip w/ Larger 7/16" Snap	2 3/4" (70mm)	100	

Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 1 lb. per 100 pieces.



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

1-Hole Clips with Clear Vinyl Straps



1-Hole Clips with Clear Vinyl Strap Specifications					
Item#	Description	Strap Size	MOQ		
2105-2100	1-Hole NPS Ribbed Face	2 3/4" (70mm)	100		
2105-2230	1-Hole NPS Curved Smooth-Face Clip	2 3/4" (70mm)	500		
2105-2550	2105-2550 1-Hole NPS Smooth-Face Clip 2 3/4" (70mm) 100				
Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 0.9 lb. per 100 pieces.					



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Note: products are not shown to scale.

2-Hole Clips with Colored Vinyl Straps





2-Hole Clips with Colored Vinyl Strap Specifications				
Item#	Available Colors	Strap Size	MOQ	
2-Hole, Smooth-Face, Nickel-Plated Steel Clip with Colored Vinyl Strap				
2105-200_ or 505-SDC	BLK - Black (1), RBLU - Blue (2), GRN - Green (4), RED - Red (6), WHT - White (8), YLW - Yellow (9)	2 3/4" (70mm)	100	
Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 1 lb. per 100 pieces.				
WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov				

Embossed "U"
Bulldog Clip with
Clear Vinyl Strap

AVAILABLE COLORS BLK



Embossed "U" Bulldog Clip with Clear Vinyl Strap Specifications				
Item# Description Strap Size MOQ				
2105-3200	NPS "U" Bulldog Clip with Clear Strap	2 3/4" (70mm)	500	
Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 0.9 lb. per 100 pieces.				
MARNING This product can expose you to Nickel, which is known in the State of				

California to cause cancer. For more information go to www.P65Warnings.ca.gov

Embossed "U"
Bulldog Clip with
Clear Vinyl Strap
and Permanent Snap



Embossed "U" Bulldog Clip with Strap & Permanent Snap Specifications			
Item#	Description	Strap Size	MOQ
2105-3205 or 505-PS	NPS "U" Bulldog Clip with Clear Vinyl Strap and Permanent Snap	2 3/4" (70mm)	50
Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 0.45 lb. per 50 pieces.			
_			

 $WARNING\ This\ product\ can\ expose\ you\ to\ Nickel,\ which\ is\ known\ in\ the\ State\ of\ California\ to\ cause\ cancer.$ For\ more\ information\ go\ to\ www.P65Warnings.ca.gov

Knurled Thumb-Grip Clip with Clear Vinyl Strap



Thumb Grip Strap Clip with Clear Vinyl Strap Specifications			
Item# Description Strap Size MOC			
2105-3000	NPS Knurled Thumb-Grip Clip	2 3/4" (70mm)	100
Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 1.1 lb. per 100 pieces.			
			_

WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

2-Hole Clip with DOP-Free Vinyl Strap



2-Hole Clip with DOP-Free Vinyl Strap Specifications				
Item#	Strap Size	MOQ		
2105-2045	2 3/4" (70mm)	100		
Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 1.1 lb. per 100 pieces.				

WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Colored All-Plastic Strap Clip



Colored All-Plastic Strap Clip Specifications				
Item#	Available Colors	Strap Size	MOQ	
Colored Plastic, Knurled Thumb-Grip, 2-Hole Clip with Delrin Strap				
2115-200_	Black (1), Blue (2), Green (4), Orange (5), Red (6), White (8), Yellow (9)	3 1/8" (80mm)	100	
Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 0.7 lb. per 100 pieces.				
AVAII ARI E COLOR	RBLU GRN ORG	RED WILL	YLW	

1-Hole NPS Ribbed-Face Clip with Clear Mylar Strap



1-Hole NPS Ribbed-Face Clip with Clear Mylar Strap Specifications		
Item#	Strap Size	MOQ
2110-1213	3 1/2" (89mm)	100
0.1 1.11.4 4		

Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 1 lb. per 100 pieces.

 \triangle

WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov



2-Hole Clip with Mylar Strap Specifications		
Item#	Strap Size	MOQ
2110-1100	2 3/4" (70mm)	100
2110-1150	4" (102mm)	100

Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 1 lb. per 100 pieces.

WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Clear 1-Hole Vinyl Strap

www.P65Warnings.ca.gov





Clear 1-Ho	ole Vinyl Strap Specifications			
Item#	Description	Strap Size	MOQ	
2120-1250	Clear 1-Hole Vinyl Strap w/ 3 Metal & 1 Brass Part	2 3/4" (70mm)	100	
Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 1.6 lb. per 100 pieces.				
\triangle	WARNING This product can expose you to Nickel, the State of California to cause cancer. For more inf			

Reusable Plastic Clips

5710-1108

08075

08080

Reusable Plastic Clip Specifications			
Item#	Description	Size	MOQ
5710-1108 or 505-P	Uni-Clip - one piece, white clip with ribbed thumb-grip.	15/8" (41mm)	100
08075	Plastic swivel clip features a "button" design that slides through the slot so badges stay straighter.	1 1/2" (38mm)	500
08080	Plastic card clip slides through the slotted portion of a badge, back of the clip can then be attached to a visitor's shirt.	1 3/4" (44mm)	500

Orders placed before 1pm ET ship SAME DAY!

Shipping Weight: 0.5 lb. per 100 pieces (5710-1108),

2 lb. per 500 pieces (08075), 2.5 lb. per 500 pieces (08080)

Clear Vinyl
Strap with Brady
Clothing-Friendly™ Clip

Clear Vinyl Strap with NPS Brady Clothing-Friendly Clip Specifications			
Item#	Strap Size	MOQ	
2105-2093	2 3/4" (70mm)	100	

Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 1 lb. per 100 pieces.

WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Thumb-Grip Clip with Clear Mylar Strap



Thumb-Grip Clip with Mylar Strap Specifications			
Item#	Description	Strap Size	MOQ
2110-1255	Nickel-Plated Steel, Knurled Thumb-Grip Clip with Mylar Strap	2 3/4" (70mm)	100

Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 1.1 lb. per 100 pieces.



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

2-Hole Smooth-Face Clip with Double Straps for Multiple ID Cards



2-Hole Clip with Double Strap Specifications			
Item#	Strap Sizes	MOQ	
2105-3050	2 3/4" (70mm); 5 7/8" (149mm)	100	
O. I. II. A. ET II. CAMED DUCK : WILLIAM AND :			

 $\textbf{Orders placed before 1pm ET ship SAME DAY!} \ Shipping \ Weight: 1.4 \ lb. \ per \ 100 \ pieces.$



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov



TRUECOLOR printing allows for **FULL-COLOR CUSTOMIZATION** right on the badge reel for a **MORE PROFESSIONAL LOOK**, bringing custom logos, graphics and text to life!

HIGH QUALITY – TRUECOLOR printing allows custom graphics, logos and text to be printed directly on a select group of badge reels.

VIVID COLOR – Rather than a 1or 2-color print process or labels, TRUECOLOR digital printing is able to incorporate hundreds of colors for true full-color graphics and text.

LONG-LASTING – TRUECOLOR printing is applied directly to the product surface for a durable and long-lasting solution.





VARIABLE PRINTING on badge reels is a custom label service that allows you to **CHANGE TEXT** on your badge reel orders **FROM ONE PRINTED PIECE** to the **NEXT**.

VARIABLE – While your logo or artwork stays the same, you now have the option to have parts of the custom text be variable from one reel to another.

PERSONALIZED – Print years of service, names, company divisions, or company titles to badge reel labels to create a personalized and unique accessory.

For best results choose badge reels that support a 1-inch label or larger.



Note: products are not shown to scale.

"Value Line" Most Economical Badge Reel

Round plastic pull reel with slide-type belt clip and clear vinyl strap or Card Clamp™. Cord has a nylon core with a polyester wrap for added durability.

Reel Diameter: 1 1/4" (32mm) Cord Length: 34" (864mm) Label Size: 3/4" (19mm)









2120-3036 Card Clamp™

"Value Line" Most Economical Badge Reel Specifications		
Item#	Description	Available Colors
2120-303_or 525-I	Belt Clip / Clear Vinyl Strap	Black - BLK (1), Blue - BLU (2), Green (4), Red - RED (6), White - WHT (8), Yellow (9), Orange - ORG
2120-360_or 525-TR	Belt Clip / Clear Vinyl Strap	Trans. Clear - CLR (0), Trans. Royal Blue - RBLU (2), Trans. Green - GRN (4), Trans. Orange - ORG (5), Trans. Red - RED (6), Trans. Yellow - YLW (9), Trans. Purple - PURP (13)
525-IK6	Belt Clip / Card Clamp	Black (BLK), Royal Blue (RBLU)
2120-470_	Spring Clip / Clear Vinyl Strap	Chrome (0), Black (1), Blue (2), Red (6), White (8)
Custom-printed reels ship 5-8 days after proof approval, MOO: 25 (blank) / 100 (custom).		

Shipping Weight: 0.625 lb. per 25 pieces (2120-303_ and 2120-360_). 0.85 lb. per 25 pieces (525-IK6-___ and 525-ISR-__)



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

"Value Line" **Most Economical** Neon Badge Reel

This reel is the same as our "Value Line" Most Economical Badge Reel but comes in five fun, bright neon colors! Cord has a nylon core with a polyester wrap for added durability.

Reel Diameter: 1 1/4" (32mm) **Cord Length: 34" (864mm)** Label Size: 3/4" (19mm)











Belt Clip

"Value Line" Most Economical Neon Badge Reel Specifications		
Item#	Item# Description Available Colors	
2120-308_	Belt Clip	Neon Pink (1), Neon Blue (2), Neon Yellow (3), Neon Green (4), Neon Orange (5)

Custom-printed reels ship 5-8 days after proof approval. MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.625 lb. per 25 pieces.



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Round Plastic Swivel Back Badge Reel

Round plastic pull reel with clear vinyl strap and nylon cord.

Metal clip on back swivels to allow for easy wear. Cord has a nylon core with a polyester wrap for added durability.

Reel Diameter: 1 1/4" (32mm) Cord Length: 34" (864mm)

Label Size: 3/4" (19mm)













Card Clamp™

Round Plastic Swivel Back Badge Reel			
Item#	Description	Available Colors	
2120-760_or 529-I	Swivel Clip	Black - BLK (1), Royal Blue - RBLU (2), White - WHT (8), Red - RED (6), Dark Gray - DKGRY	
529-TR	Swivel Clip	Trans. Clear (CLR), Trans. Green (GRN), Trans. Orange (ORG), Trans. Royal Blue (RBLU), Trans. Red (RED)	
529-IK6	Swivel Clip & Card Clamp	Black (BLK), Royal Blue (RBLU)	

Custom printed reels available 5-8 days after proof approval. MOQ: 25. Shipping Weight: 0.85 lb. per 25 pieces.



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Economy Reel with Split Ring

Round plastic badge reel with slide-type belt clip and nickel-plated steel split ring. The slide clip on the back allows for easy attachment to belts or jackets, and it features a key ring to hold both ID cards and keys all in one place, for ultimate organization. Cord has a nylon core with a polyester wrap for added durability.

Reel Diameter: 1 1/4" (32mm) Cord Length: 34" (864mm) Label Size: 3/4" (19mm)







Belt Clip

Economy Reel with Split Ring Specifications			
Item# Description Available Colors			
525-ISR	Belt Clip / Split Ring Black (BLK), Royal Blue (RBLU)		
Custom-printed reels ship 5-8 days after proof approval. MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.85 lb. per 25 pieces.			



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

SOLID COLORS











BLK

























GRN PNK



NOTE: For item numbers ending in ____, substitute the color abbreviations or numbers shown in the color chart.

Square Plastic Badge Reel

Square plastic, clip-on badge reel featuring a spring clip, clear vinyl strap and nylon cord. Provides easy access for swiping or scanning cards.

Reel Diameter: 1 1/4" (32mm)

Cord Length: 30" (762mm)

Label Size:









2120-3822

Spring Clip

Rectangle **Badge Reel**

The larger imprint area is perfect for displaying logos and custom graphics. The rectangular shape attracts more attention than standard round reels. Cord has a nylon core with a polyester wrap for added durability.

Reel Size: 1 3/4" x 1 1/4" (44mm x 32mm)

Cord Length: 34" (864mm)

Label Size: 1 1/2" x 1" (38mm x 25mm)







IMPRINT AREA

Swivel Clip

Square Plastic Badge Reel Specifications		
Item#	Description	Available Colors
2120-382_	Belt Clip, Reinforced Vinyl Strap	Black (1), Blue (2)
2120-3862	Belt Clip, Clear Vinyl Strap	Translucent Royal Blue
2120-57 Spring Clip, Clear Vinyl Strap Black (01), Trans. Royal Blue (12)		
Custom-printed reels ship 5-8 days after proof approval		

MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.675 lb. per 25 pieces.

WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Rectangle Badge Reel Specifications		
Item#	Description Available Colors	
2120-390_	Swivel Clip	Chrome (0), Black (1), Royal Blue (2), Red (6), White (8)

Custom-printed reels ship 5-8 days after proof approval.

MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.8 lb. per 25 pieces.

WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Logo Reel

Extra-large imprinting surface on this round, solid-colored plastic, badge reel with slide-type belt clip and clear vinyl strap.

Cord has a nylon core with a polyester wrap for added durability.

Reel Diameter: 13/8" (35mm)

Cord Length: 36" (915mm)

Label Size: 1 1/4" (32mm)









Slide-Type Belt Clip

MaxLabel™ **Badge Reel**

Same features as the round plastic reel with a larger, 1" imprint area.

Reel Diameter: 1 1/4" (32mm) Cord Length: 34" (864mm)

Label Size: 1" (25mm)









Swivel Clip



Card Clamp™

Logo Reel Specifications		
Item#	Description	Available Colors
2124-303_	Belt Clip	Black (1), Royal Blue (2), White (8)
2124-302_	Belt Clip	Chrome (8), Gold (9)

2124-3032

Custom-printed reels ship 5-8 days after proof approval.

MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.9 lb. per 25 pieces.



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

MaxLabel *** Badge Reel Specifications		
Item#	Description	Available Colors
905-I	Belt Clip	Black (BLK), R. Blue (RBLU), White (WHT)
909-I	Swivel Clip	Black (BLK), R. Blue (RBLU), White (WHT)
905-TR-RBLU	Belt Clip	Translucent Royal Blue (RBLU)
909-TR-RBLU	Swivel Clip	Translucent Royal Blue (RBLU)
905-IK6-BLK	Belt Clip / Card Clamp	Black
Custom-printed reels ship 5-8 days after proof approval.		

905-I-RBLU

MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.75 lb. per 25 pieces.



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

SOLID COLORS




WHT













Note: products are not shown to scale.

NOTE: For item numbers ending in ____, substitute the color abbreviations or numbers shown in the color chart.

Heart-Shaped Badge Reel

Motivate others by expressing passion, encouragement and inspiration! Comes with a clear vinyl strap and swivel

Cord has a nylon core with a polyester wrap for added durability.

Reel Diameter: 1 1/4" (32mm) Cord Length: 34" (864mm)

Label Size: 1 7/16" x 1 3/8" (34mm x 35mm)











Swive	CI	in

Ν	Non-Magnetic Badge				
R	Reel with Plastic Clip				

Made without ferrous metals, this reel is unaffected by magnets, making them perfect for use around MRI machines or other powerful magnets. Both the plastic clip end-fitting and plastic clamp closure are color-matched to the badge reel for a sleek look. A plastic clip end fitting makes it easy to slide on a slotted ID card or badge holder.

Reel Size: 1 1/4" (32mm) **Cord Length:** 24" (588mm) Label Size: 4/5" (20mm)





Swivel Clip

PERFECT FOR

MRI ROOM

USE



Swivel Clip Shown Open

2120-8010

BADGE BUDDIES PAGE 71

Non-Magnetic Badge Reel with Plastic Clip Specifications			
Item# Color			
2120-9001	Plastic Swivel Clip	Black	
2120-9002		Royal Blue	
2120-9006		Red	
2120-9008		White	
Custom-printed reels available 5-8 days after proof approval. MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.75 lb. per 25 pieces.			

B•REEL

KEEPS BADGE

FACING

FORWARD

HEALTHCARE

SOPHIA JONES, MD


Heart-Shaped Badge Reel Specifications Item# Description **Available Colors** 2120-761 Swivel Clip White (8), Pink (7) 580-TR-RED Swivel Clip Translucent Red EKG Label / Swivel Clip White (38), Translucent Red (36) Custom-printed reels ship 5-8 days after proof approval. MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.85 lb. per 25 pieces

WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Twist-Free B•Reel™

The B•Reel is the most secure and twist-free reel today. It has a modern shape with new colors and two different clip options- giving you more versatility when wearing it. Features clear vinyl strap for easy attachment to any ID badge.

Reel Size: 1 5/16" (33mm) **Cord Length: 28" (711mm)** Label Size: 1 3/16" x 1"













2120-8008



PERFECT FOR

HEALTHCARE

Swivel Clip with Teeth

Twist-Free B•Reel™ Specifications					
Item#	Description	Available Colors			
2120-78	Clip with Teeth	Black (01), Metallic Blue (02), White (08), Metallic Gray (10)			
2120-80	2120-80_ Belt Clip Black (01), Metallic Blue (02), White (08), Metallic Gray (10)				
Custom-printed reels available 5-8 days after proof approval. MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.75 lb. per 25 pieces.					
WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov					

SOLID COLORS













Premier Carabiner **Badge Reel**

Our carabiner-style reel with chrome outer frame and clear vinyl strap is both fashionable and versatile.

Reel Diameter: 1 1/4" (32mm)

Cord Length: 30" (762mm)

Imprint Size: 1" H x 1" W (28.5mm x 25mm)







2120-712
Belt Clip
on Back

Heavy-Duty Ski/Sports Reel

Specially designed zipper attachment reduces risk of losing annual ski pass.

Features customizable hard plastic case, reinforced ring and heavy-duty nylon cord.

Reel Diameter: 1 1/2" (38mm)

Cord Length: 24" (609mm)

Label Size: 1 1/4" (32mm)







Nylon Cord

Premier Carabiner Badge Reel Specifications			
Item#	Description	Available Colors	
2120-702_	Carabiner	Black (1)	
2120-705_	Carabiner	Trans. Clear (0), Trans. Black (1), Trans. Royal Blue (2), Trans. Red (6)	
2120-71	Carabiner with Belt Clip on Backside	Black (21), White (28), Trans. Blue (52), Trans. Red (56)	
Custom-printed reels ship 5-8 days after proof approval. MOQ: 25 (blank) / 100 (custom). Shipping Weight: 1.15 lb. per 25 pieces.			

Heavy-Duty Ski/Sports Reel Specifications **Available Colors** Item# Description 750-I or 2120-4101 Zipper Attachment Black Custom-printed reels ship 5-8 days after proof approval. Additional lead time applies for customization on both sides. MOQ: 25 (blank) / 100 (custom). Shipping Weight: 1.15 lb. per 25 pieces.

Twist-Free Carabiner Reel

Chrome outer frame. Pressure release latch attaches easily to belt loop or purse strap. Twist-free feature keeps ID facing forward. Optional belt clip on back.

Reel Diameter: 1 1/4" (32mm) Cord Length: 36" (915mm) Label Size: 1 1/16" (28mm)







MOQ: 25 (blank) / 100 (custom). Shipping Weight: 1.4 lb. per 25 pieces.

Twist-Free Carabiner Reel Specifications			
Item#	Description	Available Colors	
704-CB	Carabiner Only	Black (BLK), Green (GRN), Royal Blue (RBLU), Red (RED), Pink (PNK), White (WHT)	
704-TR	Carabiner Only	Trans. Purple (PURP), Trans. Red (RED), Trans. Green (GRN), Trans. Royal Blue (RBLU)	
704-CLP Carabiner and Belt Clip Black (BLK), Royal Blue (RBLU), Red (RED), White (WHT)			
Custom-printed reels ship 5-8 days after proof approval (one-sided printing). Additional lead time applies for customization on both sides.			



SOLID COLORS



WHT

















Note: products are not shown to scale.

NOTE: For item numbers ending in ____, substitute the color abbreviations or numbers shown in the color chart.

Pro-Reel

Get two attachments in one with our carabiner-style reel! It features a chrome outer frame and slide-type belt clip (optional). The no-twist U-shaped bullet helps to keep your ID facing forward.

Reel Diameter: 1 1/4" (32mm)

Cord Length: 34" (864mm)

Imprint Size: 7/8" (22mm)







2120-7026





2 WAYS

TO ATTACH

on Back (Carabiner Only)



Mini-Bak® Badge Reel

Made in the USA! The Mini-Bak® reel is available with heavy-duty spring or twist-free option.

Reel Diameter: 1" (25mm)

Cord Length: 36" (915mm)

Label Size: 1" (25mm)





509-MB-RBLU







Swivel Clip

Pro-Reel Specifications					
Item#	Description	Available Colors			
2120-7062	Carabiner with Belt Clip	Translucent Blue			
2120-702_ Carabiner with Belt Clip Black (7), Red (8)					
2120-7060	Carabiner Only	Translucent Blue			
2120-702_ Carabiner Only Black (5), Red (6)					
Custom-printed reels ship 5-8 days after proof approval. MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.775 lb. per 25 pieces.					

WARNING This product can expose you to chemicals, including Nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Premium Badge Reel

Large 1" imprint area. Twist-free design keeps ID visible at all times. Cord has a nylon core with a polyester wrap for added durability. Card Clamp™ holds to a pull strength of 10 lb. for standard .030"-thick ID cards (works with thinner cards too).

Reel Diameter: 1 1/2" (38mm) Cord Length: 34" (864mm) Label Size: 1" (25mm)





Premium Ba	Premium Badge Reel Specifications			
Item#	Description	Available Colors		
Clear Vinyl St	rap			
605-I	Belt Clip	Black (BLK), Royal Blue (RBLU), Red (RED), White (WHT), Dark Gray (DKGRY)		
609-I	Swivel Clip	Black (BLK), Royal (RBLU), White (WHT)		
605-TR	Belt Clip	Trans. Green (GRN), Trans. R. Blue (RBLU), Trans. Red (RED)		
609-TR Swivel Clip Trans. Royal Blue (RBLU), Trans. Red (RED)		Trans. Royal Blue (RBLU), Trans. Red (RED)		
Card Clamp™	End Fitting			
609-IK6-BLK	609-IK6-BLK Swivel Clip Black			
Custom-printed reels available 5-8 days after proof approval. MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.675 lb. per 25 pieces.				
WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov				

Mini-Bak® Badge Reel Specifications				
Item#	Description	Available Colors		
Classic Mini-Bak®				
505-MB	Slide Clip	Royal Blue (RBLU), Black (BLK), Dark Gray (DKGRY), White (WHT)		
509-MB	Swivel Clip	Royal Blue (RBLU), Black (BLK)		
Twist-Free Mini-Bak®				
505-MF Slide Clip Royal Blue (RBLU), Black (BLK), Red (RED), White (WHT)				
509-MF Swivel Clip Royal Blue (RBLU), Black (BLK)				
Custom-printed reels ship 5-8 days after proof approval. MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.725 lb. per 25 pieces.				





Swivel Clip



Card Clamp™













605-I-RED

Reinforced Strap Badge Reel

Add durability to your solid-color plastic reel with a reinforced vinyl strap. Comes with choice of slide-type belt clip or spring clip.

Reel Diameter: 1 1/4" (32mm)

Cord Length: 34" (864mm)

Label Size: 3/4" (19mm)









Spring Clip

Small Metal Case Badge Reel

A classic chrome finish makes this an appealing, eye-catching badge reel. Durable metal casing will stand up to long-term use.

A swivel-hook end fitting makes it easy to attach a slotted ID badge, while a bulldog clip attachment secures the reel to the wearer.

Reel Diameter: 1" (26mm)

Cord Length: 15" (381 mm)



2120-3400



Bulldog Clip

Ŧ	Description	Available Colors				
300_ Belt Clip Black (1), Blue (2), Green (4), Red (6), White (8)		Small Metal Case Badge Reel Specifications				
475_	Spring Clip	Black (1), Blue (2)		Item#	Description	Available Colors
n-printed reels ship 5-8 days after proof approval. I printing is not available on 2120-4751 or 2120-4752. 25 (blank) / 100 (custom). Shipping Weight: 0.625 lb. per 25 pieces.			2120-3400 or 480-I	Swivel-Hook End Fitting and Bulldog Clip Attachment	Chrome Finish	
WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov			Orders placed before 1pr MOQ: 25 Pieces. Shipping	n ET ship SAME DAY! Weight: 0.85 lb. per 25 pieces.		

Reinforced Strap Badge Reel Specifications Item# Description Available Colors Belt Clip 2120-300 Black (1), Blue (2), Green (4), Red (6), White (8) 2120-475 Black (1), Blue (2) Spring Clip Custom-printed reels ship 5-8 days after proof approval. Digital printing is not available on 2120-4751 or 2120-4752. MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.625 lb. per 25 pieces. WARNING This product can expose you to Nickel, which is known in the

Badge Reel with Silver Sticker and Reinforced Vinvl Strap

A modern round, plastic badge reel with silver sticker.

Features slide-type belt clip and reinforced vinyl strap.

Reel Diameter: 1 1/4" (32mm)

Cord Length: 34" (864mm)

Label Size: 3/4" (19mm)



2120-3101



TUB-O-LANYARDS? SEE PAGE 14!

Tub-O-Reels

feature clear vinyl strap and slide-type belt clip.

display their ID badges.

Cord Length: 34" (864mm)

DO YOU NEED A

Standard badge reels in a fun and convenient container. Reels Includes multiple colors, giving employees a variety of options when deciding how to wear and Reel Diameter: 1 1/4" (32mm) Container: 8 1/4" L x 5 1/8" W x 8 3/16" H REELS100



Tub-O-Reels Specifications			
Item#	Description	Colors (Includes 10 of each)	
REELS100	Belt Clip	Black, Royal Blue, Red, Yellow, Green, Trans. Royal Blue, Trans. Orange, Trans. Purple, Trans. Clear, Trans. Red.	
Orders placed before 1pm ET ship SAME DAY!			

MOQ: 1 tub. Shipping Weight: 2.94 lb. per 1 tub.

WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Reinforced Strap Badge Reel with Silver Sticker Specifications

Item#	Description	Available Colors
2120-310_	Belt Clip	Black (1), Blue (2), Green (4), Red (6), White (8)

Orders placed before 1pm ET ship SAME DAY!

MOQ: 25 Pieces. Shipping Weight: 0.625 lb. per 25 pieces.



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

SOLID COLORS











Belt Clip















Note: products are not shown to scale

NOTE: For item numbers ending in ____, substitute the color abbreviations or numbers shown in the color chart.



Keybak® Badge Reels

SecureIt™ - All-weather, all-purpose reel, featuring a rugged and sturdy carabiner that can secure to almost anything. Holds flashlights, GPS and small hand tools. 48" Kevlar® cord and 8 oz. retraction force.

Reel Diameter: 2" (51mm) Cord Length: 48" (1220mm)

Super48™ - Hold more keys with our exclusive quick-draw extension. Tough KEVLAR® Cord extends to 48" (4 feet of reach)! 8 -10 oz. retraction force. Holds up to 25 keys.

Reel Diameter: 23/16" (56mm) Cord Length: 48" (1220mm)

Proudly made in the USA!

- Guaranteed quality and reliability
- Backed by a Lifetime Service Policy



KeyBak® Badge Reels Specifications		
Description	Color	
Belt Clip	Black	
BR-488-BLK (SecureIt™) Carabiner with Key Ring Black		
	Description Belt Clip	

Orders placed before 1pm ET ship SAME DAY! MOQ: 1.

Shipping Weight: 0.22 lb. per 1 piece (BR-48-BLK) / 0.18 lb. per 1 piece (BR-488-BLK)



1. Locks to carry weight 2. Unlock to extend

Belt Clip 3. Extends 48"

Round Plastic Twist-Free Badge Reel

Round plastic, solid-color reel with swivel clip or slide-type belt clip and clear vinyl strap.

"No-twist" bullet prevents ID from twisting. Cord has a nylon core with a polyester wrap for added durability.

Reel Diameter:

1 1/4" (32mm)

Cord Length: 34" (864mm)

Label Size: 3/4" (19mm)











Swivel Clin

Heavy-Duty Clip-On Badge Reel

Chrome or black/chrome combo heavy-duty reels with slide-type belt clip.

Reel Diameter: 1 1/2" (38mm)

Cord Length:

24" (588mm) - 505-HD-CRM, 2120-3310, 2120-3300, 2120-3305

18" (457mm) - 2120-3325, 2120-3375

Label Size: 1 1/2" (38mm)









Black / Chrome Reel



2120-3310 Belt Clip

Round Plastic Twist-Free Badge Reel Specifications			
Item#	Description	Available Colors	
2120-764_	Swivel Clip	Black (0), N. Blue (1), R. Blue (2), Red (4), Trans. R. Blue (6)	
2120-305_	Belt Clip	Black (0), N. Blue (1), R. Blue (2), White (3), Red (7)	
Custom-printed reels ship 5-8 days after proof approval. MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.575 lb. per 25 pieces.			
WARNING This product can expose you to Nickel which is known in the State of			

ARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Heavy-Duty Clip-On Badge Reel Specifications Item# Description **Available Colors Clear Vinyl Strap** 505-HD-CRM Nylon Cord Chrome (CRM) 505-HD-BLK/CRM or 2120-3310 Nylon Cord Black/Chrome (BLK/CRM) **Reinforced Vinyl Strap** Black/Chrome (BLK/CRM) 2120-3325 Chain Cord, Key Ring 2120-3300 Nylon Cord Black/Chrome (BLK/CRM) 2120-3305 Steel Cord Black/Chrome (BLK/CRM) Black/Chrome (BLK/CRM) 2120-3375 Chain Cord Custom-printed reels ship 5-8 days after proof approval. MOQ: 25 (blank) / 100 (custom). Shipping Weight: 2.325 lb. per 25 pieces.

SOLID COLORS















"Awareness" **Twist-Free Carabiner Reel**

Features the twist-free chrome carabiner for easy attachment, with the "awareness" ribbon design.

Reel Diameter: 13/8" (35mm)

Cord Length: 36" (915mm)

Label Size: 1 1/16" (28mm)



704-CB-PNKRIB



Backside

"Awareness" Twist-Free Carabiner Reel Specifications		
Item# Description Color		
704-CB-PNKRIB	Chrome Carabiner	Pink
Orders placed before 1pm ET ship SAME DAY!		
MOQ: 25 pieces. Shipping Weight: 1.4 lb. per 25 pieces.		

"Awareness" **Twist-Free Badge Reel**

Twist-free design keeps ID visible at all times. Large imprint of "awareness" ribbon design. Cord has a nylon core with a polyester wrap for added durability.

Reel Diameter: 1 1/2" (38mm)

Cord Length: 34" (864mm)

Label Size: 1" (25mm)







Belt Clip

"Awareness" Twist-Free Badge Reel Specifications		
Item# Description Color		
605-I-WHT-PNKRIB Belt Clip White		
Orders placed before 1pm ET ship SAME DAY! MOQ: 25 Pieces. Shipping Weight: 0.68 lb. per 25 pieces.		

SHOW YOUR SUPPORT BY WEARING PINK!



Note: products are not shown to scale.

Heart-Shaped Badge Reel

Show you care with this heart-shaped reel with swivel clip and clear vinyl strap.

Reel Diameter: 1 1/4" (32mm)

Cord Length: 34" (864mm)

Label Size: 1 7/16" x 1 3/8" (34mm x 35 mm)



2120-7630

Swivel Clip

Heart Reel with Dome Label Specifications		
Item#	Description	Color
2120-7630 or 580-AWR-PNK	Swivel Clip	Pink

Orders placed before 1pm ET ship SAME DAY!

MOQ: 25 Pieces. Shipping Weight: 0.88 lb. per 25 pieces.



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer as well as Bisphenol A (BPA), which is known in the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Autism Awareness Badge Reel

The new autism awareness badge reel is a great way to show your support. The reel features a multicolored puzzle design and comes with a clear vinyl strap and a lanyard loop attachment.

Reel Diameter: 1 3/8" (35mm)

Cord Length: 36" (915mm)



Belt Clip

Autism Awareness Badge Reel Specifications		
Item# Color		
2124-3050	Belt Clip	Multicolored Puzzle
Orders placed before 1pm ET ship SAME DAY! MOQ: 25 Pieces. Shipping Weight: 0.9 lb. per 25 pieces.		
A WARNINGTO		

WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov





Our **TRUECOLOR** digital printing process makes CUSTOM ARTWORK STAND OUT!

VIVID COLOR - Capable of full-color printing, with hundreds of colors to choose from.

LONG-LASTING – Ink is applied directly to the surface of the product and cured while printing for added durability.

TRUECOLOR digital printing is currently available on a select group of our best-selling rigid badge holders, badge reels, and luggage tags.



B•Holder One- & Three-Card Holders

These card holders keep your card safe from bends and creases while displaying the card's face. A thumb slot on the back makes it easy to remove your badge for swiping or scanning. Top load for additional security. MOQ: 50.



B•Holder Specifications		
Item#	Description	Available Colors
One-Card H	olders	
1840-664_	Vertical / Top Load	Frosted (0), Black (1),
1840-665_	Horizontal / Top Load	Metallic Blue (2), Metallic Gray (7), White (8)
Three-Card	Holders	
1840-666_	Vertical / Top Load	Black (1), Metallic Blue (2),
1840-667_	Horizontal / Top Load	Metallic Gray (7), White (8)
Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 2.45 lb. per 50 pieces (One-Card Holders) 2.80 lb. per 50 pieces (Three-Card holders).		
WARNING This product can expose you to Bisphenol A (BPA), which is known in the State of California to cause birth defects or other reproductive harm. For more		





1840-6642 Data / Credit Card Size Inside: 2.13" x 3.38" Slot / Chain Holes

1840-6657 Data / Credit Card Size Inside: 3.38" x 2.13" Slot / Chain Holes



Access One-Card Dispensers

Slide out your ID or access card with this frosted access card dispenser. Ideal for chip and magnetic stripe cards. Holds one card. Made of polycarbonate material. MOQ: 50.

Access Card Dispenser Specifications		
Item# Description		
1840-6410	Horizontal / Side Load	
1840-6566 Vertical / Top Load		
1840-6400 2-Card / Horizontal / Side Load		
Orders placed before 1pm FT ship SAME DAVI		

Shipping Weight: 1.9 lb. per 50 pieces.



1840-6566 Credit Card Size Inside: 2.13" x 3.38" Standard Slot (Back of holder is being shown)



1840-6410 **Credit Card Size** Inside: 3.38" x 2.13" Standard Slot / Chain Holes



1840-6400 **Credit Card Size** Inside: 3.38" x 2.13"

Standard Slot / Chain Holes (Back of holder is being shown)

1840-6400 HOLDS 2 CARDS

Premium Dispensers with Slide Ejectors

Heavy-duty dispensers made of durable, fire-retardant polycarbonate. UV protection prevents print fading for less frequent card replacement. Frosty finish hides scratches and eliminates glare. MOQ: 50.



Premium Grade Dispensers with Slide Ejector Specifications		
Item#	Description	
One-Card Dispensers with Slide Ejectors		
736-N Vertical / Top Load		
736-T1	Horizontal / Side Load	
Two-Card Dispensers with Slide Ejectors		
736-T2 Horizontal / Side Load		
Custom printed badge holders ship 5-8 days after proof approval. Shipping Weight: 2 lb. per 50 pieces.		

DISPENSERS FEATURE UV PROTECTION



736-N **Credit Card Size** Inside: 2.13" x 3.38" Standard Slot (Back of holder is being shown)



736-T1 Credit Card Size Inside: 3.38" x 2.13" Standard Slot / Chain Holes (Back of holder is being shown)



KEEP ALL YOUR ESSENTIALS ON ONE KEY RING

> 706-RNG **Credit Card Size** Inside: 3.38" x 2.13" Standard Slot / Key Ring (Shown with TRUECOLOR printing on holder)



COLLEGE



Made in Germany. MOQ: 50.



Rigid One-Card Holder With Key Ring

Carry ID card, keys and other essentials together on one

Customize with your own graphics or logos.

key ring. Frosty finish hides scratches and eliminates glare.

Rigid One-Card Holder with Key Ring Specifications		
Item# Description		
706-RNG Horizontal		
Custom printed badge holders ship 5-8 days after proof approval. Shipping Weight: 1.9 lb, per 50 pieces		

Economy One-Card Rigid Dispensers

Remove your card with ease using this one-card dispenser. Durable ABS material keeps cards from bending. Added protection for electronics inside proximity and smart cards. Fits credit card-sized inserts up to .040" thick. Personalize front or back with custom graphics or logos. *MOQ: 50.*





Economy One-Card Rigid Dispenser Specifications		
Item# Description		
Clear Finish		
726-CSN Vertical / Side Load		
726-CT1 Horizontal / Side Load		
Frosted Finish		
726-SN or 1840-6500 Vertical / Side Load		
726-T1 or 1840-6000 Horizontal / Side Load		
Custom printed badge holders ship 5-8 days after proof approval. Shipping Weight: 2.25 lb. per 50 pieces.		



1840-6500 Credit Card Size Inside: 2.13" x 3.38" Standard Slot / Chain Holes



726-CT1
Credit Card Size
Inside: 3.38" x 2.13"
Standard Slot / Chain Holes



1840-6000
Credit Card Size
Inside: 2.13" x 3.38"
Standard Slot / Chain Holes
(Shown with TRUECOLOR printing on holder)

Premium Dispensers with Thumb Notches

Made of durable, fire-retardant polycarbonate. UV protection prevents print fading for less frequent card replacement. Frosty finish hides scratches and eliminates glare. Customize with your own graphics or logos. *MOQ: 50.*





Premium Dispensers with Thumb Notch Specifications		
Item#	Description	
One-Card Thumb Notch Dispensers		
706-N	Vertical / Top Load	
706-T1	Horizontal / Side Load	
Two-Card Thumb Notch Dispensers		
706-N2 or 1840-6550 Vertical / Top Load		
Custom printed badge holders ship 5-8 days after proof approval. Shipping Weight: 1.75 lb. per 50 pieces.		



706-N2 Credit Card Size Inside: 3.38" x 2.13" Standard Slot



706-T1 Credit Card Size Inside: 3.38" x 2.13" Standard Slot / Chain Holes

Bank Card Holder

Rigid polypropylene frosted bank card holder with 2 thumb slots. Holds one 30 mil (750 mic) card. *MOQ: 100.*





Bank Card Holder Specifications		
Item# Description		
1840-6070	Horizontal / Vertical	
Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 2 lb. per 100 pieces.		



1840-6070 Credit Card Size Insert Size: 3.38" x 2.13" Outside: 3.63" x 2.31" Thumb Slot

2-Sided Open-Face Rigid **Three-Card Holder**

Hold your ID and business cards in this versatile holder. Open face displays inserted cards. Two-sided. Holds one 30 mil (750 mic) ID card on one side and two 30 mil cards or six business cards on the back side. Made of ABS material. MOQ: 50.







1840-3081 **Credit Card Size** Inside: 2.13" x 3.38" Standard Slot / Chain Holes

Two-Card **RigidWear**[™] Holder

Keep your ID visible and easily accessible with this clear, rigid polycarbonate plastic, two-card vertical badge holder with slot.

Thumb notches on both sides for easy card removal. Holds two 30 mil (750 mic) cards. MOQ: 50.



1840-6560 **Credit Card Size** Inside: 2.13" x 3.38" Standard Slot

2-Sided Open-Face Rigid Three-Card Holder Specifications		
Item#	Description	Available Colors
1840-308_	Vertical	Clear (0), Black (1), Blue (2), Red (6), White (8), Yellow (9)
1840-305_	Horizontal	Clear (0), Black (1), Blue (2)
Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 2.1 lb. per 50 pieces.		

HOLDER COLORS:











Two-Card RigidWear™ Holder Specifications	
Item# Description	
1840-6560 or 706-NN2	Vertical
Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 3.1 lb. per 50 pieces.	



WARNING This product can expose you to Bisphenol A (BPA), which is known in the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

"KEY" Locking Two-Card Holder

Protect your ID card from tampering with our key lock proximity card holder. End piece snaps in to lock cards inside. Guard key (sold separately) opens the lock on proximity card holder. Made

of polycarbonate material. MOQ: 50.



TAMPER **RESISTANT!**

1840-6610

Standard Slot

and end piece

(Shown with key

apart from holder)

Credit Card Size Inside: 3.38" x 2.13"





1840-6615 (Shown apart from card holder)

1840-6630 Credit Card Size Inside: 2.13" x 3.38" Standard Slot (Holder shown with card locked in)



Perma-Lock Two-Card **Proximity Card Holder**

Permanent locking proximity card holder

with slot/chain holes. End piece snaps

permanently into end of card holder to

Customizing Available

lock cards inside. Holds two cards. Made of .24" thick ABS material. MOQ: 50.

1840-6040 **Credit Card Size** Inside: 3.38" x 2.13" Standard Slot and Chain Holes





GOLDEN STATE

UNIVERSITY



1840-6045 Credit Card Size Inside: 2.13" x 3.38" Standard Slot and Chain Holes

"KEY" Locking Two-Card Holder Specifications		
Item#	Description	
1840-6610 or 706-LT1	Horizontal	
1840-6630 or 706-LN	Vertical	
1840-6615 or OP-706	"KEY" (Key has an MOQ of 5)	
Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 1.85 lb. per 50 pieces.		

Chris Emmanual

Publishing Manager

MEGAEYE

Perma-Lock Two-Card Prox Card Holder Specifications		
Item#	Description	
1840-6040 or IDS-92H	Horizontal	
1840-6045 or IDS-92V	Vertical	
Custom printed badge holders ship 5-8 days after proof approval. Shipping Weight: 2.75 lb. per 50 pieces.		

Slot-Free Holders

No need to slot punch your ID with our Gripper 30® or Card Clamp. Gripper 30[®] contains a molded plastic outer piece with silicone inner core. Securely holds one 30 mil card with pull strength of up to 7 lb. Card Clamp has gripper pads that securely hold your badge with a pull strength of 10 lb. MOQ: 100.



Slot-Free Holder Specifications	
Item#	Description
5710-3050	Black Gripper 30®
5710-3058	White Gripper 30®
K-1	Card Clamp with Clip
K-6	Card Clamp

Orders placed before 1pm ET ship SAME DAY! Custom printed holders ship 5-8 days after proof approval. Shipping Weight: 0.5 lb. per 100 pieces (Gripper); 2.5 lb. per 100 pieces (Card Clamp).

LogoClips™

Combining the custom branding capabilities of a badge reel with the simplicity of a strap clip, LogoClips are ideal for users who don't need to remove their ID cards for scanning or swiping. MOQ: 25 (100 for custom).



goClip Size and Label	Color	
1" Wide	Black	
	Metallic Blue	
J. T IIIII)	White	
Square LogoClip™		
1.20" x 1.00"	Black	
	Metallic Blue	
Ommi X 25mm)	White	
2	5.4mm)	

Orders placed before 1pm ET ship SAME DAY! Custom LogoClips™ ship 5-8 days after proof approval. Shipping Weight: 1.38 lb. per 100 pieces (round); 1.54 lb. per 100 pieces (square).

Vinyl and Rigid Half-Card Holders

Swipe your card without removing from holder. Vinyl or rigid holder pouch covers only half the card, leaving the magnetic stripe exposed and easy to swipe through card readers. Holds one card securely. Made of .020" thick clear vinyl on front and back. Stretches slightly to grip card. MOQ: 100 (504-HC1 and HC2) / 50 (1840-8000).



Vinyl and Rigid Half-Card Holder Specifications		
Item#	Description	
.020" Thick Clear Vinyl on Front and Back		
504-HC1	Vertical	
504-HC2	Horizontal	
Rigid, Frosted with Slot/Chain Holes		
1840-8000	Horizontal	
Orders placed before 1pm ET ship SAME DAY! Custom printed badge holders ship 5-8 days		

after proof approval. Shipping Weight: 0.8 lb. per 100 pieces (504-HC1 and 504-HC2); 1.1 lb. per 50 pieces (1840-8000).



5710-3050 Gripper 30®



5710-3058 Gripper 30®



K-1 Card Clamp with Clip



K-6 Card Clamp

WITH SLOT-FREE HOLDERS THERE'S NO NEED FOR SLOT HOLE PUNCHES!





K-1 Card Clamp with Clip



Card Clamp with Clip Closed



Card Clamp Open





Custom Label

Swivel Belt Clip

BADGE

4-Color Process

2105-4102

2105-4001





504-HC2 Credit Card Size Inside: 3.15" x .61' Outside: 3.40" x 1.50" Standard Slot

504-HC1 Credit Card Size Inside: 3.29" x .75' Outside: 4.14" x 1.00" Standard Slot



CardProtectors[™] One-Card Open Face Rigid Shielded Holder

This rigid holder protects a smart card from unauthorized data theft known as "skimming" while still displaying the face of your card and allowing for easy removal. Semi-rigid ABS holder protects 13.56 MHz RFID technology smart cards including MIFARE, iClass, PIV, CAC, TWIC and FRAC cards. Card easily slides in and locks in place for a tight fit. Meets BAA (Buy America) and TAA (Trade Agreement) Acts. *MOQ: 50.*





1840-5092 Credit Card Size Inside: 3.38" x 2.13" Standard Slot / Chain Holes





1840-5091 Credit Card Size Inside: 2.13" x 3.38" Standard Slot / Chain Holes

One-Card Open Face Rigid Shielded Holder Specifications		
Item#	Description	Color
1840-5091	Vertical / Horizontal	Black
1840-5092	Vertical / Horizontal	Blue
Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 1.45 lb. per 50 pieces.		



CardProtectors[™] Two-Card Rigid Shielded Holder

2-Card polycarbonate holder protects 13.56 MHz RFID technology smart cards including MIFARE, iClass, PIV, CAC, TWIC and FRAC cards. Thumb notches for easy card removal. Meets BAA (Buy America) and TAA (Trade Agreement) Acts. Slot Pull Strength: 89 lb. *MOQ: 50.*



Two-Card Rigid Shielded Holder Specifications	
Item#	Description
1840-5081 or SH-2R	Vertical / Horizontal
Custom printed badge holders ship 5-8 days after proof approval. Shipping Weight: 2.5 lb. per 50 pieces.	



Protect credit and debit cards from ID theft. Lightweight, durable, water and tear resistant. Superior printing capabilities. *MOQ: 100 (500 for custom printed).*





1840-5084 Credit Card Size Inside: 2.13" x 3.38" (Shown with custom imprint)



CardProtectors™ SHIELDED SLEEVES PROTECT CREDIT AND DEBIT CARDS FROM ID THEFT.

Shielded Sleeve Specifications	
Item#	Description
1840-5084	Vertical / Horizontal
Unimprinted sleeves ship SAME DAY! Shipping Weight: .40 lb. per 100 pieces.	

Convertible Multi-Directional **One-Card Holder**

Convertible multi-directional card holder has a rotating clip which allows it to be used in a vertical or horizontal format. Semi-rigid polycarbonate material with slot/chain holes.

MOQ: 50.



1840-3012 Data / Credit Card Size Inside: 3.38" x 2.13" Rotating Clip



One-Card Open-Face Semi-Rigid Card Holder

Vertical or horizontal semi-rigid, open-face card holder with slot/chain holes and rails on all four sides. Made of ABS material MOQ: 50.





1840-8111 Data / Credit Card Size Inside: 3.38" x 2 .13" Standard Slot / Chain Holes



1840-8162 Data / Credit Card Size Inside: 2.13" x 3.38" Standard Slot / Chain Holes

Convertible Multi-Directional One-Card Holder Specifications		
Item#	Description	Available Colors
1840-301_or 804-TN	Vertical / Horizontal	Frosted (0), BLK - Black (1), RBLU - Royal Blue (2), WHT - White (8)
Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 1.35 lb. per 50 pieces.		
WARNING This product can expose you to Bisphenol A (BPA), which is known in the State of California to cause birth defects or other		

HOLDER COLORS:









reproductive harm. For more information go to www.P65Warnings.ca.gov

White

One-Card Open-Face Semi-Rigid Holder Specifications		
Item#	Description	Available Colors
1840-816_	Vertical	Frosted (0), Black (1), R. Blue (2), Green (4), Red (6), White (8)
1840-811_ or 806-T2	Horizontal	CLR - Clear/Frosted (0), BLK - Black (1), RBLU - Royal Blue (2)
Custom printed hadge holders ship 5-9 days after proof approval		

Custom printed badge holders ship 5-8 days after proof approval. Shipping Weight: 1 lb. per 50 pieces.

HOLDER COLORS:











White

Rigid Two-Card Open Face Holder

This rigid holder is open-faced and holds up to two ID cards. It can be used horizontally or vertically. Made of ABS material. Made in Taiwan. MOQ: 50.





1840-3101 **Credit Card Size** Inside: 3.38" x 2.13" Standard Slots

Rigid Two-Card Open Face Holder Specifications		
Item#	Description	
1840-3101 or 826-TN-BLK	Horizontal / Vertical	
Custom printed badge holders ship 5-8 days after proof approval. Shipping Weight: 1 lb. per 50 pieces.		



S-Series, Soft, Flexible Vinyl Proximity Card Holders

Don't lose your cards - lock them in. Made of soft, flexible vinyl with a thickness of .020" on the front and back. Can handle thicker and multiple cards without splitting. Slot goes through the front and back so a strap clip "locks in" card.

Orders placed before 1pm ET ship same day! Custom printed holders ship 5-8 days after proof approval. Shipping weight: 2.5 lb. per 100 pieces. *MOQ: 100*.

*Available in Anti-Print Transfer (imprint on ID won't stick to holder). To order anti-print transfer material, add a "J" to the stock numbers (Example: 504-NCSJ).






WARNING This product can expose you to Di(2-ethylhexyl) phthalate, which is known in the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



504-NCS*
Credential / Event Size
Inside: 2.30" x 4.25"
Outside: 3.46" x 4.42"
Standard Slot



504-ES Credential / Event Size Inside: 2.50" x 3.75" Outside: 2.80" x 4.42" Standard Slot

CARD IS "LOCKED IN" WHEN ATTACHMENT IS INSERTED!



Event Size Inside: 3.00" x 4.50" Outside: 3.25" x 4.75" Standard Slot

INSERTING
ATTACHMENT
INTO SLOT HOLE
PREVENTS ID
CARD FROM
FALLING OUT!



SHOWN WITH CUSTOM IMPRINT ON HOLDER 1840-5015 or 504-CHS*

Data / Credit Card Size
Inside: 3.63" x 2.50"

Outside: 3.92" x 2.91"

Standard Slot

1840-5055 Data / Credit Card Size Inside: 2.31" x 3.80" Outside: 2.65" x 4.42" Standard Slot

ANDREW MARSH
CONNECTIONS MANAGER

Heavy-Duty, Clear Vinyl Proximity Badge Holders

Clear vinyl, flexible proximity badge holders. Badge clip strap "locks in" card when attachment is inserted into slot/chain hole.

Orders placed before 1pm ET ship same day! Custom printed badge holders ship 5-8 days after proof approval. Shipping weight: 3 lb. per 100 pieces. *MOQ: 100*.

*Available in Anti-Print Transfer (imprint on ID won't stick to holder). To order anti-print transfer material, add a "J" to the stock numbers (Example: 504-NCSJ).





1840-5000
Data / Credit Card Size
Inside: 3.50" x 2.25"
Outside: 3.80" x 3.00"
Standard Slot / Chain Holes

Mil Thickness .020" Front and Back



504-CHST
Data / Credit Card Size
Inside: 3.63" x 2.50"
Outside: 3.92" x 2.91"
Standard Slot
Mil Thickness: .010" Front and Back



1840-5010
Data / Credit Card Size
Inside: 3.60" x 2.50"
Outside: 3.88" x 3.08"
Standard Slot
Mil Thickness: .016" Front and Back

Note: products are not shown to scale.





Data / Credit Card Size Inside: 2.25" x 3.00" Outside: 2.60" x 3.67" Standard Slot Mil Thickness: .020" Front and .030" Back







Premium Vinyl Hang Holders

Easily attach to lanyards, reels or strap clips. Heavy-duty clear vinyl holders with reinforced edges. Front has .012" thick vinyl and back has .030" thick vinyl. Orders placed before 1pm ET ship same day!

Custom printed badge holders ship 5-8 days after proof approval. Shipping weight: 2 lb. per 100 pieces; 2.5 lb. per 100 pieces (506-N2 & 506-T2 only). *MOQ: 100.*

*Available in Anti-Print Transfer (imprint on ID won't stick to holder). To order anti-print transfer material, add a "J" to the stock numbers (Example: 504-NCSJ).





506-J Convention Size Inside: 4.00" x 3.00" / Outside: 4.32" x 4.00" Standard Slot / Chain Holes









506-T2
Data / Credit Card Size
Inside: 3.38" x 2.38"
Outside: 3.81" x 3.05"
Standard Slot / Chain Holes



506-T1*

Data / Credit Card Size
Inside: 3.38" x 2.38"

Outside: 3.83" x 3.06"

Standard Slot / Chain Holes

Badge Holders with Flap

Keep your ID clean and protected with this clear vinyl badge holder with tuck-in flap and slot/chain holes. Holders have .010" thick vinyl in front and back.

Orders placed before 1pm ET ship same day! Custom printed badge holders ship 5-8 days after proof approval. Shipping weight: 1 lb. per 100 pieces. *MOQ: 100.*





WARNING This product can expose you to Di(2-ethylhexyl) phthalate, which is known in the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



1840-1000
Data / Credit Card / Military Size
Inside: 3.40" x 2.40" / Outside: 3.60" x 2.60"
Side Load / Tuck-In Flap
Standard Slot / Chain Holes
(Shown with custom imprint)



1840-5150

Data / Credit Card Size
Inside: 2.63" x 3.87" / Outside: 3.00" x 4.88"

Top Load / Fold-Over Flap Closure

Standard Slot / Chain Holes

Multi-Directional Badge Holder

Features both vertical and horizontal slots– the perfect solution for facilities with both horizontal and vertical ID card styles. Flexible vinyl keeps the card safe from damage. Holder has .012" thick vinyl in front and .020" thick vinyl in back.

Orders placed before 1pm ET ship same day! Custom printed badge holders ship 5-8 days after proof approval. Shipping weight: 1.2 lb. per 100 pieces. *MOQ: 100.*



1815-1600 Credit Card Size Inside: 3.38" x 2.13" / Outside: 4.27" x 3.05" Horizontal and Vertical Slots

LANYARDS

PAGES

Textured Back Vinyl Badge Holder

Our badge holders easily attach to any lanyard or badge reel. They feature a clear vinyl front and a textured orange peel back for easy card insertion. Holders have .010" thick vinyl in front and .030" thick vinyl in back.

Orders placed before 1pm ET ship same day! Custom printed badge holders ship 5-8 days after proof approval. Shipping weight: 2 lb. per 100 pieces. MOQ: 100.









1815-1450 **Event Size** Inside: 3.00" x 4.00" Outside: 3.25" x 4.80" Standard Slot / Chain Holes







PureClear™ Holders - PVC-Free, No Harmful Chemicals

These holders are BPA and phthalates-free and meet all the REACH (registration, evaluation, and authorization of chemicals) guidelines set by the European Union. Made of .016" thick, yet soft, flexible vinyl in front and back.

Orders placed before 1pm ET ship same day! Custom printed badge holders ship 5-8 days after proof approval. Shipping weight: 2 lb. per 100 pieces. MOQ: 100.



THIS PRODUCT
IS MADE WITH EVA WHICH CONTAINS LESS ENVIRONMENTALLY HAZARDOUS COMPOSITIONS THAN PVC.

Note: products are not shown to scale.



1815-1124 or 106-N Data / Credit Card Size Inside: 2.38" x 3.38" Outside: 2.55" x 4.05" Standard Slot / Chain Holes



ADHESIVE HOLDERS / WATER RESISTANT CARD CASE / ADHESIVE WALLETS

Clear Adhesive Vinyl Holders

Clear vinyl badge holders feature an adhesive back allowing the user to attach the badge horizontally or vertically and will hold most standard-size business cards. Holders have .009" thick vinyl in front and back. *MOQ: 100.*





CE-2P Business Card Size Inside: 3.38" x 2.13" Outside: 3.63" x 2.63" Adhesive Back

Clear Adhesive Vinyl Holder Specifications		
Item# Description		
CE-2P Pressure-Sensitive Adhesive Back		
Orders placed before 1pm ET ship SAME DAY! Custom printed badge holders ship 5-8		

days after proof approval. Shipping Weight: 1 lb. per 100 pieces.

Water-Resistant Multi-Card Case

Made from a durable plastic that is water-resistant and keeps your ID and other valuables dry and out of the elements. Can hold up to 7 standard PVC 30 mil cards. *MOQ: 50.*



Water-Resistant Multi-Card Case Specifications		
Item#	Description	
1840-9000 or WPH-1	Vertical / Cord Length: Up to 18"	
1840-9000 or WPH-1	Vertical / Cord Length: Up to 18"	

Orders placed before 1pm ET ship SAME DAY! Custom printed holders available 5-8 days after proof approval. Shipping Weight: 3.5 lb. per 50 pieces.



Adhesive Silicone Wallets

Up to 3 cards sit firmly in the holder and will not fall out no matter how hard you shake it! Fits most flat-backed smart phones. Perfect for everyday use such as holding your credit card, contactless hotel key, or driver's license. Imprint size is 2" x 2", 1- or 2-color printing available (if printing 2 colors, colors cannot touch). *MOQ: 100.*



Adhesive Silicone Wallet Specifications		
Item#	Description	Available Colors
1860-500_	Vertical	Black (1), Royal Blue (3), Red (6), White (8)
Orders placed before 1pm ET ship SAME DAY! Custom printed wallets ship 5-8 days after proof approval. Shipping Weight: 2.6 lb. per 100 pieces.		

IMPRINT COLORS:





PMS 348 PMS 108 PMS 186 WHT

Resealable Holders

Keep out dirt and moisture with our clear vinyl badge holder with resealable closure and slot/chain holes. 1815-1010, 1815-1110 and 1815-1112 are made of rigid .020" Thick, clear vinyl on front and back

506-ZS, 506-ZS-CLR, 506-ZHOS, 506-ZHOS-CLR, 506-ZHKR are made of soft, flexible .010" thick vinyl on front and .030" thick vinyl on back.

Orders placed before 1pm ET ship same day! Custom printed badge holders ship 5-8 days after proof approval. Shipping weight: 2.8 lb. per 100 pieces. *MOQ: 100.*





WARNING This product can expose you to Di(2-ethylhexyl) phthalate, which is known in the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov









1815-1112 Event Size Inside: 3.75" x 6.25" / Outside: 4.25" x 8.25" Standard Slot / Chain Holes









Data / Credit Card Size
Inside: 3.63" x 2.50"
Outside: 4.13" x 3.62"
Standard Slot / Chain Holes





Color-Coded Vinyl Badge Holders

Quickly identify your employees by color of badge holder. Horizontal or vertical format. Clear vinyl pocket with top color bar with slot/ chain holes. Holders have a mil thickness of .009" in front and back. MOQ: 100.



Color-Coded Vinyl Badge Holder Specifications		
Item#	Description	Available Colors
1820-105_	Vertical	Clear (0), Black (1), Blue (2), Green (4), Orange (5), Red (6), White (8), Yellow (9)
406-T or 1820-100_	Horizontal	CLR - Clear (0), BLK - Black (1), RBLU - Blue (2), GRN - Green (4), ORG - Orange (5), RED - Red (6), WHT - White (8), YLW - Yellow (9)
406-J	Horizontal	CLR - Clear, BLK - Black, RBLU - Royal, GRN - Green, RED - Red, WHT - White
1820-110_	Horizontal	Clear (0), Black (1), Blue (2), Green (4), Red (6), Yellow (9)
1820-120_	Horizontal	Clear (0), Black (1), Blue (2), Green (4), Orange (5), Red (6), White (8), Yellow (9)

Orders placed before 1pm ET ship SAME DAY! Custom printed badge holders ship 5-8 days after proof approval. Shipping Weight: 1.9 lb. per 100 pieces.



WARNING This product can expose you to Di(2-ethylhexyl) phthalate, which is known in the State of California to cause cancer and birth defects or other $reproductive\ harm.\ For\ more\ information\ go\ to\ www.P65Warnings.ca.gov$

LANYARDS PAGES 4-24






406-T-RBLU or 1820-1002 Data / Credit Card Size Inside: 3.75" x 2.63" Outside: 4.07" x 3.50" Standard Slot / Chain Holes



1820-1101 Government / Military Size Inside: 3.81" x 2.63" Outside: 4.09" x 3.5" Standard Slot / Chain Holes



406-J-RED **Event Size** Inside: 4.00" x 3.00" / Outside: 4.25" x 3.96" Standard Slot / Chain Holes



Two-Pocket Vinyl Event Credential Holders

Display your badge and carry personal items in a single holder! This versatile badge holder features double pockets. The large pocket in the back can hold other small items; an added convenience for meeting and event attendees. MOQ: 100.



Two-Pocket Vinyl Event Credential Holder Specifications			
Item#	Description	Available Colors	
1860-400_	Vertical	Clear (0), Black (1), Blue (3), Red (6)	
Orders placed before 1 pm ET ship SAME DAVI Custom printed hadge holders ship 5-8 days			

after proof approval. Shipping Weight: 2.7 lb. per 100 pieces.



WARNING This product can expose you to Di(2-ethylhexyl) phthalate, which is known in the State of California to cause cancer and birth defects or other $reproductive \, harm. \, For \, more \, information \, go \, to \, www.P65Warnings.ca. gov$

HOLDER COLORS:



Note: products are not shown to scale.









1860-4003 Credential/Event Size Large Pocket Inside: 4.12" x 4.75' Small Pocket Inside: 4" x 3" Outside: 4.44" x 5.25" Standard Slot / Chain Holes

FEATURES DOUBLE



Color-Back Vinyl Badge Holders

Horizontal vinyl color-back badge holder. Color code groups for quick identification. Top load with slot and chain holes. Holders have a mil thickness of .009" in front and back. *MOQ: 100.*



Color-Back Vinyl Holder Specifications			
Item#	Description	Available Colors	
1820-200_ Horizontal Black (1), Blue (2), Green (4), Orange (5), Red (6), White (8), Yellow (9)			
Orders placed before 1pm ET ship SAME DAY! Custom printed badge holders ship 5-8 days after			

Orders placed before 1pm ET ship SAME DAY! Custom printed badge holders ship 5-8 proof approval. Shipping Weight: 2 lb. per 100 pieces.

WARNING This product can expose you to Di(2-ethylhexyl) phthalate, which is known in the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

HOLDER COLORS:















Vinyl Holder with Translucent Bar

Perfect for showcasing a badge with a title at the bottom or adding a custom-printed title right on the holder. **MOQ: 100.**



Vinyl Holder with Translucent Bar Specifications Item# Description Available Colors 304-CB-___ Horizontal Purple (PUR), Blue (BLU), Green (GRN), Yellow (YLW), Orange (ORG), Red (RED) Orders placed before 1pm ET ship SAME DAY! Custom printed badge holders ship 5-8 days after proof approval. Shipping Weight: 1.30 lb. per 100 pieces.

Color Frame Vinyl Badge Holder

Vertical color frame vinyl badge holder with slot/chain holes. Front and back have .010" thick vinyl. *MOQ: 100.*





1820-3002 Data / Credit Card Size Inside: 2.25" x 3.44" Outside: 2.96" x 4.35" Standard Slot / Chain Holes

Color Frame Vinyl Holder Specifications		
Item#	Description	Available Colors
407-N or 1820-300_	Vertical	BLK (1), RBLU (2), GRN (4), ORG (5), RED (6), WHT (8), YLW (9)
Orders placed before 1pm ET ship SAME DAY!		

Custom printed badge holders ship 5-8 days after proof approval. Shipping Weight: 2 lb. per 100 pieces.

 \triangle

WARNING This product can expose you to Di(2-ethylhexyl) phthalate, which is known in the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

HOLDER COLORS:









EVENT BADGE HOLDERS & INSERTS

Vinyl Event Holders

Multiple slot holes ensure your ID is always facing forward. Economy grade holders are great for short-term use at conventions, concerts, sporting venues or other events. Protect and display tickets, passes or other large credentials. Flexible vinyl keeps your credential safe from dirt, water, and other damage. Holders have a mil thickness of .010" in front and .030" in back.

Orders placed before 1pm ET ship same day! Custom printed badge holders ship 5-8 days after proof approval. Shipping weight: 2 lb. per 100 pieces. *MOQ: 100.*











1815-1451 Vertical Inside: 3.00" x 4.00" Outside: 3.25" x 4.80" 2 Slot Holes



1840-1611 Horizontal Inside: 3.00" W x 3.00" H Outside: 3.25" x 3.69" 3 Slot Holes

EVENT LANYARDS SEE PAGE 6

1840-1625 Vertical Inside: 4.21" x 6.00" Outside: 4.41" x 6.16" 3 Slot Holes




Paul Baker **Booth 345**

1840-1612 Horizontal Inside: 4.00" x 4.00" Outside: 4.31" x 4.69" 3 Slot Holes TWIST-FREE MULTIPLE SLOTS HELP KEEP YOUR BADGE FACING FORWARD

Event Badge Holder Inserts

8.5" x 11" sheets of perforated printable inserts. 50 sheets per package.

Item#	Size	Description	Use With
3934-0200	4.25" x 3.75"	4-up, 200 badges total	1840-1618
		1840-1615	
3934-0300	4.00" x 6.00"	2-up, 100 badges total	1840-1625



3934-0200

3934-0300

Event-Size Holders

Perfect for holding a sports ticket, backstage pass, VIP credentials and more. Great for large events!

Custom printed badge holders ship 5-8 days after proof approval.

Shipping weight: 5 lb. per 100 pieces (1840-1600); 3 lb. per 100 pieces (1840-1605 & 1840-1610); 2 lb. per 100 pieces (1840-1700).

MOQ: 100.





Event Size
Inside: 3.50" x 5.50"
Outside: 3.90" x 7.80"
Standard Slot / Chain Holes
Tuck-In Flap
Mil Thickness: .010" Front and .016" Back
(Shown with custom imprint)



1840-1610
Event Size
Inside: 3.00" x 4.25"
Outside: 3.25" x 5.31"
Standard Slot
Front and Back Pockets
Mil Thickness: .010" Front and .016" Back



1840-1600
Event Size
Inside: 3.75" x 7.50"
Outside: 4.12" x 8.63"
Standard Slot / Chain Holes
Tuck-In Flap
Mil Thickness: .010" Front and .016" Back
(Shown with custom imprint)





1840-1700 Large Special Event Size Inside: 4.13" x 8.13" / Outside: 4.44" x 9.00" Standard Slot / Chain Holes Mil Thickness: .015" Front and Back

ECONOMY EVENT HOLDERS

Economy Grade Badge Holders

Holders are designed for short-term use at conventions, meetings, sporting venues, concerts or other special events. Mil thickness is .010" front and back.

Orders placed before 1pm ET ship same day! Custom printed badge holders ship 5-8 days after proof approval. Shipping weight: 1.9 lb. per 100 (304-JH); 2.4 lb. per 100 (306-357, 306-46, 306-4755);

3.4 lb. per 100 (306-2P46, 306-4258).

MOQ: 100.







306-4755 Credential/Event Size Inside: 4.50" x 5.00" Outside: 4.75" x 5.75" Standard Slot / Chain Holes



Credential/Event Size Inside: 3.31" x 5.06" / Outside: 4.00" x 6.00" Standard Slot / Chain Holes

Note: products are not shown to scale.

306-357 Credential/Event Size Inside: 3.25" x 6.25" / Outside: 3.50" x 7.00" Standard Slot / Chain Holes



304-T1H Credit Card / Business Card Size Inside: 3.63" x 2.38" Outside: 3.80" x 2.63" Standard Slot / Chain Holes





Premium-Grade Vinyl Badge Holders

Perfect for holding a special event ticket or a large credential. These durable vinyl holders have welded edges and chain/slot holes.

Orders placed before 1pm ET ship same day! Custom printed badge holders ship 5-8 days after proof approval. Shipping weight: 5.5 lb. per 100 pieces. *MOQ: 100.*





WARNING This product can expose you to Di(2-ethylhexyl) phthalate, which is known in the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

PRE-PRINTED LANYARDS
PAGE 22



506-46 Credential/Event Inside: 3.63" x 5.50" Outside: 4.00" x 6.18"


Standard Slot / Chain Holes Mil Thickness: .008" Front and .030" Back



506-35875 Credential/Event Size Inside: 3.00" x 8.00" / Outside: 3.50" x 8.75" Standard Slot / Chain Holes Mil Thickness: .008" Front and .030" Back



PREMIUM EVENT HOLDERS



1840-5052 Credential/Event Size Business Card Slot Inside: 3.75" x 2.00" Name Badge Slot Inside: 3.75" x 7.25" Outside: 4.00" x 8.00" Standard Slot / Chain Holes Mil Thickness: .010" Front and .020" Back



Clothing-Friendly[™] Vinyl Badge Holders

Now featured on a variety of badge holders, our patented Brady Clothing-Friendly™ clip will stay securely fastened without crimping or damaging clothing. Also available as a strap clip, this new design allows badge holders to be left on all day without the need to worry about wrinkles or tears, making it ideal for conventions, large meetings or other events.

Orders placed before 1pm ET ship same day! Custom printed badge holders ship 5-8 days after proof approval. Shipping weight: 2.6 lb. per 100 pieces; 3.1 lb. per 100 pieces (504-T1LB only). MOQ: 100.



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov



Detail

Side View

PATENTED CLIP WILL NOT DAMAGE CLOTHING



504-T1LB Credential/Event Size Inside: 3.45" x 2.25" (Top Pocket) 3.45" x .50" (Bottom Pocket) Outside: 3.83" x 3.40" NPS Brady Clothing-Friendly Clip

Mil Thickness: .012" Front and .030" Back

ANDREA MILTON

BOOTH 203





1809-1000 **Credit Card Size** Inside: 3.50" x 2.30" / Outside: 3.81" x 2.75" NPS Brady Clothing-Friendly Clip Mil Thickness: .010" Clear Front and .030" Orange Peel Back



304-BC Credential/Event Size Inside: 4.00" x 3.00" Outside: 4.25" x 3.13" NPS Brady Clothing-Friendly Clip / Chain Holes Mil Thickness: .012" Front and .030" Back

Clear Vinyl Clip-On Badge Holders Clear vinyl holders attach easily to clothing with a rotating bulldog clip. Front has .010" thick vinyl; back has .030" thick vinyl. Orders placed before 1pm ET ship same day! Custom printed badge holders ship 5-8 days after proof approval 1810-1100[†] Shipping weight: 2.4 lb. per 100 pieces. MOQ: 100. Data/Credit Card Size Inside: 3.50" x 2.30" / Outside: 3.84" x 2.63" †Textured Back for easy card insertion. 2-Hole Clip / Horizontal Side Load







WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov



Note: products are not shown to scale.







1810-1300 Data/Credit Card Size Inside: 3.94" x 3.03" / Outside: 4.18" x 3.40" 2-Hole Clip / Horizontal Top Load

Clip-On Badge Holders

Economy Grade Badge Holders are designed for short-term use at conventions and meetings.

Orders placed before 1pm ET ship same day! Custom printed badge holders ship 5-8 days after proof approval. Shipping weight: 1.7 lb. per 100 pieces (304-T1C); 2.1 lb. per 100 pieces (304-JC). *MOQ: 100.*



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov





304-T1C Credit / Business Card Size Inside: 3.63" x 2.38" / Outside: 3.80" x 2.63" Clip-On



304-JC Convention Size Inside: 4.00" x 3.00" / Outside: 4.25" x 3.13" Clip-On

Vinyl Badge Holders with Attachment Holes

There are multiple ways you can attach your ID. Holders have a mil thickness of .01" on front and back.

Orders placed before 1pm ET ship same day! Custom printed badge holders ship 5-8 days after proof approval. Shipping weight: 2 lb. per 100 pieces; 2.9 lb. per 100 pieces (1815-1405 only). **MOQ: 100.**



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov









1815-1455 Name Badge Size Inside: 3" x 4" / Outside: 3.14" x 4.81" 2-Hole Clip and Slot / Chain Holes

Clip-On Premium Vinyl Badge Holders

Easily attaches to clothing with the rotating bulldog badge clip. Front has .010" thick vinyl and back has .030" thick vinyl with reinforced edges.

Orders placed before 1pm ET ship same day! Custom printed badge holders ship 5-8 days after proof approval. Shipping weight: 2.4 lb. per 100 pieces. *MOQ: 100*.

*Available in Anti-Print Transfer (imprint on ID won't stick to holder). To order anti-print transfer material, add a "J" to the stock numbers (Example: 504-NCS)).



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov





504-N Credential/Event Size Inside: 2.50" x 3.50" Outside: 2.66" x 3.68" 1-Hole Clip



504-T1*
Credit/Business Card
Inside: 3.40" x 2.25" / Outside: 3.88" x 2.37"
Clip-On Badge

ALL-IN-ONE NAME TAG HOLDERS & INSERTS

All-In-One Name Tag Holders

Preassembled color-bar badge holders with 36" braided-cord necklace and black plastic cord lock. Coordinated colors (as shown), no mix and match. Inserts sold separately. MOQ: 100.



All-In-One Name Tag Holder Specifications		
Item#	Description	Available Colors
1860-280_	Small / Horizontal	Black (1), Royal Blue (2), Green (04), Orange (5), Red (6), White (8), Yellow (9)
1860-290_	Large / Horizontal	Black (1), Royal Blue (2), Green (4), Orange (5), Red (6), White (8), Yellow (9)
1860-270_	Vertical Name Tag Holder	Black (1), Royal Blue (2), Green (4), Orange (5), Red (6), Yellow (9)

Orders placed before 1pm ET ship SAME DAY!

Custom printed badge holders ship 5-8 days after proof approval. Shipping Weight: 2.9 lb. per 100 pieces (1860-280_); 4 lb. per 100 pieces (1860-290_).



WARNING This product can expose you to Di(2-ethylhexyl) phthalate, which is known in the State of California to cause cancer and birth defects or other $reproductive\ harm.\ For\ more\ information\ go\ to\ www.P65Warnings.ca.gov$

HOLDER COLORS:













WHT YLW



1860-2706

Vertical - Event Size Inside: 2.44" x 3.50" Outside: 2.66" x 4.25" Braided-Cord Necklace



DEVELOPER'S

CONFERENCE

NYC

Outside: 4.70" x 4.50" Braided-Cord Necklace

1860-2802 (left) Small - Credit Card Size Inside: 3.85" x 2.68" Outside: 4.10" x 3.50" Braided-Cord Necklace

SAVE TIME... WITH THE ALL-IN-ONE LANYARD/BADGE HOLDER COMBO


Laser Printer Paper Inserts

BOOTH 492

LZ-6 inserts for small name tag holders are in packs of 50 and tear out into eight inserts per sheet (400 total). MOQ: 1 Pack.

LZ-8 inserts for large name tag holders are in packs of 60 sheets and tear out into six inserts per sheet (360 total). MOQ: 1 Pack.

Laser Printer Paper Insert Specifications			
Item# Size Description			
LZ-6	3.50" W x 2.25" H	Small / Horizontal	
LZ-8	3.00" W x 4.00" H	Event / Horizontal	
Orders placed before 1pm ET ship SAME DAY! MOQ: 1 pack. Shipping Weight: 1.08 lb. per pack.			



·	
-	
:	

Heavy-Duty Vinyl Display Holders with Bulldog Clip

These clip-on badge holders with reinforced edges are made to last. Holders easily attach to clothing with a rotating bulldog clip. The area at the bottom is perfect for custom imprints or a pre-printed insert strip can be easily added. Made of premium heavy-duty vinyl — .012" thick vinyl on the front and .030" thick vinyl on the back.

Orders placed before 1pm ET ship same day! Custom printed badge holders ship 5-8 days after proof approval. Shipping weight: 3.1 lb. per 100 pieces; 4.1 lb. per 100 pieces (504-JL). *MOQ: 100.*



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov





504-T1L
Credit/Business Card Size
Inside: 3.45" x 2.25" (Top Pocket)
3.45" x .50" (Bottom Pocket)
Outside: 3.83" x 3.40"
Badge/Display Combination
(Inserts are not available for sale)



504-JL
Convention Size
Inside: 4.00" x 3.00" (Top pocket)
4.00" x 0.75" (Bottom Pocket)
Outside: 4.32" x 4.45"
Badge/Display Combination
(Shown with custom imprint)



504-NITT
Credit/Business Card Size
Inside: 2.25" x 3.38" (Top Pocket)
2.25" x 0.63" (Bottom Pocket)
Outside: 2.63" x 4.50"
Badge/Display Combination
(Shown with custom imprint)

Premium Vinyl Display Holders with Slot

These flexible vinyl badge holders are perfect for large meetings, conventions and more. Reinforced edges make this a durable, tear-resistant solution. It will display and protect a standard credit card-sized card and features an extra space at the bottom which can be used with an paper insert or pre-printed with a custom graphics or text. Mil thickness is 0.012" in front and 0.030" in back.

Orders placed before 1pm ET ship same day! Custom printed badge holders ship 5-8 days after proof approval. Shipping weight: 1.4 lb. per 100 pieces. **MOQ: 100**.







Acetate Holder with Magnet

Easily attach this badge holder, without damaging your clothes. Acetate holder accommodates a 4" x 3" insert size which is perfect for meetings and events.

Orders placed before 1pm ET ship same day! Custom printed badge holders ship 5-8 days after proof approval. Shipping weight: 3.4 lb. per 100 pieces. *MOQ: 100.*



WARNING This product can expose you to Di(2-ethylhexyl) phthalate, which is known in the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



Meeting & Event Size Inside: 4" x 3" Outside: 4.33" x 3.35" Magnet

VEHICLE ID & ARM BAND HOLDERS

Vehicle ID Holders

Your parking pass or ID is always handy! Display your ID card or parking pass easily from your rear view mirror. Made of .020" thick clear vinyl on front & back. MOQ: 100.

Vehicle ID Holder Specifications		
Item#	Description	
1840-3600 or VM-1	Vertical, standard-sized cut-out	
1840-3650 or VM-3H	Horizontal, standard-sized cut-out	
1840-3500	Vertical, larger-sized cut-out	
1840-3550 Horizontal, larger-sized cut-out		
Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 2.6 lb. per 100 pieces.		

KEEP YOUR PARKING PASS OR ID VISIBLE AT ALL TIMES!

1840-3500 1840-3550 Data / Credit Card Size Data / Credit Card Size Inside: 3.75" x 2.00" Inside: 2.63" x 3.00" Outside: 3.00" x 6.69" Outside: 5.25" x 4.25" Rear View Mirror Hanger Rear View Mirror Hanger VM-1 Data / Credit Card Size Inside: 2.63" x 3.00" Outside: 3.00" x 5.06" Members Car Parking Pass Rear View Mirror Hanger Must be visible from the outside

VM-3H Data / Credit Card Size Inside: 3.75" x 2.00" / Outside: 4.19" x 3.90" Rear View Mirror Hanger

Neon Orange Arm Band Badge Holder

Add extra safety with our reflective and photoluminescent arm band badge holders. Interchangeable adjustable elastic arm band strap sold separately. Ideal for airports. MOQ: 100.



Neon Orange Arm Band Badge Holder Specifications Item# Description

Arm Band Badge Holders

1840-7321 Vertical - Reflective Neon Orange



WARNING This product can expose you to Di(2-ethylhexyl) phthalate, which is known in the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Arm Band Strap - Adjustable Range 6.50"-10.50"

2145-2013 Anti-Microbial - Neon Orange



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Orders placed before 1pm ET ship SAME DAY! Custom printed badge holders ship 5-8 days after proof approval. Shipping Weight: 2.8 lb. per 100 pieces.

Horizontal Arm Band Badge Holder

Clear vinyl heavy-duty construction arm band badge holder. Made with .030" thick vinyl on front and back, with "orange peel" texture. Straps are sold separately. MOQ: 100.



Horizontal Arm Band Badge Holder Specifications			
Item#	Description		
Arm Band Bad	Arm Band Badge Holders		
1840-7000	Horizontal		
1840-7010	Vertical		
Arm Band Str	Arm Band Straps - Adjustable Range 6.50"-10.50"		
1840-720_	Black (1), Royal Blue (2), Navy Blue (3), Green (4), Red (6), White (8)		
Orders placed before 1pm ET ship SAME DAY! Custom printed badge holders ship 5-8 days after proof approval. Shipping Weight: 4.8 lb. per 100 pieces (1840-7000 & 1840-7010); 3.4 lb. per 100 pieces (1840-720_).			
▲ WARI	NING This product can expose you to Nickel, which is known		

in the State of California to cause cancer. For more information go to

STRAP SOLD SEPARATELY 1840-7321 **KEEP YOUR** Data / Credit Card Size **ID BADGE** Inside: 2.00" x 3.50" Outside: 5.00" x 4.30" **OUT OF THE WAY** Arm Band Strap IN ACTIVE WORK (Strap not included) 2145-2013 **ENVIRONMENTS!** STRAP SOLD **SEPARATELY** 1840-7000 Data / Credit Card Size Inside: 3.62" x 2.62" Outside: 6.00" x 3.50" (Horizontal) 5.00" x 4.30" (Vertical) Arm Band Strap (Strap not included) 1840-7206

Note: products are not shown to scale.

www.P65Warnings.ca.gov

Vertical Arm Band Badge Holders with Strap

Won't slip off clothing or get lost. Easily adjust strap with one hand without removing. Arm band flexes with arm movements. Made of .020" thick vinyl on front and .030" thick vinyl on back. Strap included. *MOQ: 25.*



Vertical Arm Band Badge Holder Specifications		
Item#	Description	
Arm Band Badge Holders		
504-ARNB	Vertical - Navy Blue Strap	
504-ARNW	Vertical - White Strap	
Arm Band Badge Holders with Zipper Closure		
504-ARZB	Vertical - Navy Blue Strap	
504-ARZW	Vertical - White Strap	
Orders placed before 1pm ET ship SAME DAY! Custom printed badge holders ship 5-8 days after proof approval. Shipping Weight: 1.4 lb. per 25 pieces.		

Reflective Arm Band Badge Holders with Strap

Reflective vinyl material provides extra visibility at night or in low light. Comfortable elastic arm band keeps badge secure and out of the way. Ideal for industrial facilities or nighttime events. *MOQ: 25.*



${\bf ReflectiveArmBandBadgeHolderSpecifications}$		
Item#	Description	
R504-ARNO	Vertical - Reflective Orange	
R504-ARNR	Vertical - Reflective Red	
R504-ARNY	Vertical - Reflective Yellow	
Orders placed before 1pm ET ship SAME DAY!		
Custom printed badge holders ship 5-8 days after proof approval. Shipping Weight: 1.4 lb. per 25 pieces.		
WARNING This product can expose you to		

 \triangle

WARNING I his product can expose you to Di(2-ethylhexyl) phthalate, which is known in the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

FACILITIES OR NIGHTTIME EVENTS.



DigiLine Name Badges

These eye-catching badges are perfect for use as employee badges at big box stores, hotels, car rental facilities and other retail settings. DigiLine badges allow for a full-color logo and up to two lines of text, perfect for an employee's name and title.

A VARIETY OF OPTIONS – Badges are available in three sizes, three colors, two materials, and with two different attachments.

PROFESSIONAL LOOK - Each DigiLine name badge is customized using our TRUECOLOR digital print process, providing sharp detail and vibrant colors. Badges are coated in a dome layer of clear resin for both protection from damage and for added professionalism.

LOW MOQ - Unlike ID cards, DigiLine name badges can be ordered in small quantities, including batches of 25, 10, or even a single badge.



DIGILINE15X3-MT Metal - Silver



Backside of Badge with Pin Fastener



DIGILINE2X3 PVC - Silver



DIGILINE15X3 PVC - Gold



DIGILINE1X3 PVC - White

DIGILINE BADGES PVC BADGE COLORS GOLD WHITE SILVER METAL BADGE COLORS GOLD SILVER IMPRINT COLORS 4-Color Process FASTENER OPTIONS Magnet Pin

Backside of Badge with

 $Note: products\ are\ not\ shown\ to\ scale.$

Item#	Badge Size (W x H)	Fastener Style
PVC Badges		
DIGILINE1X3	3.00" x 1.00"	Pin
DIGILINEIX3	3.00 X 1.00	Magnet
DICH INFACVO	2.00 4.50	Pin
DIGILINE15X3	3.00" x 1.50"	Magnet
DIGUINITANA	2.00 2.00	Pin
DIGILINE2X3	3.00" x 2.00"	Magnet
Metal Badges		
DIGUINE NO LET	3.00" x 1.00"	Pin
DIGILINE1X3-MT	3.00 X 1.00	Magnet
DIGILINE15X3-MT	3.00" x 1.50"	Pin
DIGILINE 15X3-MT	3.00 X 1.50	Magnet
DICH INFOVO ME	2.0012.001	Pin
DIGILINE2X3-MT	3.00" x 2.00"	Magnet
Production time is 8-10 business do	ays after proof approval.	

CAN BE ORDERED IN SMALL QUANTITIES
INCLUDING BATCHES OF 25, 10, OR EVEN A SINGLE BADGE!

DigiLine Name Badge Printing Guidelines

An Excel spreadsheet containing the variable data must be submitted with all orders. The data on the spreadsheet needs to be clean and accurate as this file is what will be used to print the badges; we do not review for errors/typos.

- Each row of text that you want printed on the badge needs to be in one column (i.e. column A = John Alberston and column B = General Manager). No need to provide column headers.
- All data must be supplied in the appropriate case desired (i.e. JOHN ALBERSTON or John Alberston).
- Font style and size can vary for each row of text (i.e. first row is Times New Roman Bold 18 pt, second row is Times New Roman Italic 14 pt). This will be consistent on all badges unless requested. Please note that a new set-up fee will apply for each change.
- Please note that we only proof 2-3 badges, usually the shortest and longest names and titles. We do not proof all badges.


An order can be as little as one badge, but it must follow the excel guidelines.

Artwork must be in an .AI or .EPS format.

The artwork will be digitally printed using CMYK color breakdown. We can not Pantone/spot color match, so color match will be approximate.

Badges include a dome finish, unless otherwise requested.

Exact reorders will not receive a new proof and a set-up fee will not apply.





John Alberston

General Manager

DIGILINE2X3

PVC - Gold

Note: products are not shown to scale.

NEW ROMAN

воld **18РТ**



PERMANENT Xpress EVENT BADGES



BG-GT460-P Mega 4.5" x 6" with Clear Adhesive Pouch



Permanent Xpress Event Badges

Perfect for your next event or conference. These high-quality, double-sided, laminated badges have extra space for maps or QR codes. Each Xpress Event Badge can be digitally printed in full-color and individually personalized with variable text. Available in 5 different sizes. Badges are made of .030 thick plastic.

Many custom options available:

Variable data
Round hole punch(es) (1 or 2)
Maps & QR codes
Slot hole punch(es) (1 or 2)

Permanent Xpress Event Badge Specifications				
Item#	Description MOQ			
Round - 4" Diameter				
BG-40R	4-Color Front / Blank Back	100		
BG-40R	4-Color Front & Back	100		
Small - 2.5" x 4"				
BG-GT240	4-Color Front / Blank Back	100		
BG-G1240	4-Color Front & Back	100		
Standard - 3" x 4"				
BG-GT40	4-Color Front / Blank Back	100		
BG-G140	4-Color Front & Back	100		
Large - 3" x 5"				
BG-GT50	4-Color Front / Blank Back	100		
BG-G150	4-Color Front & Back	100		
Jumbo - 4" x 6"				
DC CT/O	4-Color Front / Blank Back	100		
BG-GT60	4-Color Front & Back			
BG-GT460-P	4-Color Front / Blank Back, 4" x 3" Adhesive Pouch	100		
BG-G140U-P	4-Color Front & Back, 4" x 3" Adhesive Pouch	100		
Production time is 12-15 business days afte	r proof approval.			

Note: products are not shown to scale.

PERMANENT XPRESS EVENT BADGES

IMPRINT COLORS







Standard Badge Buddies

Get instant role recognition at a glance. Badge Buddies™ help identify a person by their job title. Simply place the Badge Buddy behind your existing ID card and clip into place with your lanyard or badge reel for immediate use. Choose from popular styles, or customize your badges to compliment any unique work environment. Modify color coding systems, CPR instructions, RACE notices, etc.

VERTICAL OR HORIZONTAL – Perfect complement to your existing ID program

FULLY-LAMINATED – Durable material will stand up to everyday wear and tear

DUAL-SIDED PRINT – Title remains visible even if the badge flips over

Badge Buddies Specifications			
Item#	Color & Text	Thickness	MOQ
Standard Badge Bu	iddies - Horizontal Format 3 3/32	2" x 3 3/8"	
BBC-RN	PMS 293 Blue - RN		
BBC-LPN	PMS 355 Green - LPN		
BBC-DOCTOR	PMS 166 Orange - DOCTOR	30mm*	25
BBC-CNA	PMS 129 Yellow - CNA		
BBC-VOLUNTEER	PMS 253 Purple - VOLUNTEER		
Standard Badge Buddies - Vertical Format 2 1/8" x 4 1/2"			
BBV-PHYSICIAN	PMS 166 Orange - PHYSICIAN		
BBV-RN	PMS 293 Blue - RN	20*	25
BBV-LPN PMS 355 Green - LPN		30mm*	25
BBV-NA	PMS 212 Pink - NA		
Pin Buddies			
Custom Pin Buddy	Customizable with your own design!	30mm*	25
*10mm Polyester/Polyethylene, 10mm Teslin® substrate, 10mm Polyester/ Polyethylene			

Teslin is a registered trademark of PPG Industries Ohio, Inc.

Custom Badge Buddies

Customize to include additional job descriptions and colors as well as emergency procedures, hospital codes, etc. Provides easy access to safety procedures or information to memorize.

Clear Custom Badge Buddy

Our new Clear Badge Buddy allows you to see the ID card even if it flips!

Badge Buddy Kit

Make your own Badge Buddies! Our kit includes everything you need to get started: color inkjet printer, 1 Pak4 heavy duty 4" desktop laminator, 100 Badge Buddy Inserts and 100 Laminating Pouches.

WHEN YOU RUN OUT OF SUPPLIES, SIMPLY ORDER ONE OF OUR REFILL KITS!

Badge Buddy Kit Specifications			
Item#	Description	MOQ	
BBVBUNDLE	Badge Buddy Starter Kit Vertical Format		
BBVKIT	Badge Buddy Vertical Format Refill Kit	1	
BBHBUNDLE	Badge Buddy Starter Kit Horizontal Format	1	
BBHKIT	Badge Buddy Horizontal Format Refill Kit		
Orders placed before 1pm ET ship SAME DAY!			

MANY MORE TITLES AVAILABLE! BBC-RN LPN **DOCTOR** BBC-LPN **BBC-DOCTOR VOLUNTEER** BBC-CNA **BBC-VOLUNTEER**







PARAMEDIC

Two-Pocket Credential Wallet

This wallet features a slotted nylon pouch with one clear pocket on the front, a concealed pocket on the back and a pen holder. Triangular top lays flat. Perfect for trade shows and conventions!

MOQ: 25 (100 for custom).





CW-2-BLK (Pen not included)

Two-Pocket Credential Wallet Specifications				
Item#	Overall Size	Insert Size	Imprint Size	
	3.25" x 6.25" (83 x 159mm)	2.25" x 3.25" (57 x 83mm)	2.6" x 2.25" (66 x 57mm)	

Custom printed wallets ship 5-8 days after proof approval. Shipping Weight: 3.4 lb. per 100 pieces.

Multi-Pocket **Credential Wallet**

Our multi-pocket nylon wallet features black trim and a 48" neck cord with adjustable cord lock. Main compartment has hook-and-loop closure. Front pocket is clear vinyl to hold an exhibitor badge. Backside has spaces for two pens and a pocket for business cards. Imprintable top flap is made of a leather-like material.

MOQ: 25 (100 for custom).







1860-3001

WALLET COLORS:

BLK (1)

RBLU (2)

Multi-Pocket Credential Wallet with Black Trim Specifications				
Item#	Overall Size	Insert Sizes	Imprint Size	
1860-300_	5" x 6.5" (127 x 165mm)	Main Compartment: 4.63" x 6" (117 x 152mm) Clear Pocket: 4.63" x 3" (117 x 76mm)	3" x 1.25" (76 x 32mm)	
Custom printed wallets ship 5-8 days after proof approval. Shipping Weight: 10.8 lb. per 100 pieces.				

Note: products are not shown to scale.

Three-Pocket **Credential Wallet**

Perfect for trade shows! This three-pocket nylon credential holder has a 48" neck cord and adjustable cord lock.

MOQ: 25 (100 for custom).



WALLET COLORS:



RBLU (2)



Three-Pocket Credential Wallet Specifications			
Item#	Overall Size	Insert Size	Imprint Size
1860-260_	5" x 4.25" (127 x 108mm)	4" x 3" (102 x 76mm)	2.6" x 2.6" (66 x 66mm)
Custom printed wallets ship 5-8 days after proof approval. Shipping Weight: 10.8 lb. per 100 pieces.			

Credential Wallet with Imprintable Strap

This wallet offers a 3/8" flat tubular adjustable lanyard which can be customized, one large zipper compartment and vinyl pockets on front and back.





Nylon Multi-Pocket Credential Wallet

This nylon pouch features two pouches on one side: a clear vinyl pocket to hold your name badge or event pass and a full-size nylon pocket with fold-over Velcro® flap. The reverse side has one nylon pocket for business cards and 2 pen slots. Includes 48" black nylon neck cord with adjustable cord lock.

MOQ: 25 (100 for custom).



WALLET COLORS:

BLK (1)

RBLU (2)

RED (6)



Nylon Multi-Pocket Credential Wallet Specifications						
Item#	Overall Size	Insert Sizes	Imprint Size			
1860-250_	5.5" x 7" (140 x 178mm)	Main Compartment: 6" x 4.63" (152 x 118mm) Clear Pocket: 4.63" x 3" (118 x 76mm)	3" x 1.25" (76 x 32mm)			
Custom prin	Custom printed wallets ship 5-8 days after proof approval. Shipping Weight: 4 lb. per 100 pieces.					

Three-Pocket Credential Wallet with Zipper

Wallet has a 34" adjustable cord with large clear pocket on front, concealed back pocket and third zipper-closure pocket on back.

MOQ: 25 (100 for custom).







CW-3-BLK

	all Size	Insert Size	Imprint Size
CW-3-BLK 4.875	i" x 6.188" x 157mm)	Zip Pocket: 4.25" x 6" (108 x 152mm) Front: 4" x 3" (102 x 76mm) Back: 4" x 2.5" (102 x 64mm)	Front: 1.75" x 2.6" (44 x 66mm) Back: 2.13" x 2.6" (54 x 66mm)

Folding Credential Wallet

Nylon folding wallet has five pockets on a 34" adjustable cord. One large central zipper pocket with two clear pockets inside when folded. Outside has one clear front pocket and one concealed pocket on back.

MOQ: 25 (100 for custom).







CW-5-BLK (Pen not included)

Folding Credential Wallet Specifications					
Item#	Overall Size	Insert Size	Imprint Size		
CW-5-BLK	5.5" x 4.5" (140 x 114mm)		2.6" x 2.6" (66mm x 66mm)		
Custom printe	Custom printed wallets ship 5-8 days after proof approval.				

Vinyl Credential Wallet

Shipping Weight: 12.8 lb. per 100 pieces.

Made with flexible PVC material. One large pocket with zipper stores personal items like passports, cash or credit cards. Two clear vinyl pockets accommodate credential passes or smaller items like business cards.

MOQ: 25 (100 for custom).





WALLET COLORS:

BLK

RBLU



Vinyl Credential Wallet Specifications						
Item#	Overall Size	Insert Sizes	Imprint Size			
CW-6 or 1860-3101 (Black) 1860-3102 (Blue)	4.5" x 6" (108 x 152mm)	Front: 4" x 3" (102 x 76mm) Back: 4" x 2.5" (101 x 64mm)	Front: 4.38" x 2.5" (111 x 64mm) Back: 4.38" x 3.25" (111 x 83mm)			

Custom printed wallets ship 5-8 days after proof approval. Shipping Weight: 8.8 lb. per 100 pieces.

CUSTOM LUGGAGE TAGS

Soft PVC Luggage Tags

Soft PVC luggage tags with hard plastic window and 3D imprint really stand out. Won't stretch or lose shape. Comes with paper insert and plastic luggage strap.

Soft PVC Luggage Tag Specifications				
Item#	Description	Dimensions	Max Insert Size	MOQ
1840-6301	Soft PVC Small	4.125" x 2.625"	2.5" x 1.5"	100
1840-6302	Soft PVC Large	5.25" x 2.5"	3.5" x 2"	100

Customized with 1 color for the tag and up to 4 imprint colors. Ships 20-25 business days after proof approval. Shipping Weight: 5.29 lb. per 100 pieces (1840-6301), 9.54 lb. per 100 pieces (1840-6302)



WARNING This product can expose you to Di(2-ethylhexyl) phthalate, which is known in the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov





Customizable Xpress Luggage Tag

Our new Custom Xpress Luggage Tags are durable and customizable. Help your luggage stand out by adding a custom logo or graphic to the front, while the back of the luggage tag offers space for your contact information.

Customizable Xpress Luggage Tag Specifications				
Item#	Dimensions	MOQ		
GT240-LT	2.5" x 4" /.030" thick	100		
Unimprinted Luggage Tag orders placed before 1pm ET ship SAME DAY!				
Custom orders ship 10 business days after proof approval.				
Shipping Weight p	er 100 pieces: 1.54 lb.			



STRAP INCLUDED! OCEANSON BOUNDAME ADDRESS FEATURES "WRITE-ON" BACK

Dual Post Textured Luggage Strap



Dual Post Textured Luggage Strap Specifications			
Item#	Color	Dimensions	MOQ
2430-2001	Black	7 3/8" x 3/8"	500
2430-2008	White	/ 3/6 X 3/6	500

Note: products are not shown to scale.

Plastic Post & Notch Textured Luggage Strap



Plastic Post & Notch Textured Luggage Strap Specifications			
Item#	Color	Dimensions	MOQ
2430-2011	Black	7 3/8" x 3/8"	500
2430-2018	White	/ 3/0 X 3/0	300

LOOP STRAP SOLD SEPARATELY SEE BELOW

Rigid Plastic Luggage Tag

Color coordinate with this durable luggage tag holder! Clear face plate protects your business/name card, while the strap locks it in. Paper insert included. Back can be custom printed with a full-color TRUECOLOR imprint.



Semi-Rigid Plastic Luggage Tag

Semi-rigid vinyl holder with clear vinyl face. Paper insert included. Back can be custom printed with a full-color TRUECOLOR imprint.





1845-2004

Luggage Tag Specifications				
Item#	Dimensions	Max Insert Size	Imprint Area	MOQ
Rigid Luggage Tags				
1840-620_	4.25" x 2.5"	2.25" x 3.5"	3" x 2"	100
Semi-Rigid Luggage Tags				
1845-200_	4.25" x 2.5"	2.25" x 3.5"	3" x 2"	100

Unimprinted Luggage Tag orders placed before 1pm ET ship SAME DAY!

Custom orders ship 10 business days after proof approval.


Shipping Weight: 2.4 lb. per 100 pieces (1845-200_), 6.5 lb. per 100 pieces (1840-621_).



WARNING This product can expose you to chemicals, including Diisononyl Phthalate, is known in the State of California to cause cancer as well as Di(2-ethylhexyl) phthalate, which is known in the State of California to cause cancer, birth defects, or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Colored Flexible Plastic Loop Straps

Flexible plastic loop straps are available in 6 colors: clear, black, blue, green, red or white. Works with luggage tags shown above.



Item#	Length	MOQ
2410-200_	6"	100
2410-210_	9"	100
Orders placed before 1pm ET ship SAN Shipping Weight: 0.5 lb. per 100 pieces.		

RIGID PLASTIC LUGGAGE TAGS

TAG COLORS











IMPRINT COLORS



SEMI-RIGID PLASTIC LUGGAGE TAGS

TAG COLORS









FLEXIBLE PLASTIC LOOP STRAPS

STRAP COLORS









(6) WHI (8)

BradyPROX™ Cards

BradyPROX™ cards offer similar quality and are comparable to the most popular HID® brand prox cards. They are a smart, affordable card option that can be personalized with any standard PVC printer.

- Faster delivery: usually programmed and shipped within 48 hours**
- Lifetime manufacturer warranty*
- Printable card material (regular or composite) for **PVC** personalization
- Most industry standard formatting options available for easy integration with door access control systems.
- *A BradyPROX card has a limited lifetime warranty due to any manufacturer defect for the lifetime of the card.
- **48 hour lead time is for 100-1,000 cards. Lead times vary as volume increases.



BPROXCLMSH

BradyPROX [™] Card Specifications				
Item#	Material	MOQ		
BPROX26	PVC			
BPROX26C	Composite			
BPROX26H	PVC with Mag Stripe	100		
BPROX26HC	Composite with Mag Stripe]		
BPROXCLMSH26	Clamshell]		
	o 1,000 cards. Part numbers shown are for HID compatible Additional formats available.	2		



125 kHz Proximity UBand Specifications					
Item#	Description	HID Compatible Format	MOQ		
UBAND-BLK-PRX-26	Black 26 bit UBand	26 bit H10301	100		
UBAND-BLU-PRX-26	Blue 26 bit UBand	26 bit H10301	100		
35 and 37 bit formats are	35 and 37 bit formats are also available.				

All parts are available in three sizes: small (6"), medium (7") and large (8"). MOQ is 100 per color, within that different sizes can be ordered with a min of 25 per size.

UBand PROX

The applications of a card, the convenience of a wristband

Use our UBand wristband as a replacement for an access card in a system that doesn't require visual identification. Unlike cards, which need to be carried in a pocket or on a lanyard, UBand remains attached to the user naturally, increasing the likelihood of use while decreasing the likelihood of loss or theft. UBand is waterproof, sweat-proof and can stand up to the rigors of everyday use.

- Standard UBand Prox Wristbands are available in black and blue.
- Additional colors and customization with a logo, graphic or text are available upon request. MOQ for custom orders is 100 pieces per color, per size, and per design/logo, with a lead time of five weeks.

BradyPROX™ Key Fobs

Same access as big-brand fobs at a lower price!

The BradyPROX™ key fob is a cost-effective solution for access control. This plastic key fob performs the same functions as a standard proximity card, meaning it can serve as a convenient, affordable replacement for proximity cards.

- BradyPROX cards and key fobs are compatible with certain 125 kHz HID®-brand cards and fobs, allowing you to seamlessly switch to BradyPROX and save money in the process.
- Our plastic key fobs ship quickly; orders of up to 1,000 fobs will ship within 5 days!




BradyPROX™ Key Fob Specifications		
HID Compatible Format	MOQ	
26 bit H10301		
35 bit Corporate 1000	50	
37 bit H10302	30	
37 bit H10304		
	HID Compatible Format 26 bit H10301 35 bit Corporate 1000 37 bit H10302	

MIFARE® 1K Smart Cards

MIFARE 1K cards are the convenient and affordable choice in smart card technology.

- Includes memory and read/write capabilities.
- Printable card material for PVC personalization.
- In stock and ready to ship same day.

MIFARE® 1K Smart Card Specifications			
Item#	Description	MOQ	
MIFARE1K*	MIFARE 1K PVC		
MIFARE1KH*	MIFARE 1K with HICO Mag Stripe	100	
MIFARE1KC	MIFARE 1K Composite	100	
MIFARE1KCH	MIFARE 1K Composite with HICO Mag Stripe		
*Orders placed before 1pm ET for these SKUs ship SAME DAY!			



MIFARE1K

AVAILABLE COLORS

BLUE

GRAPE LAVENDER

GRAY

Band

UBand[™] is a contactless technology solution that combines multi-faceted MIFARE® technology with the convenience and flexibility of a silicone wristband.

WEARABILITY - Unlike cards, which need to be carried in a pocket or on an attachment, UBand remains attached to the user naturally, increasing the likelihood of use while decreasing the

BLACK likelihood of loss or theft. **DURABILITY** - UBand is waterproof, sweatproof and can stand up to the rigors and wear and tear of daily use. Flexibility -UBand's flexibility is two-fold: material and usage. UBand's silicone rubber construction allows the band to stretch around the hand for easy, comfortable removal. MIFARE technology allows UBand to be customized to whatever uses a facility needs, including access, payments and more. Include the features you need and leave out those you don't.

CUSTOMIZABILITY - 20 color options make it easy to find one to suit any business, while three different wrist sizes (6", 7", 8") mean there is a fit for everyone. With custom printing available in emboss, deboss, or silk screen, it's simple to make the UBand unique.

UBand™ Technical Specifications MIFARE 1K Chip Type: WHITE Operating Frequency: 13.56 MHz LIGHT PINK **EEPROM Size:** 1024 Byte (8192 Bit) **HOT PINK** CRANBERRY Memory Organization: 16 Sectors, 4 Blocks of 16 Bytes Unique Serial Number (UID): 4 Byte (32 bit) RED RF Interface: ISA 14443A **ORANGE** Data Retention (Years): 10 GOLD Write Endurance (Cycles): 100,000 KHAKI Read / Write Range: 1.5" / 3.8 cm YELLOW DAY GLOW GREEN **FOREST GREEN KELLY GREEN** TFAI AOUA LIGHT BLUE

UBand™ Specifications				
Item#	Description	MOQ		
UBAND1K-6	6" Small			
UBAND1K-7	7" Medium	100*		
UBAND1K-8	8" Large			
Substitute the's with the band color (shown above).				
*MOQ is 100 per color, per size, per design/logo.				

Actual wristband colors may vary, especially day glow colors.



HID® 13.56 MHz iCLASS® Cards

iCLASS® smart card technology was specifically designed to make access control more powerful, more versatile, and more secure. iCLASS 13.56 MHz read/write contactless smart card technology provides versatile interoperability in applications such as access control, network log-on security, cashless vending, time and attendance, event management and biometric identification.

iCLASS smart card technology ensures high security with mutual authentication between smart card and reader, encrypted data transfer, and 64-bit diversified keys for read/write contactless smart card capabilities. Securely separated files enable multiple applications and support future growth.

HID 13.56 MI	dz iClass Card Specifications		
Item#	Description	Format	MOQ
13.56 MHz HID	iClass Cards		
iCLASS Contac	tless Smart Card, PVC		
2000PGGMN	2k bit with 2 application areas		
2001PGGMN	16k bit with 2 application areas		
2002PGGMN	16k bit with 16 application areas		
2003PGGMN	32k bit (application areas: 16k/2 + 16k/1)		
2004PGGMN	32k bit (application areas: 16k/16 + 16k/1)	Several formats	
iCLASS Contac	tless Smart Card, Composite	available,	100
2100PGGMN	2k bit with 2 application areas	details.	
2101PGGMN	16k bit with 2 application areas		
2102PGGMN	16k bit with 16 application areas		
2103PGGMN	32k bit (application areas: 16k/2 + 16k/1)		
2104PGGMN	32k bit (application areas: 16k/16 + 16k/1)		
13.56 MHz / 12	5kHz HID iClass / Prox Combo Cards		
iCLASS Prox Co	ontactless Smart Card, Composite		
2120PGGMN	2k bit with 2 application areas		
2121PGGMN	16k bit with 2 application areas	Several formats	
2122PGGMN	16k bit with 16 application areas	available,	100
2123PGGMN	32k bit (application areas: 16k/2 + 16k/1)	details.	
2124PGGMN	32k bit (application areas: 16k/16 + 16k/1)		
iClass SE and iCla	iss Seos cards available upon request.		







Blank and Adhesive-Backed PVC Cards

ltem#	Description	Card Size	MOQ
Blank PVC Ca	ards		
1350-1000	Video grade 80/20 PVC/polyester composite card	CR80 30 mil (750mic)	500
1350-1560	Video grade standard PVC card	CR80 10 mil (250mic)	500
Adhesive-Ba	cked PVC Cards		
1350-1400	Video grade adhesive paper-back, standard PVC card	CR80 14 mil (350mic)	
1350-1500	Video grade adhesive back, standard PVC card	CR80 10 mil (250mic)	
1350-1600	Video grade adhesive back, standard PVC card, credit-card size	CR79 10 mil (250mic)	500
1350-1610	Mylar adhesive back, standard PVC card	CR80 10 mil (250mic)	

1/2" (12.5mm) Magnetic Stripe PVC Cards

1/2" (12.5mm) Magnetic Stripe PVC Card Specifications			
Item#	Description	Card Size	MOQ
1350-1355	Video grade standard PVC card with 1/2" low-coercivity magnetic stripe	CR80 30 mil (750mic)	500





Biodegradable and Recycled PVC Cards

Biodegrada	Biodegradable and Recycled Card Specifications				
Item#	Description	Card Size	MOQ		
Recycled PVC	Cards				
1350-2063	Recycled plastic cards. Alternative to standard PVC plastic cards. Made from 100% recycled plastic. Also available with magnetic stripe.	CR80 30 mil (750mic)	500		
Biodegradable	Biodegradable PVC Cards				
C60-BIOB	White blank card	CR80 30 mil (750mic)	500		
Orders placed l	Orders placed before 1pm ET ship SAME DAY!				





Our biodegradable PVC cards print and perform **equal to or better** than the best white PVC cards in the marketplace.

These biodegradable cards are priced similarly to our standard PVC cards giving customers an earth-friendly option without having to pay more.

Adhesive Full-Card Security Overlays

Add a layer of protection to your existing ID cards

Protect your card's graphics. Easy to apply (just remove liner and press on the card!) Available in standard, UV-blocking and anti-counterfeiting holographic. Overlay size is 2 1/16" x 3 5/16" and fits 7 mil (175 mic) sub-credit-card size.

Adhesive Full-Card Security	Overlay Specifications	
Item#	Description	MOQ
OV-80P	Standard	
UV-81P	UV Blocking	500
0602-4900	Holographic	





0602-4900

Proximity Card Laminating Pouches and Alignment Guide

Adhesive-backed laminating pouches work with most laminating machines.

This card alignment guide is designed to hold a card in place, making it easier for you to correctly line up the adhesive overlay you're trying to apply. It's a way to ensure that you don't end up with crooked overlays. Alignment Guide aligns adhesive overlays with credit-card size cards. Rubber feet prevent sliding.

Proximity Card Laminating Pouches & Alignment Guide Specifications				
Item#	Description	Dimensions	Pouch Size	MOQ
LP17P	Credit Card	Front: .005" (.127mm) Back: .0015" (.038mm)	2 1/8" x 3 3/8" (54 x 86mm)	500
AG-1	Alignment Guide	N/A	N/A	1

NOTE: Adhesive-Backed Pouches are packed 500/box and each box contains 5 polyester-coated carriers.



	3 Mil (2/1) Thickness	5 Mil (3/2) Thickness	7 Mil (4/3) Thickness	10 Mil (7/3) Thickness	MOQ/
Description	Light Duty	Light Duty	Medium Duty	Heavy Duty	Inner Pack
Business Card Size: 2 1/4" x 3 3/4" (57 x 95mm)					
Clear 2-part	_	_	0609-4005 or LP19	0609-2005	500
Credit Card Size: 2 1/8" x 3 3/8" (54 x 86mm)		1	I		
Clear 2-part	-	0602-6005 or LP17F	0602-4005 or LP17	0602-2005 or LP17T	500
Butterfly pouch cut from one piece of plastic and scored to form one folded pouch	-	_	_	0602-2015	500
Pressure-Sensitive 2-part	_	0602-6400 or LP17P	_	_	500
Data/IBM Size: 2 21/64" x 3 1/4" (59 x 83mm)					
Clear 2-part	-	0601-6005 or LP15F	0601-4005 or LP15	0601-2005 or LP15T	500
Clear butterfly pouch cut from one piece of plastic and scored to form one folded pouch	_	_	_	0601-2015	500
Driver's License: 2 3/8" x 3 5/8" (60 x 92mm)					
Clear 2-part	_	0608-6005 or LP14F	0608-4005 or LP14	0608-2005 or LP14T	500
Government / Military: 25/8" x 37/8" (67 x 98mm)					
Clear 2-part	_	0603-6005 or LP23F	0603-4005 or LP23	0603-2005 or LP23T	500
Clear butterfly pouch cut from one piece of plastic and scored to form one folded pouch	-	_	_	0603-2250	500
Fishing/Hunting License					
Clear 2-part Round Corners: 2 15/16" x 4 1/8" (75 x 105mm) –	_	0612-4005 or LP34	0612-2005 or LP34T	500
Index/File Card: 3 1/2" x 5 1/2" (89 x 140mm)					
Clear 2-part Round Corners	_	0611-6015 or LP35F	0611-4015	0611-2015	500
Clear 2-part Square Corners	_	_	0611-4005	0611-2005	500
Luggage Tag: 2 1/2" x 4 3/16"					
Clear 2-part with Slot	-	0606-6105 or LP415	0606-4105 or LP420	0606-2105 or LP425	500
Clear 2-part without Slot	_	_	0606-4005	0606-2005	500
Other Sizes					
Credential Clear 2-part: 2 3/4" x 5 1/16" (70 x 129mm)	_	0607-6005	_	0607-2005	500
Giant Tag Clear 2-part: 4 1/2" x 6" (114 x 152mm)	_	_	1210-4005	_	500
Jumbo Clear 2-part: 3 3/16" x 4 3/8" (81 x 111mm)	-	0605-6005	0605-4005	0605-2005	500
KeyCard Clear 2-part: 2 1/2" x 3 7/8" (64 x 98mm)	-	0604-6005	0604-4005	0604-2005	500
Legal Clear 2-part: 9" x 14 1/2" (229 x 368mm)	-	1245-6005 or LP814F	1245-4005	-	****
Letter Pouch Clear 2-part: 9" x 1 11/2" (229 x 292mm)	1240-8005 or LP811E	1240-6005 or LP811	1240-4005 or LP811T	1240-2005 or LP811V	****
Memorial Clear 2-part: 2 7/8" x 4 5/8" (73 x 117mm)	_	0615-6005	0615-4005	0615-2005	500
Menu Clear 2-part: 12" x 18" (305 x 457mm)	1205-8005	1205-6005	_	_	****
Photo Pouch Clear 2-part: 6" x 9" (152 x 229mm)	_	_		1216-2005	****

 $The stated thickness of the laminate refers to {\it one side only}. A 5 mil laminate is 5 mils on each side for a total thickness of 10 mils.$

1205-8005, 1205-6005, 1216-2005, 1240-2005

^{****} The following item numbers come in 100 inner pack with 100 minimum quantity: 1240-8005, 1240-6005, 1240-4005, 1245-6005, 1245-4005

 $[\]ensuremath{^{****}}$ The following item numbers come in 50 inner pack with 100 minimum quantity:

Hand-Held Slot Punches 3943-1000 3943-1100 3943-1010

Hand-Held Slot Punch Specifications				
Item#	Description	Slot Size	MOQ	
3943-1000	Hand Held Punch	1/8 x 1/2" (3 x 12.5mm)		
3943-1010	Hand-Held Punch with Adjustable Centering Guides	1/8 x 1/2" (3 x 12.5mm)	1	
3943-1100	Hand-Held Round Hole Punch	3/16" (5mm)		

Orders placed before 1pm ET ship SAME DAY!

WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov



Stapler-Style Slot Punch Specifications				
Item#	Description	Slot Size	MOQ	
3943-2000	Punch with Slot Receptacle	1/8 x 0.550" (3 x 14mm)		
3943-1020	With Adjustable Centering Guide & Slot Receptacle	1/8 x 0.550" (3 x 14mm)	1	
Orders placed before 1pm ET ship SAME DAY!				



Backdrop Specifications			
Item#	Dimensions	Color	MOQ
3928-1000		Blue	
3928-1100	32 x 28"	Green	1
3928-1200	(813 x 711mm)	Red	1
3928-1300		White	
Orders placed before 1pm ET ship SAME DAY!			

Note: products are not shown to scale.

3-in-1 Slot Punch

Use this punch to slot or hole punch standard ID cards, and round sharp corners for a great finish on paper and plastic cards, lamination and presentations. The center guide adjusts to 1/8" increments for accurate hole centering.





3-in-1 Slot Punch Specifications			
Item# Description Slot Size MC			
3943-1520	Can punch rounded corners, circle holes or slot holes	3.5mm rounded corner 1/4" circle hole 1/8" x 1/2" slot hole	1
Orders placed before 1pm ET ship SAME DAY!			



Manual Table-Top Punch Specifications				
Item#	tem# Description Slot Size MG			
3943-1510	Manual Table-Top Slot Punch with Adjustable Centering Guides	9/16" x 1/8" (14 x 3mm)	1	
Orders placed before 1pm ET ship SAME DAY!				

Electric Table-Top Punches

Electronic table-top slot punches with foot switch and adjustable centering guides.




Electric Table-Top Punch Specifications				
Item# Description Slot Size MOQ				
3943-1600	Heavy-Duty (110V)	1/8 x 9/16" (3 x 14mm)	4	
3943-1601	943-1601 Standard (110V) 1/8 x 9/16" (3 x 14mm)			
Orders placed before 1pm ET ship SAME DAY!				

ID CARD PRINTERS AND SUPPLIES

A reliable printer is key to keeping any badging solution up and running.

We offer printers from several manufacturers and equipment with advanced features such as smart card reading and encoding.

Let us be your guide, we are here to help!



ID CARD PRINTERS









PRINTER SUPPLIES








Note: products are not shown to scale.

CALL TODAY FOR COMPATIBLE SUPPLIES FROM THESE MODELS AND MORE!





TEMPbadge® Visitor Management System Quick, easy-to-use software for managing your visitor care

- Incredibly fast visitor processing (only 4 clicks and 5 seconds per visitor!)
- Simple, easy-to-navigate interface that requires little to no training
- Customization options for pass types, departments and more
- Reports available based on date, destination, or pass type

TEMPbadge



CALL US TODAY TO LEARN MORE!

Our TEMPbadge® system includes:

- Professional Visitor Management software
- Durable direct thermal printer
- 1,000 self-expiring badges

TEMPbadge® Visitor Management System Specifications			
Description			
TEMPbadge Visitor Management Software Bundle - Includes TEMPbadge VMS Software V6.1, TEMPbadge BP4 Direct Thermal Printer and 1,000 #T2050 VMS Self-Expiring Tab Badges			
Description			
TEMPbadge BP4 Direct Thermal Printer			
Thermal Printable ONEstep Quick-Tab TIME-badge for use with TEMPbadge VMS System			
TEMPbadge VMS Software V6.1			



PassagePoint® Global Software v10 PPG-1

The most comprehensive solution for visitor management

PassagePoint® Global v10 software is the ultimate solution for global, enterprise-level visitor management. This robust system integrates security, communications, badging, multi-language support and advanced reporting into one, easy-to-use software program for visitor care.

- Centralized control center for managing an enterprise-wide visitor system
- Extensive interoperability and advanced functionality
- Customization options for entry screens, field labels, and field visibility (by user, category or policy)
- · Auto-fill for faster data entry and reduced errors
- Custom group notifications for emergency or informational purposes

PassagePoint Global Features		
Multi-language support		
Email notifications		
Watch list		
Sex offender search		
User roles		
Hardware setup wizard		
Badge printing policy		
Web module		
Mobile		
Kiosk		
3-tiered system architecture		
Complete customizable reports		
And more!		

MORE FEATURES. MORE CONTROL.

Passage	PassagePoint Global v10 Part Numbers & Add-Ons		
Item#	Description		
PPG-1	PassagePoint Global v10 - Client License One (1) license required for each workstation.		
MA-DL	Directory Link Integration License This add-on links PassagePoint to any ODBC or LDAP directory system. Every time a visitor registers, the system automatically verifies information against the directory to make sure that access levels are authorized and current.		
M-PR	Web Pre-Registration Module This advanced system provides pre-registration management of visitors or groups via a web browser. Users can modify and update registration information as needed, specify recurring visits, access levels, and provide special instructions for receptionists.		
MA-AC	Access Control Integration License This integrated interface allows real-time activation/deactivation of badges and the ability to designate access by date, time, and area.		
MA-SOR	PassagePoint Global - Sex Offender Search Module Unlimited workstations per server; requires SSP/Sex Offender Search annual license.		
MA-HL7 PassagePoint Global v10 - HL7 License Functionality allows PassagePoint to use the patient's current location (building, floor, room # and bed #) in the hospital to identify patient tracking for hospital visitors.			





PassagePoint® Global v10's click view

PassagePoint EDU for Education Facilities Part Numbers & Add-Ons		
Item#	Description	
E-EDU-1	PassagePoint EDU - Client License One (1) license required for each workstation.	
E-PR	PassagePoint EDU - Pre-Registration Module Unlimited users; enables pre-registration of visitors and groups via browser (one module per server).	
E-DM-1	PassagePoint EDU - District Module E-DM-1 Enables individual school-level configurations to be managed from a central district administration site.	
MA-SOR Unlimited workstations per server; requires SSP/Sex Offender Search annual license.		

ASK ABOUT OUR OTHER PASSAGEPOINT®
SOFTWARE SYSTEMS.

TEMPbadge® VISITOR BADGE LOG BOOKS - IN-STOCK AND CUSTOM

Expiring and Non-Expiring Visitor Badge Log Books Easy, cost-effective solution for recording & badging your visitors

The TEMPbadge™ Visitor Badge Log Book is visitor management, simplified! This innovative sign-in system allows you to keep a record of your visitors and issue them a visitor badge - all in one easy step!

- Confidential Visitor Documentation. When a badge is filled out, a duplicate copy is recorded (which cannot be seen by future visitors).
- · Choose from Self-Expiring or Non-Expiring Visitor Badges.
- Easy-to-Use, Low-Cost Solution. This simple sign-in system can serve as a complete Visitor Management solution without any extra equipment or software!

Non-Expiring Visitor Badge Log Book Specifications		
Stock Log Books		
Item#	Description	
05751	Stock Visitor Badge Log Book 50 pages x 10 badges per page = 500 badges total (plus duplicate copies of each badge for your records)	
MOQ: 1 book. Shipping Weig	ht: 2 lb. per book.	
Custom Log Books		
tem# Description		
Custom Printed Visitor Badge Log Book C05751 50 pages x 10 badges per page = 500 badges total (plus duplicate copies of each badge for your records)		
MOQ: 2 books. Shipping Weight: 2 lb. per book. Pricing is the same for 1, 2, 3 or 4-Color Process.		



Stock Log Books			
Expiring Time	Description		
1 Day (15 Hrs)	Stock Visitor Badge Log Book 20 pages x 12 badges per page = 240 badges total (plus duplicate copies of each badge for your records)		
1 Day (15 Hrs)	Stock Visitor Badge Log Book 40 pages x 12 badges per page = 480 badges total (plus duplicate copies of each badge for your records)		
ook. Shipping Weig	ht: 1 lb. per book (05721); 2 lb. per book (05741).		
Log Books			
Expiring Time Description			
O5721 1 Day Custom Visitor Badge Log Book 20 pages x 12 badges per page = 240 badges total (plus duplicate copies of each badge for your records)			
C05741 1 Day (15 Hrs) Custom Visitor Badge Log Book 40 pages x 12 badges per page = 480 badges total (plus duplicate copies of each badge for your records)			
	Expiring Time 1 Day (15 Hrs) 1 Day (15 Hrs) 1 Dook. Shipping Weig Log Books Expiring Time 1 Day (15 Hrs)		

FOR ADDED SECURITY, THE BADGE WILL DISPLAY A RED-COLORED "VOID" AFTER THE VISITOR HAS BEEN ON SITE FOR THE ALLOTTED TIME.

Adhesive Badges should not be applied to delicate materials such as leather, silk, suede, or vinyl, Note: products are not shown to scale.



STOCK

BADGES

C05751

CUSTOM NON-EXPIRING Investment Group Investment Group (S) **BADGES** 3 4 幸和 숙제 숙제 3 31 Investment Group Investment Group **‡**a 숙제 숙제





C05721

Handwritten ONEstep TIMEbadge® Expiring Badges

Badges feature pre-printed titles with area for writing. They come 500 per package and fan-folded. Adhesive, no hardware or software needed. Choose from 3 different titles.

Handwritten ONEstep TIMEbadge® Expiring Badge Specifications			
Item#	Expiring Time	Size	Description
T2003			Peel Away Liner - "Visitor"
T2004	1 Day (15 Hrs)	17/8" x 27/8"	Peel Away Liner - "Temporary"
T2005			Peel Away Liner - "Contractor"
MOQ: 500 pieces. Shipping Weight: 2 lb. per 500 pieces.			



Thermal-Printable ONEstep TIMEbadge® Expiring Badges

Badges come blank, 500 per package and fan-folded. Can print from any direct thermal printer. Use with any visitor management software system. Customize your own layout with text or logo!

Thermal-Printable ONEstep TIMEbadge® Expiring Badge Specifications			
Item# Expiring Time Size Description			
T2011 1 Day (15 Hrs) 17/8" x 2 7/8" Peel Away Liner - Blank			
MOQ: 500 pieces. Shipping Weight: 2 lb. per 500 pieces (T2011); 2.5 lb. per 500 pieces (T2011L).			

Handwritten ONEstep Quick-Tab Expiring TIMEbadges

This single-piece solution doesn't require a separate back or front. Instead, simply write the guest's information on the badge and fold back the expiring tab to activate. After a day's use, "VOID" will appear on the badge, showing that a guest's time is up and preventing the badge from being reused. This badge has an adhesive back, making it easy to issue: just peel and stick! A printed "VISITOR" title makes it clear to all that the wearer is a guest.

Handy	Handwritten ONEstep Quick-Tab Expiring TIMEbadge Specifications						
Item#	Expiring Time	Size	Description				
T2023	1 Day (15 Hrs)	2 5/16" x 2 13/16"	Quick-Tab - "Visitor"				
MOQ: 50	00 pieces. Shipping \	Neight: 1.5 lb. per 500	pieces.				

Thermal-Printable ONEstep Quick-Tab Expiring TIMEbadges

This tab-expiring badge shows a "VOID" indicator after a visitor's time is up. It is thermal printable, enabling you to quickly add a guest's name, the date and other important information. This is a convenient, single-piece solution: simply fold back the tab to activate the expiration. The adhesive back offered by this badge makes it easy to issue the badge to the wearer as well, eliminating the need for clips or attachments.


Thermal-Printable ONEstep Quick-Tab Expiring TIMEbadge Specifications						
Item#	Expiring Time	Size	Description			
T2030	1/2 Day (4 Hrs)	2 5/16" x 2 13/16"	Quick-Tab - Blank			
T2031	1 Day (15 Hrs)	25/16" x 2 13/16"	Quick-Tab - Blank			
T2031L	1 Day (15 Hrs)	2 5/16" x 3 13/16"	Quick-Tab - Large - Blank			
T2050	1 Day (15 Hrs)	2 5/8" x 2 13/16"	Quick-Tab for use with TEMPbadge VMS System			
MOQ: 1,0	000 pieces. Shipping	Weight: 3 lb. per 1,0	00 pieces (standard sizes); 4 lb. per 1,000 pieces (large sizes).			











TWO-PART EXPIRING BADGES

ATTACH THE **FRONT PART**TO THE **BACK PART** TO START
THE EXPIRATION PROCESS.

Visitor ¹⁰ Alli James

Handwritten Expiring Badge Front Parts

Pre-printed title with area for writing. Badges come 1,000 per pack and are fan-folded. No hardware or software needed. Excellent for low to moderate visitor traffic!

Handwritten Expiring Badge Front Part Specifications									
Item#	Expiring Time	Size	Description	Use With*					
T6403	1/2 Day (4 Hrs)		Handwritten Badge Front - "Visitor"						
T6404	1/2 Day (4 Hrs)		Handwritten Badge Front - "Contractor"						
T6103	1 Day (15 Hrs)	1 15/16" x 2 7/8"	Handwritten Badge Front - "Visitor"						
T6104	1 Day (15 Hrs)		Handwritten Badge Front - "Temporary"	T5903A					
T6105	1 Day (15 Hrs)	113/10 X27/6	Handwritten Badge Front - "Contractor"	13703A					
T6145	1 Day (15 Hrs)		Handwritten Badge Front - Blank						
T6203	1 Week (7 Days)		Handwritten Badge Front - "Visitor"	1					
T6205	1 Week (7 Days)		Handwritten Badge Front - "Contractor"						
MOQ: 1	,000 pieces. Shippi	ng Weight: 2 lb. per	1,000 pieces.	MOQ: 1,000 pieces. Shipping Weight: 2 lb. per 1,000 pieces.					

Contractor

Ken Richardson

T6205

T6103









See chart to the left for item #s and expiration times.

Thermal-Printable Expiring Badge Front Parts

Badges are blank with 1,000 per package (5 rolls of 200). Badges print from any direct thermal printer. Use with any visitor management software system. Customize your own layout with text or logo.

Thermal-Printable Badge Front Part Specifications							
Item#	Expiring Time	Size	Description	Use With*			
T6451	1/2 Day (4 Hrs)	1 15/16" x 2 13/16"	Thermal-Printable Badge Front - Blank	T5913A			
T6151	1 Day (15 Hrs)	1 15/16" x 2 13/16"	Thermal-Printable Badge Front - Blank	T5913A			
T6151L	1 Day (15 Hrs)	2 1/8" x 3 13/16"	Large Thermal-Printable Badge Front - Blank	T5913AL			
T6251 1Week (7 Days) 115/16" x 213/16" Thermal-Printable Badge Front - Blank T5913A							
MOQ: 1,0	000 pieces. Shippin	g Weight: 3 lb. per 1,0	000 pieces (standard sizes); 4 lb. per 1,000 pieces	(large sizes).			



P9021



AH-1024

Inkjet Printable Expiring Badge Front Parts

Sheets print from any inkjet printer. Rolled badges are compatible with the Primera LX500 color label printer.

Inkjet Printable Badge Front Part Specifications						
Item# Expiring Time Size Description Use With*						
T2015		1 15/16" x 2 13/16"	Inkjet Printable Badge Front, Sheets - Blank			
T2020	1 Day (15 Hrs)	1 15/16" x 2 13/16"	Inkjet Printable Badge Front, Rolls - Blank	T5903A		
T2020L						
MOQ: 500 pieces (T2015); 1,000 pieces (T2020 & T2020L).						
Shipping \	Weight: 3 lb.	per 500 pieces (T2015	5); 3 lb. per 1,000 pieces (T2020); 4 lb. per 1,000 pieces	s (T2020L).		

ACTIVATED TWO-PART BADGE SHOWN EXPIREDTHE VISITOR'S TIME IS UP!



Badge Back Parts

Choose an Adhesive or Clip-on Badge Back Part. Adhesive Badge Back Parts can expire with red lines or with the word "EXPIRED" running across the badge. Clip-on Badge Back Parts are available in various colors and printed with or without titles.

Adhesive Badge Back Part Specifications						
Item#	Expiring Time	Size	Description	Use With*		
T6032A		2" x 3"	Adhesive Badge Back Part - Red Line Expiration	T6451		
T6031A	All Time Frames		Adhesive Badge Back Part - "Expired" Expiration	T6403		
MOQ: 1,000 pieces. Shipping Weight: 2 lb. per 1,000 pieces.						

Horizontal Clip-on Badge Back Part Specifications				
Item#	Expiring Time	Size	Description	Use With*
T5913A		3" x 3"	Clip-on Badge Back Part - "Visitor" (Red)	T6151
T5913AL		3" x 4"	Large Clip-on Badge Back Part - "Visitor" (Red)	T6151L
T5915A		3" x 3"	Clip-on Badge Back Part - "Contractor" (Green)	T6151
T5915AL		3" x 4"	Large Clip-on Badge Back Part - "Contractor" (Green)	T6151L
T5937A		3" x 3"	Clip-on Badge Back Part - "Vendor" (Yellow)	T6151
T5937AL		3" x 4"	Large Clip-on Badge Back Part - "Vendor" (Yellow)	T6151L
T5938A		3" x 3"	Clip-on Badge Back Part - "Temporary" (Process Blue)	T6151
T5938AL		3" x 4"	Large Clip-on Badge Back Part - "Temporary" (Process Blue)	T6151L
T5902A	All	3" x 3"	Clip-on Badge Back Part (Yellow)	T6103
T5902AL	Time	3" x 4"	Large Clip-on Badge Back Part (Yellow)	T6151L
T5903A	Frames	3" x 3"	Clip-on Badge Back Part (Red)	T6103
T5903AL		3" x 4"	Large Clip-on Badge Back Part (Red)	T6151L
T5904A		3" x 3"	Clip-on Badge Back Part (Reflex Blue)	T6103
T5904AL		3" x 4"	Large Clip-on Badge Back Part (Reflex Blue)	T6151L
T5905A		3" x 3"	Clip-on Badge Back Part (Green)	T6103
T5905AL		3" x 4"	Large Clip-on Badge Back Part (Green)	T6151L
T5906A		3" x 3"	Clip-on Badge Back Part (Process Blue)	T6103
T6027A		3" x 3"	Clip-on Badge Back Part (No Color Bar)	T6103
T6027AL		3" x 4"	Large Clip-on Badge Back Part (No Color Bar)	T6151L
MOQ: 1,00	00 pieces. Shipping	₹ Weight:	3 lb. per 1,000 pieces (standard sizes); 4 lb. per 1,000 pieces (larg	e sizes).

Vertical Clip-on Badge Back Part Specifications						
Item#	Item# Expiring Time Size Description Use With*					
T6054A All Time Frames 2" x 3 1/2" Clip-on Badge Back Part (No Color Bar) T6151						
MOO: 1.000) pieces. Shipping W	eight: 3 lb. pe	r 1.000 pieces.			

PRE-PRINTED TITLE OPTIONS			
Visitor Temporary			
Contractor	Vendor		

BLANK TOPS COLOR OPTIONS						
YELLOW	GREEN	REFLEX BLUE	NO COLOR			
RED	PROCESS BLUE	PURPLE				

See chart above for item #s and expiration times.

*Recommended accompanying part. Many parts are interchangeable. Ask your sales representative for details.

Adhesive Badges should not be applied to delicate materials such as leather, silk, suede, or vinyl.

Note: products are not shown to scale.





T5913A




T5913AL

CHOOSE YOUR TIMEtoken® BACK PART

TIMEtoken® Badge Back Parts

These badge backs feature a token expiration area, perfect for those seeking a subtle expiring solution. Most TEMPbadge expiring badges show the expiration indicators on the entirety of the badge; our token expiring badges limit the expiration area to a small section of the badge. These badges are also thermal printable, allowing you to quickly print the visitor's name and other important information.

TIMEtoken Badge Back Part Specifications						
Item#	Size	Description	Use With*			
T4102A	2 1/8" x 3 13/16"	Thermal-Printable Back Badge, Adhesive - Blank	T6119			
T3983A 3" x 4" Thermal-Printable Back Badge, Clip-On - Blank (This badge back is slotted, meaning it requires a clip for use.)						
MOQ: 1,0	MOQ: 1,000 pieces. Shipping Weight: 3 lb. per 1,000 pieces.					



T4102A



(Shown without TIMEtoken Expiring Labels)

CHOOSE YOUR TimeToken® LABEL

TIMEtoken® Expiring Badge Front Labels

These TIMEtoken front labels combine a printed title with your choice of expiration time frame to become a convenient, effective Visitor Management solution. Choose from several different titles and expiration time frames.

TIMEtoken Expiring Badge Front Label Specifications					
Item#	Expiring Time	Size	Description	Use With*	
T6417	1/2 Day (4 Hrs)		Expiring Badge Front - "CONTRACTOR" (Green)	T3983A	
T6418	1/2 Day (4 Hrs)		Expiring Badge Front - "VALID THIS DATE ONLY"	T5595A	
T6419	1/2 Day (4 Hrs)		Expiring Badge Front - "VISITOR" (Red)	T3983A	
T6118	1 Day (15 Hrs)	1" x 2"	Expiring Badge Front - "VALID THIS DATE ONLY"	T5595A	
T6119	1 Day (15 Hrs)		Expiring Badge Front - "VISITOR" (Red)	T3983A	
T6214	1 Week (7 Days)		Expiring Badge Front - "CONTRACTOR" (Green)	T3983A	
T6218	1 Week (7 Days)		Expiring Badge Front - "VALID THRU"	T5595A	
MOQ: 1	,000 pieces. Shipping	Weight:	1 lb. per 1,000 pieces.		



Expired





Expired Valid

See chart to the left for item #s and expiration times.

COMBINE BOTH PARTS AND ISSUE!



^{*}Recommended accompanying part. Many parts are interchangeable. Ask your sales representative for details. Adhesive Badges should not be applied to delicate materials such as leather, silk, suede, or vinyl. Note: products are not shown to scale.



1 CHOOSE YOUR TIMEspot® BACK PART

TIMEspot® Badge Back Parts

Looking for an expiring badge solution that's a bit more subtle? These spot expiring badges are perfect for you! For our spot expiring badges, only the coinsized spot shows the expiration indicator. You get the same clear indicator of expiration, just in a smaller package.

Handwi	Handwritten TIMEspot Badge Back Part Specifications		
Item#	Size	Description	Use With*
T5812A	1 15/16" x 2 7/8"	Expiring Badge Back, Adhesive - "VISITOR"	T6122
MOQ: 1,0	MOQ: 1,000 pieces. Shipping Weight: 2 lb. per 1,000 pieces.		

Thermal-Printable TIMEspot Badge Back Part Specifications			
Item#	Size	Description	Use With*
T4103A	2 1/8" x 3 13/16"	Expiring Badge Back, Adhesive - BLANK	T6122
T3971A	2 17/16" x 4"	Expiring Badge Back, Clip-On - BLANK (This badge back is slotted, meaning it requires a clip for use.)	T6122
MOQ: 1,000 pieces. Shipping Weight: 2 lb. per 1,000 pieces (T3971A); 3 lb. per 1,000 pieces (T4102A).			


2 CHOOSE YOUR TIMEspot® LABEL

TIMEspot® Expiring Badge Front Labels

These expiring spot fronts are required to complete your spot expiration solution. Combine these spots with a badge back with a spot expiration area to create a subtle, but effective, visitor badge solution. Red lines appear when the TIMEspot is expired, making it clear that a guest is no longer welcome on site.


TIMEs	TIMEspot Expiring Badge Front Label Specifications				
Item#	Expiring Time	Size	Description	Use With*	
T6422	1/2 Day (4 Hrs)		Round Expiring Badge Front - "V" (Red)		
T6429	1/2 Day (4 Hrs)		Round Expiring Badge Front - "V" (Reflex Blue)		
T6426	1/2 Day (4 Hrs)		Round Expiring Badge Front - "V" (Yellow)		
T6427	1/2 Day (4 Hrs)		Round Expiring Badge Front - "C" (Green)		
T6428	1/2 Day (4 Hrs)	7/8"	Round Expiring Badge Front - "T" (Process Blue)	T4103A	
T6122	1 Day (15 Hrs)		Round Expiring Badge Front - "V" (Red)		
T6128	1 Day (15 Hrs)		Round Expiring Badge Front - "V" (Reflex Blue)		
T6136	1 Day (15 Hrs)		Round Expiring Badge Front - "C" (Green)		
T6149	1 Day (15 Hrs)		Round Expiring Badge Front - Blank		
MOQ: 1,	,000 pieces. Shippin	g Weigh	t: 1 lb. per 1,000 pieces.		

3 COMBINE BOTH PARTS AND ISSUE!





See chart to the left for item #s and expiration times.





Printer Compatibility Chart

*Note, this list may change as we are always testing the printer compatibility of our TEMPbadge labels. Please call if you do not see the printer you are currently using on the list.

T2011

T2011L

T2030

T2031

T2050

T6451

T6451L

T6151

T6151L

T6351

T6351L

T6251

T6251L

T2020

T2020L

T3983A

T3971A

T4102A

T4103A

ONESTEP

QUICKTAB

FRONTPARTS

PRINTABLE BACKPARTS

1-day single-piece adhesive expiring

badge (thermal printable)

1-day large single-piece adhesive

expiring badge (thermal printable)

1/2-day single-piece adhesive

tab-expiring badge (thermal printable)

1-day single-piece adhesive

tab-expiring badge (thermal printable)

1-day single-piece adhesive tab-expiring badge

(thermal printable, for TEMPbadge™
VMS and WhosOnLocation™)

1/2-day expiring badge front

(thermal printable)

1/2-day large expiring badge front

(thermal printable)

1-day expiring badge front

(thermal printable)

1-day large expiring badge front

(thermal printable)

3-day expiring badge front

(thermal printable)

3-day large expiring badge front

(thermal printable)

7-day expiring badge front

(thermal printable)

7-day large expiring badge front

(thermal printable)

1-day expiring badge front

(inkjet printable, roll of labels)

1-day large expiring badge front

(inkjet printable, roll of labels)

Large slotted badge back (thermal

printable) with token expiration area

Large slotted badge back (thermal

printable) with spot expiration area

Adhesive badge back (thermal

printable) with token expiration area

Adhesive badge back (thermal

printable) with spot expiration area

Χ

	Dymo Label Writer 450 Turbo	TEMPbadge BP4	Zebra GC420d	Primera LX500
	HORION Readers Associated and Commelly Co.			And have
	P9021	P9050	P9042	AH-1024
		Х	Х	
		Х	Х	
)	Х	Х	X	
)	X	X	X	
		x	х	
	Х	Х		
	Х	Х		
	Х	Х		
	Х	Х		
	Х	Х		
	Х	Х		
	Х	Х		
	Х	Х		
				Х
				Х
		Х	Х	
	Х	Х		
	Х	Х		
	V			

1 CHOOSE YOUR BADGE DESIGN

School Badge Back Parts

School-themed badges feature printed titles and work with expiring circles that are designed specifically for schools. This expiring badge back features a handwritten customization area where a guest's name and the date can be added manually. A printed "SCHOOL VISITOR" or "STUDENT" title makes it clear which type of guest the visitor is. An adhesive back makes attaching the badge to the visitor easy.



STUDENT	
Name	_
Date	- ,

08106 08107

School	School Badge Back Part Specifications		
Item#	Size	Description	
08106	2" x 3" (51 x 76mm)	Manual School badge "SCHOOL VISITOR" (Red)	
08107	2" x 3" (51 x 76mm)	Manual School badge "STUDENT" (Green)	
MOQ: 1,0	MOQ: 1,000 pieces. Shipping Weight: 2 lb. per 1,000 pieces.		

2 CHOOSE YOUR COVER DESIGN

School Half-Day Expiring Circles

This TEMPbadge™ expiring circle combines with our school expiring badge backs to create the perfect school visitor badge solution. Placing this circle on the badge back activates the expiration technology; after a half-day (4 hours), the circle will clearly change colors to show that the badge is no longer valid, providing clear visual indication that a guest's time is up.





	08141
	Clear
	Half-Day
/	Expiration

School Half-Day Expiring Circle Specifications				
Item#	Expiring Time	Size	Description	
08140	1/2 Day (4 Hrs)	1 3/4" (45mm) Round	Expiring Circle SMILEY FACE (Blue)	
08141	1/2 Day (4 Hrs)	13/4" (45mm) Round	Expiring Circle (Clear)	
MOQ: 1,000 pieces. Shipping Weight: 1 lb. per 1,000 pieces.				

3 COMBINE BOTH PARTS AND ISSUE!

Adhesive Badges should not be applied to delicate materials such as leather, silk, suede, or vinyl. Note: products are not shown to scale.







08106 Expired



Dymo-Compatible Labels

These labels are specifically designed to work with DYMO's LabelWriter direct-thermal label printers and are made of the highest-quality direct-thermal material. All rolls are sealed in a black poly bag to protect the sensitive material from damage in shipping and storage. Made in the USA and fully guaranteed.

DYMO-Compatible Label Specifications		
Item#	Description	
05862	2 1/4" x 4" Adhesive Name Badge Label with Clip Hole - DYMO 30857 Compatible - Blank White	
05863	05863 2 1/4" x 3 1/2" Name Tag - DYMO 30296 Compatible - Blank White	
05864	D5864 2 1/4" x 4" DT Badge with Expiring TIMEspot (Stop Sign)	
MOQ: 1 Roll (05862 & 05864 have 250 labels per roll; 05863 has 300 per roll). Shipping Weight: 2 lb. per 1,000 pieces.		



Printable Adhesive Badges

A fast name tag solution that is both professional and affordable. All options can be custom printed to suit your needs (minimums apply).

- · Available in 7 colors
- · Design your own badge and print
- Compatible with direct-thermal printers

Printable Adhesive Badge Specifications		
Item#	Size (W x H)	
04101	2 1/8" x 3 13/16" (54 x 97mm)	
0408_*	2 1/8" x 3 13/16" (54 x 97mm)	
* See item numbers next to products for color choices		
MOQ: 5 Rolls	MOQ: 5 Rolls (1,000 badges per roll). Shipping Weight: 3 lb. per 1,000 pieces.	



Printable Clip-on Badges

- Available in 2 sizes
- Easy to use! Print front and back side of badge at the same time, fold together and clip (see #08080 Reusable Plastic Card Clip on page 95)
- Inkjet or color-laser compatible

Printable Clip-On Badge Specifications			
Item#	Size (W x H)	Packaging	
05513	2 1/4" x 3 1/2" (57 x 89mm)	Pack of 500	
05514	514 2 15/16" x 3 7/8" (75 x 98mm) (250 per box)		
Inkjet and color laser imprintable - sheet size is 4" x 6" (102 x 153mm)			
MOQ: Pack of 500. Shipping Weight: 2 lb. per 500 pieces.			



Adhesive Badges should not be applied to delicate materials such as leather, silk, suede, or vinyl. Note: products are not shown to scale.



Reusable Plastic Swivel Clip

This clip features a "button" design that slides through the slot so badges stay straighter and are less prone to twisting and facing the wrong way.

Reusable Plastic Swivel Clip Specifications		
Item#	Description	
08075	Reusable Plastic Clip	
MOO: Pack o	MOO: Pack of 500. Shipping Weight: 2 lb. per 500 pieces.	





Reusable Plastic Card Clip

Clip slides easily through the slotted portion of an expiring badge. The back portion of the clip can then be attached to a visitor's shirt or pocket for an easy Visitor Management solution.


Reusable Plastic Card Clip Specifications							
Item#	Description						
08080	Reusable Plastic SOFTclip						
MOQ: Pack of 500. Shipping Weight: 2.5 lb. per 500 pieces.							

Reusable Cardstock Badge Backs

Reusable Cardstock Badge Backs have a wax surface on the front that allows adhesive badges to be applied and removed many times.

Available in plain white, colored or custom. Sized to fit any $3" \times 2"$ (7.62 x 5.08cm) TEMPbadge adhesive ID badge. Made of sturdy, laminated card stock with easy release coating. Attaches with clip, lanyard or neck chain.

Reusable Cardstock Badge Back Specifications								
Item#	Size (W x H)	Description						
05661	4" x 3"	Reusable Badge Back - White - BLANK						
08178	4" x 3" Reusable Badge Back - Red "VISITOR"							
08179	4" x 3" Reusable Badge Back - Blue "VISITOR"							
C08178*	4" x 3"	Reusable Badge Back - 2-Sided Custom						
C08180*	4 1/2" x 3 1/4" Reusable Badge Back - 2-Sided Custom							
	*Custom badge backs can be printed in 1, 2, 3, or 4 colors (front side and back side) for the same price.							
MOQ: Pack of 500 (05661 & 08177); Pack of 200 (08178, 08179, C08178, C08180)								
Shipping Weight: 5 lb. per 500 pieces (05661 & 08177);								
2 lb. per 200 pieces (08178, 08179, C08178, C08180).								









Most Popular Material & Imprint Colors Available on all materials. Ships in 10 business days.

PMS Black C	PMS White	PMS 115C	PMS 151C	PMS 195C	PMS 200C	PMS 268C	PMS 289C	PMS 294C	PMS 316C	PMS 348C	PMS 5535C
Additional	Material &	Imprint Col	ors Ribbed F	Polyester mate	erial only, app	lies to PH10,	ELSS and 2T1	.0. Ships in 13	-15 business	days.	
Black/	Red/	R.Blue/	Yellow/	Purple/	Silver	PMS	PMS	PMS	PMS	PMS	PMS
White	White	White	White	White	Glitter	White NC	Black 2C	Black 3C	Black 4C	Black 6C	Black 7C
PMS Cool	PMS Cool	PMS Cool	PMS Cool	PMS Cool	PMS Cool	PMS Cool	PMS Cool	PMS Cool	PMS Cool	PMS Warm	PMS Warm
Gray 1C	Gray 3C	Gray 4C	Gray 5C	Gray 6C	Gray 7C	Gray 8C	Gray 9C	Gary 10C	Gary 11C	Gray 1C	Gray 2C
PMS Warm Gray 3C	PMS Warm Gray 4C	PMS Orange 021C	PMS Reflex Blue C	PMS Rubine Red C	PMS Yellow C	PMS 072C	PMS 101C	PMS 102C	PMS 106C	PMS 108C	PMS 109C
PMS 116C	PMS 123C	PMS 124C	PMS 130C	PMS 136C	PMS 137C	PMS 152C	PMS 161C	PMS 165C	PMS 166C	PMS 169C	PMS 171C
PMS 172C	PMS 173C	PMS 176C	PMS 178C	PMS 179C	PMS 183C	PMS 184C	PMS 185C	PMS 186C	PMS 187C	PMS 189C	PMS 190C
D) 46	D) 46	D) 46	D) 46	D) 40	D) 10	D) 40	D) 40	D) 40	D) 46	D) 46	D) 46
PMS 191C	PMS 193C	PMS 199C	PMS 204C	PMS 206C	PMS 207C	PMS 210C	PMS 211C	PMS 218C	PMS 219C	PMS 226C	PMS 227C
PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS
230C	232C	233C	236C	237C	243C	255C	272C	279C	282C	286C	287C
PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS
290C	291C	292C	296C	301C	303C	306C	314C	319C	321C	322C	332C
PMS 335C	PMS 341C	PMS 349C	PMS 350C	PMS 355C	PMS 356C	PMS 365C	PMS 366C	PMS 368C	PMS 375C	PMS 376C	PMS 377C
	0.120							0000			
PMS 381C	PMS 382C	PMS 388C	PMS 389C	PMS 400C	PMS 401C	PMS 403C	PMS 405C	PMS 406C	PMS 407C	PMS 409C	PMS 410C
PMS 412C	PMS 413C	PMS 414C	PMS 417C	PMS 418C	PMS 419C	PMS 421C	PMS 422C	PMS 423C	PMS 424C	PMS 426C	PMS 428C
PMS 429C	PMS 432C	PMS 433C	PMS 439C	PMS 440C	PMS 443C	PMS 445C	PMS 446C	PMS 447C	PMS 449C	PMS 452C	PMS 461C
PMS 463C	PMS 467C	PMS 476C	PMS 478C	PMS 481C	PMS 482C	PMS 483C	PMS 495C	PMS 496C	PMS 508C	PMS 512C	PMS 513C
PMS 514C	PMS 531C	PMS 532C	PMS 533C	PMS 534C	PMS 542C	PMS 553C	PMS 556C	PMS 563C	PMS 565C	PMS 574C	PMS 577C

 $Colors \ are \ approximate \ and \ may \ appear \ slightly \ lighter \ or \ darker \ depending \ on \ printing \ conditions. \ A \ PANTONE ^{\$} \ book \ should \ be \ used \ for \ more \ accurate \ color \ matching.$

Additional Material & Imprint Colors Cont. Ribbed Polyester material only, applies to PH10, ELSS and 2T10. Ships in 13-15 business days.

Additional	ı Materiai &	Imprint Col	iors Cont. R	ibbed Polyes	ter material o	only, applies to	PH10, ELSS	and 2110. Sh	ips in 13-15 b	usiness days.	
PMS 584C	PMS 600C	PMS 628C	PMS 635C	PMS 646C	PMS 653C	PMS 654C	PMS 655C	PMS 657C	PMS 659C	PMS 661C	PMS 672C
PMS 675C	PMS 688C	PMS 693C	PMS 698C	PMS 710C	PMS 801C	PMS 802C	PMS 804C	PMS 806C	PMS 809C	PMS 812C	PMS 814C
PMS 1215C	PMS 1235C	PMS 1395C	PMS 1495C	PMS 1505C	PMS 1545C	PMS 1585C	PMS 1635C	PMS 1645C	PMS 1665C	PMS 1765C	PMS 1767C
PMS 1785C	PMS 1895C	PMS 1905C	PMS 1915C	PMS 1925C	PMS 2060C	PMS 2115C	PMS 2123C	PMS 2139C	PMS 2143C	PMS 2163C	PMS 2241C
PMS 2276C	PMS 2287C	PMS 2299C	PMS 2308C	PMS 2322C	PMS 2333C	PMS 2425C	PMS 2562C	PMS 2567C	PMS 2572C	PMS 2577C	PMS 2582C
PMS 2627C	PMS 2635C	PMS 2645C	PMS 2655C	PMS 2665C	PMS 2695C	PMS 2706C	PMS 2717C	PMS 2728C	PMS 2747C	PMS 2756C	PMS 2757C
PMS 2758C	PMS 2766C	PMS 2767C	PMS 2768C	PMS 2915C	PMS 2925C	PMS 2945C	PMS 2985C	PMS 2995C	PMS 3115C	PMS 3155C	PMS 3165C
PMS 3255C	PMS 3282C	PMS 3288C	PMS 3395C	PMS 3405C	PMS 4625C	PMS 4685C	PMS 4695C	PMS 4975C	PMS 4985C	PMS 5225C	PMS 5255C
PMS 5275C	PMS 5285C	PMS 5295C	PMS 5395C	PMS 5415C	PMS 5467C	PMS 5487C	PMS 5523C	PMS 5615C	PMS 5747C	PMS 5753C	PMS 5767C
PMS 7403C	PMS 7407C	PMS 7408C	PMS 7421C	PMS 7427C	PMS 7443C	PMS 7451C	PMS 7452C	PMS 7453C	PMS 7454C	PMS 7461C	PMS 7462C
PMS 7478C	PMS 7479C	PMS 7482C	PMS 7485C	PMS 7490C	PMS 7499C	PMS 7501C	PMS 7502C	PMS 7504C	PMS 7505C	PMS 7507C	PMS 7509C
PMS 7511C	PMS 7528C	PMS 7529C	PMS 7531C	PMS 7532C	PMS 7533C	PMS 7534C	PMS 7535C	PMS 7536C	PMS 7537C	PMS 7538C	PMS 7540C
73116											73100
PMS 7542C	PMS 7544C	PMS 7545C	PMS 7546C	PMS 7553C	PMS 7558C	PMS 7561C	PMS 7564C	PMS 7567C	PMS 7574C	PMS 7575C	PMS 7579C
75-120							7 33 10				73770
PMS 7580C	PMS 7582C	PMS 7595C	PMS 7596C	PMS 7668C	PMS 7678C	PMS 7682C	PMS 7684C	PMS 7686C	PMS 7692C	PMS 7693C	PMS 7725C
, 5000	. 3020	7.5750	73730	7.0000	7.57.50	, 0020	7.00 %	7.0000	7.0720	. 3,30	11236
PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS		
7726C	7727C	7732C	7734C	7735C	7748C	7753C	7757C	7764C	7771C		

Additional colors can apply to Smooth Polyester, Flexible Tubular, Flat Tubular and Woven Lanyards for an additional charge.

Customization Information

ARTWORK: The following computer files are acceptable:

- Adobe Illustrator version 6.0 or less– all fonts converted to "OUTLINES" and saved as an .ai or .eps file.
- Adobe Photoshop version 6.0 or less– files saved as .tiff, .bmp, .jpg, .psd or .gif (minimum DPI 150, logos from websites are NOT acceptable).
- Adobe InDesign version 6.0 or less- all fonts converted to "OUTLINES" and package the links when sending the file.

Please specify the name and type of the files being sent. DO NOT embed files in a Microsoft Word® file. Include a color copy for color breakdown only. Preproduction, custom-imprinted samples are available for an additional charge. Modifications to artwork will be quoted on a per order basis. A minimum charge applies. (No photocopies or faxes.)

SET-UP CHARGES: A set-up charge may apply to orders. Call for details.

RUSH CHARGES: Additional charges may apply. Call for details.

CANCELLATION: Orders may be subject to a cancellation charge to compensate for any costs incurred prior to cancellation (i.e. artwork charges, printing plates, etc.).

PAD PRINTING: For plastics, metals, neck lanyard sliders, snap buckles, badge reels and detachable attachments. Provides a quality, durable imprint. Exact color matches cannot be guaranteed.

CLEAR DOMING RESIN: Provides permanent protection for a multi-color label. Available on round and diamond sliders, detachable attachments and badge reels.

DYE-SUBLIMATION: A permanent transfer process used on our neck lanyards and select wristbands. A digital image is transferred onto a white base allowing for fine, photo-realistic detail. Any color can be used for a base color.

CONTINUOUS PRINTING AND POSITIONAL PRINTING: Many lanyards come in either a continuously printed imprint or a positionally printed imprint. See diagram below for examples of printing styles.



CONTINUOUS PRINTING
IMPRINT CONTINUES THROUGH SEAM AND BREAKAWAY



POSITIONAL PRINTING
IMPRINT STOPS BEFORE SEAM AND BREAKAWAY

Production & Shipping

PRODUCTION TIME: Timetables for shipping are based on credit approval, receipt of camera-ready art and proof approval. Production timetable is valid for all catalog products in catalog quantities. No guarantees are made as to arrival dates. Please specify and authorize special shipping which may be required to meet exact event dates or deadlines.

PACKAGING: Lanyards are bundled in quantities of 100. Additional charges may apply for other quantities or special requests. Call for quote.

DAMAGED SHIPMENTS: All merchandise is inspected, weighed, and carefully packed for shipment before leaving any of our warehouses. The freight company accepts liability when the shipment leaves our facility. Upon delivery of your shipment, promptly check the number and condition of cartons against the Bill of Lading totals before signing the freight Bill of Lading.

LIABILITY: The products become the customer's property upon delivery to the carrier. If damage or loss is discovered—either visible or concealed—you must file a claim with the freight carrier within 14 days of the delivery date.

Breakaway Information

SPECIAL WARNING FOR BREAKAWAY LANYARDS: Breakaway performance will vary and lanyards will not break away under all conditions. The male/ female part pull force specification for round breakaways is 3-11 lbs under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat breakaways is 4-10 lbs under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommend for use around moving objects or playgrounds.

LIMITED BREAKAWAY WARRANTY: Breakaway performance will vary and lanyards will not break away under all conditions. Customers should test the breakaway feature for suitability for their use and environment. This product is subject to a limited warranty. Seller warrants to the original purchaser for use that the goods or any component thereof will be free from defects in workmanship for a period of one year from the date of purchase. Seller's sole liability and the purchaser's sole remedy for a failure of goods under this limited warranty, and for any and all claims arising out of the purchase and use of the goods, shall be limited to the repair or replacement of the goods that do not conform to this warranty. There are no express or implied warranties covering these goods other than as set forth above.

General Information

We reserve the right to change pricing of products or services without notice. Imprints, logos or trademarks displayed in this catalog are for purpose of showing printing capabilities only. Use of such does not constitute an endorsement of the product, nor does it indicate that the product has been used or purchased by the person or company whose name or logo appears on the product.

PAGE **74-75**

Luggage Tags Color coordinate and keep track of personal items with this durable luggage tag holder!



PAGE **68-69**

DigiLine Badges Perfect for use as employee badges at big box stores, hotels, car rental facilities and other retail settings.



PAGE **58**

Vinyl Event Holders These badge holders feature multiple slots for convenience and flexibility.



PAGES **4-9**

Custom Lanyards

Multiple materials and end fittings available – customize with your logo, graphic or text!





YOUR SINGLE SOURCE FOR IDENTIFICATION PRODUCTS

LANYARDS | BADGE REELS | BADGE HOLDERS ID CARDS | VISITOR MANAGEMENT | AND MORE